
### STATE OF ILLINOIS

### DEPARTMENT OF TRANSPORTATION

**DIVISION OF HIGHWAYS** 

# **PROPOSED** HIGHWAY PLANS

FAP ROUTE 542 (IL 61) SECTION (105B)I-1 MCDONOUGH COUNTY **EMERGENCY BRIDGE BEAM REPLACEMENTS** C-94-139-07




(1058)[-1


MCDONOUGH 13 1 IL 61 CONTRACT NO. 68760

### D-94-095-07

FED. ROAD DIST. NO.



DESCRIPTION: THE PROPOSED IMPROVEMENT CONSISTS OF THE EMERGENCY BRIDGE REMOVAL AND REPLACEMENT OF 11 BEAMS ON STRUCTURE 055-0010 CARRYING IL 61 OVER LAMOINE RIVER AT STA. (758 + 83.5 old plans) 286 + 11.8 1 MILE SOUTH OF COLMAR



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

### INDEX OF SHEETS

**COVER SHEET** 

 $\bigcirc$ 

 $\circ$ 

0

- **COMMITMENTS & GENERAL NOTES**
- **SUMMARY OF QUANTITIES**
- TYPICAL SECTIONS
- SCHEDULE OF QUANTITIES
- TRAFFIC STAGING PLAN
- STAGE REMOVAL & CONSTRUCTION
- PLAN AND ELEVATION
- 9-13 BEAM DETAILS

### LIST OF STANDARDS

635006-02 701301-02

635011-01 701901

701011-01 701321-09


701006-02 704001-04

### **DESIGN DESIGNATION**

ADT = 1500 (2006)

MU = 60

SU = 100



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123 OR 811

SQUAD LEADER: NICHOLAS JACK PROJECT DESIGNER: GEORGE RAMIA

**CONTRACT NO. 68760** CATALOG NO 000000 000 GROSS LENGTH OF PROJECT NET LENGTH OF DDO IECT

745.5 FT (0.141 MILES) 745 5 FT (0 141 MILES)

## **COMMITMENTS**

No commitments have been made for this project.

### BITUMINOUS CONCRETE MIXTURE REQUIREMENTS

The following mixture requirements are applicable for this Project: Contract 68760

IL 61 over the Lamoine River

Mixture Use(s):	Sand Mix/Leveling Binder	Surface
AC/PG:	SBS or SBR PB 70-22	64-22
RAP % (Max)**:		
Design Air Voids:	2.5% @ N=50	4.0% @ N=50
Mixture Composition:	IL 4.75	IL 9.5 or 12.5
(Gradation Mixture)		
Friction Aggregate:	N/A	Mix D

<sup>\*\*</sup> If RAP option is selected, the asphalt cement grade may need to be adjusted; this will be determined by the Materials Engineer.

Notes: Individual lift thickness will be no less than 3 X nominal maximum aggregate size and no more than 6 X nominal maximum aggregate size.

The asphalt sand seal protection layer specified in Section 581 of the Standard Specifications shall be omitted and replaced with Leveling Binder (Hand Method), N50.

The Leveling Binder (Hand Method), N50 will be paid for separately by the ton.

## **GENERAL NOTES**

Plan dimensions and details relative to existing structure have been taken from existing plans and are subject to nominal construction variations. It shall be the Contractor's responsibility to verify such dimensions and details in the field and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

### **ENVIRONMENTAL REVIEWS**

Prior to the use of any proposed borrow areas, use areas (temporary access roads, detours, run-arounds, etc.) and/or waste areas, the Contractor shall file the required environmental resource request surveys according to Section 107.22 of the Standard Specifications. These surveys are required in order for the Department to conduct cultural and biological resource surveys for the proposed site.

Prior to any waste materials being removed from the construction site the required environmental resource surveys will need to be obtained and filed by the Contractor. Excess waste products removed from the construction site shall be disposed of as required in Section 202.03 of the Standard Specifications.

Any protruding metal bars shall be removed prior to the disposal of broken concrete at approved disposal sites.

The required environmental resource documentation shall include the following:

- \* BDE Form 2289 (Environmental Survey Request)
- \* A location map showing the size limits and location of the use area
- \* Signed property owner agreement form-D4 P10100
- \* Color photographs depicting the use area
- \* Borrow Area Entry Agreement form-D4 P10101

Please note that a minimum of two weeks shall be allowed for the District to obtain the required environmental clearances.

### **ENGINEERS FIELD OFFICE**

Add the following sentence to the end of paragraph 670.02 (i) and 670.04 (e): All of the telephone lines provided shall have unpublished numbers.

FILE NAME =	USER NAME ≈ mofæddenjk	DESIGNED -	REVISED -
c:\projects\116lbr1dge\plan01.dgn		DRAWN	REVISED -
	PLOT SCALE = 100.0000 '/ IN.	CHECKED -	REVISED -
i	PLOT DATE = 10/19/2007	DATE	BEVICED -

# SUMMARY OF QUANTITIES

			TATE SAF	
CODE NO.	ITEM	UNIT	RURAL	TOTAL
40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	48	48
40600525	LEVELING BINDER (HAND METHOD), N50	TON	13	13
40603335	HOT- MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	44	44
44001005	HOT-MIX ASPHALT SURFACE REMOVAL	SQ YD	70	70
50102400	CONCRETE REMOVAL	CU YD	18.7	18.7
50300255	CONCRETE SUPERSTRUCTURE	CU YD	18.3	18.3
50400605	PRECAST PRESTRESSED CONCRETE DECK BEAMS (33" DEPTH)	SQ FT	2,469	2,469
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	1,560	1,560
58100200	WATERPROOFING MEMBRANE SYSTEM	SQ YD	318	318
58300100	PORTLAND CEMENT MORTAR FAIRING COURSE	FOOT	1,213	1,213
67000400	ENGINEER FIELD OFFICE, TYPE A	CAL MO	2	2
67100100	MOBILIZATION	L SUM	1	1
70100405	TRAFFIC CONTROL AND PROTECTION, STANDARD 701321	EACH	1	1
70106500	TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	1	1
70106700	TEMPORARY RUMBLE STRIP	EACH	6	6
70300100	SHORT-TERM PAVEMENT MARKING	FOOT	1,600	1,600

			TATE SAF OUGH COU	
CODE NO.	ITEM	UNI T	RURAL	TOTAL
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	533	533
70400100	TEMPORARY CONCRETE BARRIER	FOOT	762.5	762.5
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	762.5	762.5
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	2,000	2,000
78200530	BARRIER WALL MARKERS, TYPE C	EACH	4	4
X0301424	SILICONE JOINT SEALER	FOOT	30	30
X0320047	REMOVAL OF EXISTING PRECAST PRESTRESSED CONCRETE DECK BEAMS	SQ FT	2,501	2,501
X0320887	POLYMER CONCRETE	CU FT	3.1	3.1
Z0001900	ASBETOS BEARING PAD REMOVAL	EACH	11	11
Z0030250	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2
Z0030350	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL3	EACH	2	2
	·			


\*SPECIALTY ITEM

o:\projects\:16lbr:dge\plan01.dgn


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTIES

## **TYPICAL SECTIONS**



### EXISTING BRIDGE DECK TYPICAL SECTION



### EXISTING TYPICAL SECTION

Sta. 282+90 To Sta. 291+08.3

FILE NAME =	USER NAME ≕ mofaddenyk	DESIGNED -	REVISED -
c:/projects/:16lbr:dge/plan@l.dgn		DRAWN -	REVISED -
	PLOT SCALE = 100.0000 '/ IN.	CHECKED -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	F.A.P	CEATION	COLUTY	TOTAL	SHEET
i	RTE.	SECTION	COUNTY	SHEETS	NO.
TYPICAL SECTIONS		(105B)I-1	MCDONOUGH	13	4
TITIONE DEVITORS			CONTRACT	NO. 6	8760
ALC. MANG CHEET NO 12 OF A CHEETE CTA GOODER TO CTA	A	10 ATET 100 11 CE CEN 11	A 354 PAT		

# SCHEDULE OF QUANTITIES

LOCATIONS STA. TO STA.	HMA SURF CSE MIX "D" N50	HMA SURF REM	BIT MAT (PRIME COAT)	LEVELING BINDER (HAND METHOD), N50
	TON	SQ YD	GALLON	TON
283+83.05 - 288+40.55	44	70	48	13
TOTAL	44	70	48	13

LOCATIONS STA. TO STA.	CONCRETE REMOVAL	CONCRETE SUPERSTRUCTURE	REINFORCEMENT BARS EPOXY COATED
	CU YD	CU YD	POUND
283+83.05 - 288+40.55	18.7	18.3	1,560
TOTAL	18.7	18.3	1,560

LOCATIONS STA. TO STA.	P P CONC DECK BEAM (33' DEPTH)	REM OF EXIST P P CONC DECK BEAMS	ASBESTOS BEARING PAD REMOVAL
	SQ FT	SQ FT	EACH
283+83.05 - 288+40.55	2,469	2,501	11
TOTAL	2,469	2,501	11

LOCATIONS STA. TO STA.	WATERPROOFING MEMBRANE SYSTEM
	SQ YD
283+83.05 - 288+40.55	318
TOTAL	318

LOCATIONS STA. TO STA.	P C MORTAR FAIRING COURSE
	FOOT
283+83.05 - 288+40.55	1,213
TOTAL	1,213

LOCATIONS STA. TO STA.	SHORT - TERM PAVEMENT MARKING	WORK ZONE PAVEMENT MARKING REMOVAL	PAINT PAVEMENT MARKING LINE 4"
	FOOT	SQ FT	FOOT
283+83.05 - 288+40.55	1,600	533	2,000
TOTAL	1,600	533	2,000

LOCATIONS STA. TO STA.	TEMPORARY CONCRETE BARRIER	RELOCATE TEMP CONC BARRIER
	FOOT	FOOT
283+30.98 - 289+92.62	762.5	762.5
TOTAL	762.5	762.5


LOCATIONS STA. TO STA.	IMPACT ATT TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	IMPACT ATT RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3	TEMPORARY RUMBLE STRIP
·	EACH	EACH	EACH
283+30.98 - 289+92.62	2	2	6
TOTAL	2	2	6

LOCATIONS STA. TO STA.	POLYMER CONCRETE	SILICONE JOINT SEALER	BARRIER WALL REFLECTOR, TYPE C
	CU FT	FOOT	EACH
283+30.98 - 289+40.55	3.1	30	4
TOTAL	3.1	30	4

LOCATIONS STA. TO STA.	MOBILIZATION	T C & PROT STANDARD 701321	ENGINEER FIELD OFFICE TYPE A	TEMPORARY BRIDGE TRAFFIC SIGNAL
	L SUM	EACH	CAL. MO.	EACH
283+30.98 - 289+92.62	1	1	2	1
TOTAL	1	1	2	. 1

USER NAME = mofaddenjk	DESIGNED -	REVISED ~
	DRAWN ~	REVISED -
PLOT SCALE = 100.0000 '/ IN.	CHECKED -	REVISED -
		AA. 18AAA

## STAGING PLANS




### STAGE II

457'-6" BK. TO BK. OF ABUT.


0	100	200
	SCALE	

FILE HAPE #	USER HAVE a motodderyk	DESIGNED -	REVISEO -			FAP SECTION	COLHITY TOTAL SHEET
or\prajects\ni61bridge\plon8le.dgc		URKAKN	REVISEO -	STATE OF ILLINOIS	America	NIC.	COONOUGH 13 6
	PLOT SCALE : 188.8800 '/ 18.	CHECKEO -	REVISED -	DEPARTMENT OF TRANSPORTATION	STAGING PLANS		CONTRACT NO. 68760
	PLOT DATE + (IVIE/2007	DATE -	REVISEO -		SCALE: 1" = 100" SHEET NO. 13 OF 6 SHEETS STA. 282440 TO STA. 289485	FED. BOAD DIST. NO.   EL EI   FED. AID	

## STAGE REMOVAL AND CONSTRUCTION




## STAGE I CROSS SECTION (Looking NORTH)



### STAGE II CROSS SECTION

Į					_
I	FILE NAME =	USER NAME ≈ mofaddenjk	DESIGNED -	REVISED -	
İ	c:\projects\:16lbr:dge\plan01.dgn		DRAWN -	REVISED ~	
		PLOT SCALE = 100.0000 '/ IN.	CHECKED -	REVISED -	ĺ
1	· · · · · · · · · · · · · · · · · · ·			******	

## GENERAL PLAN AND ELEVATION



c:\projects\:16lbridge\plan01.dgn	

NOTE 1:

SHOWN.

8' SHLDR.

PLOT SCALE = 100.0000 '/ IN.	CHECKED -	REVISED -
	DRAWN ~	REVISED -
USER NAME ≈ mcfaddenjk	DESIGNED -	REVISED -

### STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION © Brg. S. Abut. ← @ Pier 1 Pier 3 ├-- @ Pier 2 76'-0" Span 2 76'-0" Span 3 74'-4" Span 1 Beam 1 35" Beam PPC Deck Beams 3'-0" = 42'-0" 4 0 m 35" Beam 36" Beam : Beam 14 36" Beam © Brg. N. Abut. Pier 4 -@ Pler 5 - € Pier 3 76'-0" Span 4 76'-0" Span 5 74'-4" Span 6 Beam 1 36'' Beam 36'' Beam Stage Con. 35" Beam : | : Beam 14 Existing tie rods to PLAN be cut, typ, See detail this sheet. Concrète Removal Saw cut-36 locations. Existing Beam to Remain Stage I Construction Stage II Construction Existing Beam Toe of Temp. To be removed. Conc. Barrier OF ILLIN & Rdwy. Cut lines of existing tie rods. Lap Waterproofing during BEAM REMOVAL DETAIL Stage II Construction HMA DESIGN STRESSES AT TRANSVERSE TIES Surface 081-004625 FIELD UNITS f'c = 3,500 psi DESIGNED Adran T. Halloway fy = 60,000 psi (Reinforcement) And PINGFIEL PRECAST PRESTRESSED UNITS -Waterproofing Membrane System f'c = 5,000 psi WATERPROOFING TREATMENT f'ci = 4,000 psi

Expires: November 30, 2008

AT STAGE CONSTRUCTION

SHEET NO. TOTAL SHEETS SHEET NO. 1ROLITE NO. FA 36 MC DONOUGH 13 9 5 SHEETS ILLINOIS FED. AID P

Contract Number: 68760

### GENERAL NOTES

The contractor is advised that the existing PPC Deck Beams are in a deteriorated condition with reduced load carrying capacity. It is the contractors responsibility to account for the condition of the beams when developing construction procedures.

If the contractor's procedure for existing beam removal or placement of new beams involves placement of cranes or other heavy equipment on the bridge, a detailed procedure shall be submitted to the Engineer for approval. The procedure shall include calculations, prepared and sealed by an Illinois Licensed Structural Engineer, verifying that the equipment and procedure used will not overstress the new or existing beams. To distribute load to multiple beams and protect the existing surface, in all cases a double layer mat of heavy timbers shall be used at all times under crane tracks or wheels and any outriggers in the down position. If necessary, shims shall be used under the crane mat to ensure uniform contact with the underlying beams. If heavy equipment will be placed on new PPC deck beams, the following shall be done prior to placement of the timber mats: placement and tightening of transverse tie assemblies, grouting and curing the dowel rods 24 hours minimum and grouting and curing the shear keys.

The top surface of the beams shall be finished according to the IDOT Manual for Fabrication of Precast Prestressed Concrete Products.

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with an approved bar splicer or anchorage system. Cost included with Concrete Removal.


Plan dimensions and details relative to existing plans are subject to routine variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished based upon the unit price bid for the work.

Reinforcement bars shall conform to the requirements of ASTM A 706 Gr 60 (IL Modified). See Special Provisions.

Reinforcement bars designated (E) shall be epoxy coated.

 $f's = 270,000 \text{ psi } (\frac{1}{2})'' \phi \text{ low lax strands})$   $f'si = 201,960 \text{ psi } (\frac{1}{2})'' \phi \text{ low lax strands})$ 

Temporary concrete barrier shall only be anchored into the overlay and not into the PPC Deck Beams.




### ANTICIPATED INITIAL CAMBER DIAGRAM

ITEM	UNIT	QUANTITY
Removal of Existing PPC Deck Beams	Sq. Ft.	2501
Precast Prestressed Concrete Deck Beams (33'' Depth)	Sq. Ft.	2469
HMA Surface Removal	Sq. Yd.	69.5
HMA Surface Course Mix "D" N50	Tons	43.6
PC Mortar Fairing Course	Foot	1213
Asbestos Bearing Pad Removal	Each	11
Waterproofing Membrane System	Sq. Yd.	318.2
Silicone Joint Sealer	Foot	30
Polymer Concrete	Cu. Ft.	3.1
Concrete Removal	Cu. Yd.	18.7
Concrete Superstructure	Cu. Yd.	18.3
Reinforcement Bars, Epoxy Coated	Pound	1560

PLAN AND ELEVATION FA 36 MCDONOUGH COUNTY SN 055-0010

AJR

CHECKED ATH



FABRIC BEARING PAD

2'-10"

FABRIC BEARING PAD

2"\$ Holes for

Fixed Ends Only

Dowel Rods


|**-**--€ Beam

FIXED

**EXPANSION** 

1'-3" Lifting loops

3 each end



FABRIC ADJUSTING SHIM

FABRIC ADJUSTING SHIM

4" Vent Holes Top-

³₄′′¢ Drain Holes Bott.

3"\$ Hole for

transverse tie assemblies

### STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION




SHEET NO. 2 5 SHEETS


Contract Number: 68760

\* 0.2 x Length of beam

1'-0"









17-12" Strands Each Strand Stressed to 30,900 Lbs. 8-Strands  $1^{3}_{4}$ " up, 5-Strands  $3^{l}_{4}$ " up 2-Strands 6" up. 2-Strands 9" up.

### \*\* TRANSVERSE PLACEMENT GUIDELINES


- 1. Place strands symmetrically about centerline of beam.
- 2. The minimum distance from center to center of strands in all directions shall be 2".
- 3. The minimum clearance from strand to dowel hole shall be 5".
- 4. The minimum clearance from strand to void shall be  $1_2''$ .

Vertical placement of strands shall not be adjusted to satisfy the above guidelines.





#### Full depth of beam, Each End. 4-#4 U<sub>1</sub> or U<sub>4</sub> -#3 U or U3 bars at 14" cts. at 8" cts. END ELEVATION ATHNOVEMBER 7, 2007 DESIGNED AJBCHECKED baliva DRAWN ATH AJB CHECKED PD-5-S 11-1-06



<u>6".</u> Typ.

1'-0" Typ. 16'-8"

16'-10'2"

2'-9"

2'-93"

LIFTING LOOP DETAIL

Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be  $^{l}_{2}{}^{\prime\prime}$  and the nominal cross-sectional area shall be 0.153 sq. in. Lifting loops shall be 3-12"4-270 ksi strands, as shown.

The 1"\$\phi\$ rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets that receive transverse tie bar on outside shall be filled with grout after transverse tie assembly is in place.

Non prestressing steel shall conform to ASTM A 706 (IL MOD), Grade 60.

The bearing seat surfaces shall be adjusted by shimming to assure firm and even bearing. Two 18" fabric adjusting shims of the dimensions shown shall be provided for each bearing. Keyway surfaces shall be cleaned to remove form oil or other bond breaking material prior to shipment of the beams. Cleaning shall be done by sandblasting the keyway areas between top of the

beam and the bottom edge of the key. Corrosion Inhibitor, per Article 1020.05(b)(12) of the Standard Specifications, shall be used in the concrete for precast prestressed concrete deck beams.


Required Release Strength, f'ci, shall be 4000 p.s.i.


BILL OF MATERIAL


Item	Unit	Total
Precast Prestressed Conc. Deck Bms.	Sq. Ft.	2469
		·


REPAIR DETAILS FA 36 MCDONOUGH COUNTY SN 055-0010

Wire Fabric, W5.5 vert.









### PARAPET JOINT DETAILS

### BILL OF MATERIAL

Bar	No.	Size	Length	Shape
e(E)	24	#4	19'-9''	
b(E)	12	#8	28'-3"	
b1(E)	12	#5	26'-8"	
Reinforcement Bars, Epoxy Coated			Pound	1560
Concrete Superstructure			Cu. Yds.	18.3
***************************************			l	

Bars indicated thus 2 x  $3^{-}$ #5 etc. indicates 2 lines of bars with 3 lengths per line.

REPAIR DETAILS
FA 36
MCDONOUGH COUNTY
SN 055-0010

ATH

AJB

baliva

ATH AJB

PASSED

DESIGNED

CHECKED

DRAWN

CHECKED

NOVEMBER 7, 2007