


THIS DISTRICT 5 DETAIL SHOULD BE USED WITH RECURRING SPECIAL PROVISION CHECK SHEET #15 AND SHALL ALSO APPLY TO PREVIOUSLY RESURFACED PCC PAVEMENT.

RESURFACED PCC PAVEMENT



BARE PCC PAVEMENT





MILL MACHINE AIR EQUIPMENT

AND/OR WHEEL

SAW REMOVAL

OR MECHANICAL SWEEPER REMOVAL OF LOOSE AND/OR UNSOUND CONCRETE

= PARTIAL DEPTH REMOVAL (X4401705)

DESIGN NOTES

PARTIAL DEPTH HMA PATCHING SHALL NOT BE USED WHEN HMA OVERLAY THICKNESS (T) ON PCC PAVEMENT EXCEEDS 4 3/4 INCHES (145 mm) OR ON CRC PAVEMENT.

GENERAL NOTES

ALL VOLUME OF PARTIAL DEPTH REMOVAL SHALL BE REPLACED WITH HOT-MIX ASPHALT (HMA) AND PAID FOR AT THE CONTRACT UNIT PRICE PER TON FOR PARTIAL DEPTH PATCHING.

T = THICKNESS OF HMA OVERLAY(S). SEE EXISTING TYPICAL CROSS SECTION.

GENERAL NOTE 406H SHALL INCLUDE MIXTURE REQUIREMENTS FOR PARTIAL DEPTH PATCHING.

HMA REPLACEMENT IN RESURFACED PCC PAVEMENT LOCATIONS SHALL BE ACCORDING TO SECTION 406 OF THE STANDARD SPECIFICATIONS.

D = DEPTH OF PARTIAL DEPTH REMOVAL INTO EXISTING PCC PAVEMENT. (3" (75 mm) ± OR TO SOUND CONCRETE)

TRANSVERSE CONTRACTION JOINT SHOWN - OTHER LOCATIONS SIMILAR.

> Note: All dimensions are in INCHES (millimeters) unless otherwise shown.

DICTRICT	E	DETAIL	MΛ	XX442100
DISTRICT	3	DEIAIL	NU.	AA4421UU

	FILE NAME =	USER NAME = leroyma	DESIGNED	-	REVISED	-	11/06	
	c:\pw_work\pwidot\leroyma\d0112270\D5707	59-sht-details.dgn	DRAWN	-	REVISED	-		
		PLOT SCALE = 40.0000 '/ IN.	CHECKED	-	REVISED	-		
		PLOT DATE = 12/1/2009	DATE	-	REVISED	-		

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SCALE:

PCC	PARTIAL	DEPTH	нот-міх	ASPHALT	PATCHING	
	CHEET NO	٥٢	CHEETC	CTA	TO CTA	

F.A. RTE.	SEC.	LION		COUNTY	TOTAL SHEETS	SHE
760	124RS-68	k125RS-	3	•	15	14
	DEWITT & PIA	TT		CONTRACT	NO. 7	075
FED. RO	DAD DIST. NO.	ID PROJECT				