COUNTY TOTAL SHEET NO MADISON 420 157 70 TO STA.

CONTRACT NO.: 76790

* 60-10K-1, 60-10HB

GENERAL NOTES


SHOP PLANS FOR THE REINFORCEMENT SHALL BE SUBMITTED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 504.04 (A) OF THE STANDARD SPECIFICATIONS.

MINIMUM CONCRETE STRENGTH SHALL BE 5000 PSI AFTER 28 DAYS.


THE JOINTS OF THE PRECAST BOX SECTIONS SHALL BE SEALED WITH MASTIC IN ACCORDANCE WITH ARTICLE 755.01 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.


THE TERMS AS1, AS2, AS3 AND AS4 DENOTES THE REQUIRED STEEL AREAS FOR REINFORCEMENTS AS SPECIFIED IN ASTM C 789. REINFORCEMENT SHALL BE WELDED WIRE FABRIC CONFORMING TO ASTM SPECIFICATIONS A 185.

DETAIL OF PRECAST CONCRETE BOX CULVERT END SECTION



. NOTE: THE DIMENSIONS INDICATED ARE FOR END SECTIONS THAT ARE TO BE USED WITH PRECAST BOX CULVERT SECTIONS DESIGNED FOR 2' OR MORE OF FILL. THE DIMENSIONS MUST BE MODIFIED FOR THE END SECTION TO BE COMPATIBLE WITH PRECAST CULVERT SECTIONS DESIGNED FOR LESS THAN 2' OF FILL.





SPAN X RISE	Т	Α	В	С	E	F	G	Н	SLOPE
	(INCHES)	(FT-IN)	(FT-IN)	(INCHES)	(FT-IN)	(FT-IN)	(FT-IN)	(FT-IN)	(X: Y)
5′ X 2′	6	6-0	3-0	6	3-0	3-0	1-0	1-0	3: 1
6′ X 4′	7	7-2	5-2	7	2-0	4-0	2-0	2-0	2: 1
				l				L	

ILLINOIS DEPARTMENT OF TRANSPORTATION

PRECAST CONCRETE BOX CULVERT END SECTION

FAI ROUTE 70 SECTION 60-10K-1, 60-10HB MADISON COUNTY

NOT TO SCALE

DATE

PLOT DATE: *DATE-TIME*