

ROUTE		SECTION	COUNTY	SHEET	
F.A.P.	VAR.	*	PEORIA	TOTAL	NO.
MKD.	IL 90			100	79

\* (108X, 130, 102)RS-3; 129RS-4, 101RS-2

STA		STA	LENGTH FT	WIDTH FT	AREA SQ YD	HMA SURFACE REMOVAL BUTT JOINT SQ YD	HMA SURFACE REMOVAL 3/4" SQ YD	HMA SURFACE REMOVAL 1 1/4" SQ YD	HMA SURFACE REMOVAL 1 1/2" SQ YD	HMA SURFACE REMOVAL 2" SQ YD	POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT) TON	AGGREGATE (PRIME COAT) TON	POLYMERIZED LEVELING BINDER, 3/4" TON	HMA SURFACE COURSE, 1 1/2" TON	HMA SHOULDERS 1 1/2" TON	MATERIAL TRANSFER DEVICE TON	TEMPORARY RAMP SQ YD	AGGREGATE SHOULDERS, TYPE B TON
252 + 36	TO	255 + 00	264	26	762.7				762.7		0.413	2.3	32.0	64.1		64.1		15.0
255 + 00	TO	255 + 50	50	26	144.4				144.4		0.078	0.4	6.1	12.1		12.1		2.8
255+50	TO	260 + 50	500	26	1444.4		277.8		1444.4		0.932	5.2	60.7	121.3	23.3	144.7		
260+50	TO	261 + 50	100	26	288.9				288.9		0.156	0.9	12.1	24.3		24.3		5.7
261+50	TO	267 + 00	550	26	1588.9				1588.9		0.860	4.8	66.7	133.5		133.5		31.3
267 + 00	TO	268 + 00	100	26	288.9				288.9		0.156	0.9	12.1	24.3		24.3		5.7
268 + 00	TO	274 + 36	636	26	1837.3				1837.3		0.995	5.5	77.2	154.3		154.3		36.2
274 + 36	TO	275 + 00	64	26	184.9				184.9		0.100	0.6	7.8	15.5		15.5		3.6
275 + 00	TO	309 + 00	3400	26	9822.2				9822.2		5.317	29.5	412.5	825.1		825.1		193.6
309 + 00	TO	310 + 00	100	26	288.9				288.9		0.156	0.9	12.1	24.3		24.3		5.7
310 + 00	TO	321 + 00	1100	26	3177.8				3177.8		1.720	9.5	133.5	266.9		266.9		62.6
321 + 00	TO	332 + 01.31 (BK)	1112.4	26	3213.6				3213.6		1.740	9.6	135.0	269.9		269.9		63.3
10 + 70.84 (AH)	TO	29 + 27	1856.2	26	5362.2				5362.2		2.903	16.1	225.2	450.4		450.4		105.7
29 + 27	TO	39 + 00	973	26	2810.9				2810.9		1.522	8.4	118.1	236.1		236.1		55.4
39 + 00	TO	40 + 00	100	26	288.9				288.9		0.156	0.9	12.1	24.3		24.3		5.7
40 + 00	TO	53 + 12	1312	26	3790.2				3790.2		2.052	11.4	159.2	318.4		318.4		74.7
53 + 12	TO	57 + 68	456	26	1317.3				1317.3		0.713	4.0	55.3	110.7		110.7		26.0
57 + 68	TO	88 + 29	3061	26	8842.9				8842.9		4.787	26.5	371.4	742.8		742.8		174.3
88 + 29	TO	101 + 00	1271	26	3671.8				3671.8		1.988	11.0	154.2	308.4		308.4		72.4
101 + 00	TO	103 + 00	200	26	577.8				577.8		0.313	1.7	24.3	48.5		48.5		11.4
103 + 00	TO	104 + 00	100	26	288.9				288.9		0.156	0.9	12.1	24.3		24.3		5.7
104 + 00	TO	114 + 00	1000	26	2888.9		555.6		2888.9		1.865	10.3	121.3	242.7	46.7	289.3		
114+00	TO	114 + 67	67	26	193.6		74.4		193.6		0.145	0.8	8.1	16.3	6.3	22.5		
114 + 67	TO	114 + 97	30	36	120.0	120.0					0.050	0.2		10.1	0.0	10.1	14.4	
114 + 97	TO	115 + 63	66	BRIDGE OMISSION														
<b>SUB-TOTALS</b>						120.0	908		53076		29.3	162	2229	4468	76	4545	14	957

**APPLICATION RATE (POLY PRIME)**  
 0.1 Gal./Sq. Yd. on Cold Milled Surface  
 .05 Gal./Sq. Yd. on Shoulder Overlay  
 .03 Gal./Sq. Yd. Fog Coat on New Binder

**APPLICATION RATE (AGG PRIME)**  
 4 Lb/Sq. Yd. on Cold Milled Surface  
 2 Lb/Sq. Yd. on Binder

**TABULATION OF  
 RESURFACING  
 QUANTITIES  
 (SHEET 2 OF 6)**