

HMA MIXTURE REC	QUIREMENTS	CHART
ITEM	AC TYPE	VOIDS
HOT-MIX ASPHALT SURFACE CSE. MIX D, N70 (IL-9.5mm)	PG 64-22	4% AT 70 GYR
LEVELING BINDER (MACHINE METHOD), N70	PG 64-22	4% AT 70 GYR
HOT-MIX ASPHALT MEDIAN SURFACE CSE, MIX C, N50	PG 64-22	4% AT 30 GYR
HMA PLACEMENT OVER PATCHES (HMA BINDER IL—19mm)	PG 64-22**	4% AT 30 GYR

- 1.) THE UNIT WEIGHT TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SQ YD/IN
- ** WHEN RAP EXCEEDS 20%, THE NEW ASPHALT BINDER IN THE MIX SHALL BE PG. 58-22
- 1) EX. P.C.C. BASE CSE, 9"
- 2) EX. ASPHALT SURFACE, 2 1/2"-3 1/2"
- (3) EX. AGGREGATE BASE, 9"
- (4) HOT-MIX ASPHALT SURF. REMOVAL, 2 1/4"
- 5 EX. CURB AND GUTTER
- 6 MEDIAN SURFACE REMOVAL
- (7) EX. P.C.C. PAVEMENT, ±9"
- 8 PROP. HOT-MIX ASPHALT SURF. CSE, MIX D, N70, 2 1/4"


- (9) CLASS "B" PATCHES (WHERE DIRECTED)
- (10) EX. SUB-BASE GRANULAR, 4"
- (11) EX. CORRUGATED MEDIAN, 11 1/2"
- (12) CONCRETE MEDIAN REMOVAL (WHERE DIRECTED)
- (13) EX. TIE BARS
- (14) PROP. TIE BARS @ 2.5' CTRS (INCIDENTAL TO MEDIAN)
- (15) PROP. MEDIAN SURFACE, 2"
- (16) AREA REFLECTIVE CRACK CONTROL TREATMENT
- (17) PROP. CORRUGATED MEDIAN (STD. 606306-2)




TYPICAL CROSS SECTION W/RAISED ASPHALT MEDIAN 65TH STREET (STA 10+00 - 37+33)



TYPICAL CROSS SECTION W/CONCRETE MEDIAN
65TH STREET (STA 10+00 - 88+81.23)



TYPICAL CROSS SECTION W/RAISED ASPHALT MEDIAN 65TH STREET (STA 37+33 - 88+81.23)



TOTAL SHEETS

15

COUNTY

COOK

FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT

TO STA. 88+81.23

SECTION

1524 08-00027-00-RS

CONTRACT NO. 63017

RTE.

STA. 10+00

SHEET NO.