

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths							
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	Table 5	Table 6	
3, 4	1'-5''	1'-11''	2'-1''	2'-4''	2'-7''	2'-11''	
5	1'-9''	2'-5''	2'-7''	2'-11''	3'-3''	3'-8''	
6	2'-1''	2'-11''	3'-1''	3′-6″	3′-10′′	4'-5''	
7	2'-9''	3′-10′′	4'-2''	4'-8''	5'-2''	5′-10′′	
8	3′-8′′	5′-1′′	5′-5′′	6'-2''	6′-9′′	7'-8''	
9	4'-7''	6'-5''	6′-10′′	7'-9''	8'-7''	9′-8′′	

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C

Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C

Table 5: Epoxy bar, Class C

Table 6: Epoxy bar, Top bar top, Class C

Threaded splicer bar length = min. lap length + 1_2^{\prime} + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum lap length		
025-0068	#5	20	Table 3		
025-0068	#6	8	Table 3		



INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or

cementing to steel forms. (E) : Indicates epoxy coating.





	BSD-1	1-27-12								5-6-1)RS-8 & (13-1)RS-2 FINGHAM & CLAY COUNT		
- [FILE NAME =	USER NAME = teasleyck	DESIGNED - KLB	REVISED -		BAB SE	PLICER ASSEMBLY AND M	ECHANICAL SPLICER DETAILS	F.A.I.	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
	c:\pw_work\pwidot\teasleyck\d0181558\D77	4450-sht-brdetails-0250068.dgn	DRAWN - KLB	REVISED -	STATE OF ILLINOIS				•		84 65	
		PLOT SCALE = 40.0000 '/ in.	CHECKED - MEA	REVISED -	DEPARTMENT OF TRANSPORTATION	STRUCTURE NO. 025–0068 (SB)				CONTRACT NO. 74450		
l		PLOT DATE = 10/18/2012	DATE - 05/31/12	REVISED -		SCALE:	SHEET NO. 9 OF 22 SHEETS	STA. TO STA.		ILLINOIS FED. A	ID PROJECT	



STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required				

<u>NOTES</u>

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for alternatives.