


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



SECTION THRU STRIP SEAL JOINT FOR OVERLAY OVER DECK BEAMS


* Omit weld at seal opening.





LOCKING EDGE RAIL

LOCKING EDGE RAIL SPLICE



ROUTE NO.	8ECT ION	COUNTY		TOTAL SHEET'S	SHEET NO.
FAP 869	1058R-2	SALINE		118	64
FEO. ROAD DIST. NO. 9		fillinnis	FED. AID PROJECT - ALC		

SHEET NO. 1523 SHEETS

78031

GENERAL NOTES

The strip seal shall be made continuous and shall have a minimum thickness of $^{1}4^{\prime\prime}$. The configuration of the strip seal shall match the configuration of the locking edge rails.

age rais.

The height and thickness of the locking edge rails shown are minimum dimensions. The actual configuration of the locking edge rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allocated. be allowed.

Locking edge rails may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods

shall be followed,

All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.

BILL OF MATERIAL

Item	Unit	Quantity
Preformed Joint Strip Seal	Foot	135

STRIP SEAL EXPANSION JOINT <u>IL 34 OVER</u> MIDDLE FORK SALINE RIVER FAP ROUTE 869 - SECTION 105BR-2 SALINE COUNTY STATION 1561+70.00 STRUCTURE NO. 083-0038