

ROUTE NO.	SECTION	GOUNTY		SALEYS	SHEET ND.	6
FAP 869	105BR-3	SALINE		118	91	
PED. ROAD UIST. NO. 9		IL_INDIS	FED. AD PROJECT- AD			

SHEET NO. 9 17 SHEETS

## <u>NOTES78031</u>

After beams have been erected, holes shall be drilled into substructure and dowels rods placed. Dowel holes shall be filled with non-shrink grout to top of beam and allowed to cure min. 24 hrs. prior to grouting the shear keys.

Concrete wearing surface to be poured after grouting the shear keys.

Dowel rods drilled in cap are included in the cost of Precast Prestressed Concrete Deck Beams (17" Depth) or Precast Concrete Bridge Slabs.

The rail anchorage shall be cast with the beam or slab and the wearing surface shall be cast in the field. Formwork necessary for the wearing surface may be secured utilizing the bottom rail anchorage inserts and/or additional inserts cast into the beam or slab. Drilling into the beam or slab will not be permitted.

Anchor bolts shall be ASTM F1554 all-thread (or an Engineerapproved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade C anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used in lieu of ASTM F1554.

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.

Finished surface	11''
Top of beam	
	4'2" BAR D(E)
SUPERS	TRUCTURE & APPROACH DETAILS
<u>IL</u>	<u>34 OVER BANKSTON FORK AND</u>
	SALINE RIVER OVERFLOW
FAP	ROUTE 869 - SECTION 105BR-3
	SALINE COUNTY
	STATION 1574+00.00
	STRUCTURE NO. 083-0039