

SECTION THRU

ROLLED RAIL JOINT

WELDED RAIL


LOCKING EDGE RAILS

⁷₁₆" φ holes at 4'-0" cts. for ³₈" φ bolts. All bolts shall be burned, sawed. or chipped off flush with the plates after forms are removed, typ.

> ROLLED EXTRUDED RAIL


Strip seal- $\frac{1_2''}{at 50^{\circ} F}$ /- Top of slab Locking edge rail-*34" \$ x 8" studs at 2'-0" cts. Place plates at 1'-0" cts. ⁷₁₆" φ holes at 4'-0" cts. for ³₈" φ bolts. All bolts shall be burned, sawed, or chipped off flush with the plates (alt. with top horizontal studs)

SECTION THRU WELDED RAIL JOINT




***Back gouge not required if complete joint penetration is verified by mock-up.

LOCKING EDGE RAIL SPLICE The inside of the locking edge rail groove shall be free of weld



ANCHOR P (for welded rail)

Top of locking edge rail



shall be made at no additional cost to the State.

The strip seal shall be made continuous and shall have a minimum thickness of ${}^{l}_{4}$ ". The configuration of the strip seal shall match the configuration of the

Locking Edge Rails. Open or "webbed" strip seal aland configurations are not permitted. The gland shall be sized for a maximum rated movement of 4 inches.
The height and thickness of the Locking Edge Rails shown are minimum dimensions. The actual configuration of the Locking Edge Rails and matching

strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed. Locking Edge Rails may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods shall be followed. The joint opening and deck dimensions detailed on the superstructure are based on a rolled rail expansion joint. If the Contractor elects to use the welded rail expansion joint, the opening and deck dimensions shall be modified according to the dimensions detailed on this sheet. Required modifications


All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.

AT PARAPET


AT SIDEWALK OR MEDIAN


Shorter plates with a single row of studs at 12" cts. may be necessary on medians which are shallower than 9". See manufacturer's recommendation.

TYPICAL END TREATMENTS



after forms are removed, typ.





SCALE: NONE

BILL OF MATERIAL Unit Total Preformed Joint Strip Seal Foot 102

TOTAL SHEET SHEETS NO.

21

CONTRACT NO. 60H80

COUNTY

COOK

SECTION A-A

POINT BLOCK DETAILS

EJ-SSJ 10-1-08

FILE NAME =	USER NAME = timlekosmv	DESIGNED - RTB	REVISED -	
c:\pw_work\PWIDOT\TINIAKOSMV\dØ101671\01		DRAWN - MVT	REVISED -	STATE
	PLOT SCALE = 100.0000 '/ IN.	CHECKED - MVT	REVISED -	DEPARTMENT
	PLOT DATE = 11/4/2009	DATE - 11/4/09	REVISED -	

TE OF ILLINOIS OF TRANSPORTATION

U.S. 30 OVER E.J. & E. R.R.				RTE. SECTION	
PREFURMED JUINI SIRIP SEAL			1321		B-I
HEET NO. 3 OF 7 SHEETS	STA.	TO STA.	EED BOA	D DIST NO 1 DE	

016-0948.dgn 11/4/2009 2:18:37 PM User=tiniakosm