

with washers epoxy grouted

AT PARAPET

CHECKED EML DRAWN KLH CHECKED EML



7 SHEETS

GENERAL NOTES

Continuous Seal Neoprene Expansion Joint shall consist of molded anchor blocks of elastomer and steel, field assembled over continuous lengths of elastomeric membrane,

The elastomeric membrane shall be premolded with a single or a double upward convolution that will have a "memory" to return to its molded position upon joint closure.

The convolution length shall be such that the extended length will not be greater than the manufactured length when the joint is fully expanded in its design range and will not protrude above the anchor blocks when the joint is fully compressed.

The parapet and roadway membrane shall be made continuous by an approved vulcanizing process. Lapping will not be permitted.

BILL OF MATERIAL TWO STRUCTURES

ITEM	UNIT	QUANTITY
Neoprene Expansion Joint 2''	Foot	306.0
Neoprene Expansion Joint 2 ¹ 2''	Foot	306.0

CONTINUOUS SEAL TYPE NEOPRENE EXPANSION JOINTS STRUCTURE NO. 060-0010 (E.B.) STRUCTURE NO. 060-0011 (W.B.)

. 5	F.A.I. SECTION			COUNTY		TOTAL SHEETS		SHEET NO.	
	70	60-(5,6,7)RS, 60		7)BR	MADISON		185		94
S					CONTR	RACT	NO.	76	C56
	FED. RC	AD DIST. NO.	ILLINOIS	FED. A	ID PROJEC	Т			