

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths							
Bar size to be spliced	Table 1	Table 2	Table 2 Table 3		Table 5	Table 6	
3, 4	1'-5''	1'-11''	2'-1''	2'-4''	2'-7''	2'-11''	
5	1'-9''	2'-5''	2'-7''	2'-11''	3'-3''	3'-8''	
6	2'-1''	2'-11''	3′-1′′	3′-6″	3′-10′′	4'-5''	
7	2'-9''	3'-10''	4'-2''	4'-8''	5'-2''	5′-10′′	
8	3'-8''	5′-1′′	5′-5′′	6'-2''	6′-9′′	7'-8''	
9	4'-7''	6′-5′′	6′-10′′	7′-9′′	8'-7''	9′-8′′	

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C

Table 3:Epoxy bar, 0.8 Class CTable 4:Epoxy bar, Top bar lap, 0.8 Class C

Table 5: Epoxy bar, Class C

Table 6: Epoxy bar, Top bar top, Class C

Threaded splicer bar length = min. lap length + $1_{2}^{\prime\prime}$ + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum lap length		



INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E) : Indicates epoxy coating.





BSD-1

1-27-12

	Zala Facilitation B.C.	USER NAME = SAW	DESIGNED - PMM	REVISED -		BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
ROKA	4216 North Hermitage Chicago, IL 60613	PLOT SCALE = 0:2.0000 ':" / 10.	CHECKED - DAZ DRAWN - SAW	REVISED - REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	S.N. 008–0051	646	5BR-3		84	40
engineerin	g	PLOT DATE = 8/1/2013	CHECKED - PMM	REVISED -		SHEET NO. 17 OF 19 SHEETS		ILLINOIS FED. 4	ID PROJECT		004



STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for alternatives.