| F.A.P RTE. | · SE | CTION | С | OUNTY | | TOTAL SHEETS | SHEET NO. | |
|---------------|-------------|--------|----------|---------|------|-----------------|--------------|--|
| 322 | | 11-13 | | CHRISTI | AN | 437 | 47 | |
| STA. | TA. TO STA. | | | | | | | |
| FED. R | OAD DIS | T. NO. | ILLINOIS | FED. A | ID I | PROJECT | | |

LEGEND (EI) EXISTING GROUND EZ EXISTING 9"-6"-9" PCC CONCRETE PAVEMENT (E3) EXISTING PCC BASE COURSE, 8" (E4) EXISTING PCC BASE COURSE WIDENING, 9" (E5) EXISTING HOT-MIX ASPHALT BASE COURSE, 10" E6 EXISTING HOT-MIX ASPHALT BINDER COURSE, 14 ½" ET EXISTING HOT-MIX ASPHALT SURFACING, 1 ½" (E8) EXISTING HOT-MIX ASPHALT SURFACING. 3" (E9) EXISTING HOT-MIX ASPHALT SURFACING, 3" - 6" €10 EXISTING HOT-MIX ASPHALT SURFACING, VAR EID EXISTING HOT-MIX ASPHALT SHOULDERS, 6" **E12** EXISTING HOT-MIX ASPHALT SHOULDERS, 8" E13 EXISTING SUB-BASE GRANULAR MATERIAL, 4" €14 EXISTING LIME MODIFIED SOIL, 12" ETS EXISTING AGGREGATE SHOULDER, VAR €16 EXISTING EARTH FILL (EID) EXISTING PIPE UNDERDRAIN €18) EXISTING FD HOT-MIX ASPHALT PAVEMENT, 13¾" REMOVE EXISTING HMA SHOULDERS REMOVE EXISTING HMA PAVEMENT, 13¾" AND HMA SHOULDERS, 8" REMOVE EXISTING PAVEMENT, SHOULDERS, AND WIDENING HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 133/4" ISEE MIXTURE REQUIREMENTS AND PAVING LIFT DIAGRAMS ON SHEET 3 FOR THE PAVEMENT COMPOSITION HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 91/4" ISEE MIXTURE REQUIREMENTS AND PAVING LIFT DIAGRAMS ON SHEET 3 FOR THE PAVEMENT COMPOSITION HOT-MIX ASPHALT SHOULDERS 8" HOT-MIX ASPHALT SHOULDERS 8" (WITH RUMBLE STRIPS, STD 642001) AGGREGATE SHOULDERS, TYPE B SUB-BASE GRANULAR MATERIAL. TYPE C PROCESSING MODIFIED SOIL 12" (LIME) TOPSOIL. 4" PIPE UNDERDRAINS, 4" (STD 601001) AGGREGATE BASE COURSE, TYPE A, 10" BITUMINOUS SURFACE TREATMENT CLASS A-3 17

(19) LEVELING BINDER (MACHINE METHOD), N70, VARIABLE DEPTH (21/4" MAX)
HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70, VARIABLE DEPTH (21/4" MIN)

SUBBASE GRANULAR MATERIAL, TYPE A 12"


A SHOULDER SLOPE - HIGH SIDE OF SE: WHEN THE SE RATE OF THE PAVEMENT IS BETWEEN O AND 4% THE SHOULDER SHALL BE SLOPED AT 4%.
WHEN THE SE RATE OF THE PAVEMENT EXCEEDS 4% THE SHOULDER SHALL BE SLOPED SO THAT THE ALGEBRAIC DIFFERENCE BETWEEN THE PAVEMENT AND SHOULDER SHALL BE 8%.

B SHOULDER SLOPE - LOW SIDE OF SE: SLOPE SHALL BE THE SAME AS THE SE BUT NOT LESS THAN 4%.

TURN LANE SLOPE - HIGH SIDE OF SE: WHEN THE SE RATE OF THE PAVEMENT IS BETWEEN 0 AND 2% THE TURN LANE SHALL BE SLOPED AT 2%.
WHEN THE SE RATE OF THE PAVEMENT EXCEEDS 2% THE TURN LANE SHALL BE SLOPED SO THAT THE ALGEBRAIC DIFFERENCE BETWEEN THE PAVEMENT AND TURN LANE SHALL BE 4%.


(D) TURN LANE SLOPE - LOW SIDE OF SE: SLOPE SHALL BE THE SAME AS THE SE BUT NOT LESS THAN 2%.

| REVISIONS | | ĪLI | LINOIS DEPARTMENT OF | FTRANSPORTATION | |
|-----------|------|--------|----------------------|-----------------|----|
| NAME | DATE | | TYPICAL S | | |
| | | | TIFICAL S | EC 1101/12 | |
| | | | SHFFT 1 | 0F 12 | |
| | | | J | · | |
| | | | FAP 322 | (US 51) | |
| | | | SECTION | 11_17 | |
| | | | SECTION | 11-13 | |
| | | | CHRISTIAN | COUNTY | |
| | | SCALE: | NONE | DRAWN BY | SE |
| | | | | DRAWIN DI | JL |
| | | DATE | 7/31/12 | CHECKED BY | |




<u>US 51</u> EXISTING TYPICAL SECTION

STA 145+53 TO STA 1219+67 STA 1239+56 TO STA 337+93 STA 346+82 TO STA 565+14 STA EQUATION: STA 216+67.42 BK = STA 1216+55.00 AH STA EQUATION: STA 1240+95.38 BK = STA 241+34.25 AH



US 51
EXISTING TYPICAL SECTION
STA 1219+67 TO STA 1239+56



<u>US 51</u> EXISTING TYPICAL SECTION

STA 337+93 TO STA 340+00 STA 345+00 TO STA 346+82