



INSTALLATION AND SETTING METHODS "A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E) : Indicates epoxy coating.

<u>iiiii</u> iiiiiii

<u>''B''</u>

Threaded

coupler (E)

<u> "A "</u>

- Positive stop

Threaded coupler (E) Threaded splicer bar (E)

Threaded splicer

bar (E)



- [	ILE NAME = 0600238-76A89-12-Splicer_Assembly.dgn									
8/24/2012	<b>Tran</b> Systems	USER NAME = DMGolios X	DESIGNED - WAE	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS	F.A.I. RTF	SECTION	COUNTY TOTAL SHEET	
		Х	CHECKED - FAS	REVISED -		STRUCTURE NO. 060-0238 & 060-0239	255	60-(7.8) RS-2	MADISON 261 207	
		PLOT SCALE = 0:2.0000 ':' / in. X	DRAWN - DMG	REVISED -					CONTRACT NO. 76A89	
		PLOT DATE = 8/24/2012 X	CHECKED - SLZ	REVISED -		SHEET NO. 12 OF 15 SHEETS		ILLINOIS FED. AID PROJECT		
_										



## STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers. See approved list of bar splicer assemblies and mechanical splicers for alternatives.