



REUTE NO.	SECTION	COUNTY		SHEETS	WHERT NO.	SHEE	SHEET NO.	
ГАР 840	*	IROQUOIS		39	17	14 9	SHEETS	
FED. ROAD DIGT, NO.		PLL INDIS	FED. AID PROJECT-					

After beams have been erected, holes shall be drilled into substructure and dowels rods placed. Dowel holes shall be filled with non-shrink grout to top of beam and allowed to cure min. 24 hrs. prior to grouting the shear keys.

Concrete wearing surface to be poured after grouting the shear keys.

Dowel rods drilled in cap are included in the cost of Precast Prestressed Concrete Deck Beams (21" depth).

The rail anchorage shall be cast with the beam and the wearing surface shall be cast in the field. Formwork necessary for the wearing surface may be secured utilizing the bottom rail anchorage inserts and/or additional inserts cast into the beam. Drilling into the beam will not be permitted.

10			<u></u>	
	-40.	<u>1′-3</u>	"	

BAR D(E)

<u>SUPERSTRUCTURE DETAILS</u> <u>IL 49 OVER PIGEON CREEK</u> <u>FAP ROUTE 840 - SECTION 123-BR-1</u> <u>IROQUOIS COUNTY</u> <u>STATION 135+74.00</u> <u>STRUCTURE NO. 038-0174</u>