


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

* Omit weld at seal opening.



SECTION THRU STRIP SEAL JOINT FOR OVERLAY OVER DECK BEAMS





LOCKING EDGE RAIL

LOCKING EDGE RAIL SPLICE

ROUTE NO.	SECTION	IROQUOIS		TOTAL SHEETS	SHEET NO.	SHEET NO.		7	
FAP 840	*			39	19	14	SHE	EETS	
FED. ROAD D		ILLINOIS	FED. AID PRO	JECT-					

66647

123-BR-1

GENERAL NOTES

The strip seal shall be made continuous and shall have a minimum thickness of ${}^{l}_{4}$ ". The configuration of the strip seal shall match the configuration of the Locking Edge Raîls.

The height and thickness of the Locking Edge Rails shown are minimum dimensions. The actual configuration of the Locking Edge Rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed.

Locking Edge Rails may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods shall be followed.

Required Strip Seal rated movement	"A "
1''	1/8"
2"	134

STRIP SEAL EXPANSION JOINT

IL 49 OVER PIGEON CREEK

FAP ROUTE 840 - SECTION 123-BR-1

IROQUOIS COUNTY

STATION 135+74.00

STRUCTURE NO. 038-0174

