

CONSTRUCTION SPECIFICATIONS AND NOTES

1. STABILIZED CONSTRUCTION ENTRANCE

A. LENGTH - AS REQUIRED, BUT NOT LESS THAN 25 METERS.

B. THICKNESS - NOT LESS THAN 100mm, ABOVE TOP OF CELLULAR CONFINEMENT GRID.

2. TEMPORARY PAVEMENT

A. PROVIDE A MINIMUM WIDTH OF 3.0m OF SHOULDER AND

TEMPORARY PAVEMENT FOR DECELERATION/ACCELERATION LANE.

B. TEMPORARY PAVEMENT THICKNESS SHALL BE 255 mm. AND CONSIST OF:

BITUMINOUS BASE COURSE, SUPERPAVE 210 mm BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, N50, MIX D 45 mm

C. A 2.0m, APRON SHALL BE PROVIDED IN ADDITION TO 3.0m WIDTH.


3. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.

 STABILIZED CONSTRUCTION ENTRANCES SHALL NOT BE PLACED DIRECTLY ACROSS FROM EACH OTHER.

5. EXISTING DITCH DRAINAGE TO BE MAINTAINED.

GRADE FILL TO 1:10 ON APPROACH SIDE OF ENTRANCE

7. FOR TRAFFIC CONTROL FOR STABILIZED CONSTRUCTION/EXIT DETAIL, SEE SHEET _



LEGEND

TEMPORARY PAVEMENT

* * *

STABILIZED AGGREGATE DRIVEWAY