
Joint Size	"C" at 50°F	"D" at 50°F	
2"	2"	1½" Min.	
22"	2'2"	1 <sup>3</sup> 4" Min.	
4''	3"	2½" Min.	


@ W. & E. Abuts.


### INSTALLATION NOTES

- 1 Install continuous seal in roadway.
- 2) Install anchor blocks as indicated.




AT EDGE OF SLAB





<u>CROSS SECTION</u> <u>NEOPRENE EXPANSION JOINT</u>



## AT EDGE OF DECK

DESIGNED	A.R.K.	
CHECKED	S.F.M., F.J.S.	
DRAWN	S.A.P.	
CHECKED	A.R.K., F.J.S.	

# GENERAL NOTES

Continuous Seal Neoprene Expansion Joint shall consist of molded anchor blocks of elastomer and steel, field assembled over continuous lengths of elastomeric membrane.

The elastomeric membrane shall be premoided with a single or a double upward convolution that will have a "memory" to return to its molded position upon into clasure.

molded position upon joint closure.

The convolution length shall be such that the extended length will not be greater than the manufactured length when the joint is fully expanded in its design range and will not protrude above the anchor blacks when the laint is fully compressed.

blocks when the joint is fully compressed.

Joint openings shall be adjusted in accordance with Article
503.10(c) of the Standard Specifications when the deck is poured at
an ambient temperature other than 50° F.

## BILL OF MATERIAL

ITEM		UNIT	QUANTITY
	Neoprene Expansion Joint 4"	Foot	60

ROUTE NO. SECTION

FAS 429 94-00087 C.H. 23 -00-BR

ROAD DIST.

TOTAL SHEETS

43

HANCOCK

Contract No.93401

Sheet 9 of 20

#### EXPANSION JOINT DETAIL

SECTION 94-00087-00-BR COUNTY HIGHWAY 23 - FAS ROUTE 429 HANCOCK COUNTY STA. 313+34

4440 ASH GROVE SPRINGFIELD, IL. 62711 (217) 793-8600 oasinc@famvid.com

OZYURT AND STONE, INC.
CONSULTING ENGINEERS

JOB NO.: 0319 FILE: 0319JOINT.DGN DATE: 08/24/05