

Minimum Lap Lengths						
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	Table 5	
3, 4	1'-5''	1'-11''	2'-1''	2'-4''	2'-3''	
5	1'-9''	2'-5''	2'-7''	2'-11''	2'-10''	
6	2'-1''	2'-11''	3'-1''	3'-6''	3'-4''	
7	2'-9''	3'-10''	4'-2''	4'-8''	4'-6''	
8	3'-8''	5'-1''	5'-5''	6'-2''	5'-10''	
- 9	4'-7''	6'-5''	6'-10''	7'-9''	7'-5''	

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C

Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C

Table 5: Epoxy bar, Top bar lap, Class B

Threaded splicer bar length = min, lap length + $1_2^{\prime\prime}$ + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum lap length
South Abutment	#6	2	Table 3
South Abutment	#7	2	Table 3
Pier #3	#7	4	Table 3
Pier #6	#7	4	Table 3
North Abutment	#6	2	Table 3
North Abutment	#7	2	Table 3



INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E) : Indicates epoxy coating.



BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

No. required =



R	S	D	-	1	

BSD-1	7 - 1 - 10						
FILE NAME =	USER NAME = swartzrw	DESIGNED - KLB	REVISED -		BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS	F.A.P. SECTION	COUNTY TOTAL SHEET SHEETS NO.
c:\pw_work\pwidot\swartzrw\d021248	9\D774500-sht-brdetails-0580037.dgn	DRAWN - KLB	REVISED -	STATE OF ILLINOIS	STRUCTURE NO. 058-0037	716 *	Macon 98 91
	PLOT SCALE = 20.0000 // in.	CHECKED - MEA	REVISED -	DEPARTMENT OF TRANSPORTATION			CONTRACT NO. 74500
	PLOT DATE = 10/13/2011	DATE - 08/16/11	REVISED ~		SCALE: NA SHEET NO. 12 OF 13 SHEETS STA. TO STA.		ED. AID PROJECT
						127R-RS-2)(130R-2-RS-1)	



STANDARD MECHANICAL SPLICER

	Location	Bar size	No. assemblies required
*	Scupper Removal	#5	8

** Per each scupper removal location. For locations refer to Sheet 9 of 13.

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers. See approved list of bar splicer assemblies and mechanical splicers for alternatives.