ROUTE NO. SECTION COUNTY TOTAL SHEETS F.A.P. 697 17BR-1 FORD 42 | ILLINOIS | CONTRACT NO. 66363

GENERAL NOTES

THE THICKNESS OF BITUMINOUS MIXTURES SHOWN IN THE ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS MIXTURE IS PLACED.

AGGREGATE (PRIME COAT): FA 20 MAY BE USED IN ADDITION TO THE GRADATIONS LISTED IN THE SECOND PARAGRAPH OF ARTICLE 1003.03(C).

THE ENGINEER SHALL BE THE SOLE JUDGE CONCERNING CURING TIME FOR THE VARIOUS BITUMINOUS LIFTS.

FOR STABILIZATION, ALL TYPE III BARRICADES SHALL REQUIRE A MINIMUM OF FOUR SAND BAGS PER BARRICADE.

WHERE SECTION OR SUBSECTION MONUMENTS ARE ENCOUNTERED. THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL MONUMENTS UNTIL AN AUTHORIZED SURVEYOR OR AGENT HAS WITNESSED OR OTHERWISE REFERENCE THEIR LOCATION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR HAVING AN AUTHORIZED SURVEYOR REESTABLISH ANY SECTION OR SUBSECTION MONUMENTS DESTROYED BY HIS OPERATIONS.

SEEDING SHALL NOT BE PERMITTED AT ANY TIME WHEN THE GROUND IS FROZEN, WET, OR IN UNTILLABLE CONDITION. LOCATIONS TO BE SEEDED SHALL BE DETERMINED BY THE ENGINEER.

ON EXISTING PAVEMENT WHICH MAY BE SUPERELEVATED, THE NEW BITUMINOUS PAVEMENT SHALL BE BUILT WITH THE SAME SUPERELEVATION UNLESS NEW SUPERELEVATION RATES ARE GIVEN ON THE PLANS.

ALL ELEVATIONS REFERRING TO U.S.G.S. MEAN SEA LEVEL DATUM.

ABANDONED UNDERGROUND UTILITIES THAT CONFLICT WITH THE CONSTRUCTION SHALL BE DISPOSED OF OUTSIDE THE LIMITS OF THE RIGHT OF WAY ACCORDING TO ARTICLE202.03 OF THE STANDARD SPECIFICATIONS AND AS DIRECTED BY THE ENGINEER. THIS WORK SHALL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST OF EARTH EXCAVATION.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUB NUMBER LISTED ON THE INDEX OF SHEETS OR THE COPY OF THE STANDARD INCLUDED IN THESE PLANS.

THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED IN CALCULATING PLAN QUANTITIES:

GRANULAR MATERIALS	2.05	TONS/C.Y.
BITUMINOUS MAT (PRIME COAT)	0.08	GAL./S.Y.
AGGREGATE PRIME COAT	0.002	TONS/S.Y.
BITUMINOUS CONCRETE SURF CSE	112	LBS./S.Y./IN
SHORT TERM PAVEMENT MARKINGS	10	FT./100 FT. APPL.
MIX FOR CRACKS, JTS & FLGWYS	0.0003	TONS/S.Y.
LEVEL BINDER (MACHINE METHOD)	112	LBS./S.Y./IN.

BITUMINOUS MIXTURE TABLE

	SUPERPAVE	SUPERPAVE	SUPERPAVE	SUPERPAVE
	BASE	LEVEL	SURFACE	SHOULDERS/
	COURSE	BINDER		SUB-BASE
PG GRADE	PG64-22	PG64-22	PG64-22	PG64-22
MAX. % RAP ALLOWABLE**	25%	25%	15%	25%
DESIGN AIR VOIDS	4.0% o N50	4.0% © N50	4.0% © N50	2.0% o N50
MIXTURE COMPOSITION	IL 19.0	IL 12.5 or IL 9.5	IL 12.5 or IL 9.5	BAM
FRICTION AGGREGATE			MIXTURE C	
PLANT CONTROL LIMITS	CLASS I	CLASS I	CLASS I	NON-CLASS I
DENSITY CONTROL METHOD	CORES	-	CORES/NUKES	**

^{*} MATERIAL SHALL BE COMPACTED TO 93-97 PERCENT OF THE MAXIMUM THEORETICAL DENSITY, EXCEPT THAT THE BOTTOM LIFT SHALL BE COMPACTED TO A MINIMUM OF 91.0 PERCENT. THE MAXIMUM THEORETICAL DENSITY SHALL BE DETERMINED FROM THE MOVING AVERAGE AS SPECIFIED IN THE QC/QA SPECIFICATION.

THE BITUMINOUS SURFACE OF ALL MAILBOX TURNOUTS, PRIVATE ENTRANCES, COMMERCIAL ENTRANCES, AND SIDE ROADS SHALL BE MADE NEATLY, IN A WORKMANLIKE MANNER, AND SHALL ACCURATELY CONFORM TO THE SHAPES AND DIMENSIONS SHOWN ON THE PLAN DETAILS. IF REQUIRED BY THE ENGINEER, THE CONTRACTOR SHALL BE REQUIRED TO SAW CUT THE BITUMINOUS SURFACE TO CONFORM TO THE SHAPES AND DIMENSIONS SHOWN ON THE PLAN DETAILS. THIS WORK SHALL BE INCLUDED IN THE COST OF THE BITUMINOUS SURFACE.

THE BASE COURSE WIDENING SHALL BE CARRIED THROUGH ALL ENTRANCES, SIDE ROADS, AND MAILBOX TURNOUTS. EXCEPTIONS WILL BE SHOWN ON THE PLANS.

EXCEPT AS NOTED ON THE PLANS, PAVEMENT GRADES SHOWN ARE AT THE TOP OF PAVEMENT SURFACES.

THE FINISHED EARTHWORK SHALL HAVE A VEGETATION SUSTAINING SOIL COVERING THE TOP FOUR INCHES IN AREAS TO BE SEEDED. THE VEGETATION SUSTAINING SOIL REQUIRED WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST OF EARTH EXCAVATION.

<u>STANDARDS</u>

	280001-02	TEMPORARY EROSION CONTROL SYSTEMS
		PAVEMENT JOINTS
	420401-0 5	BRIDGE APPROACH PAVEMENT
		PAVEMENT FABRIC
	482001	BITUMINOUS SHOULDER ADJACENT TO FLEXIBLE PAVEMENT
٠,	482011-01	BIT. SHOULDER STRIPS/SHOULDERS WITH RS OR WIDENING & RS PROJECTS
	503001-02	CONCRETE PARAPET SLIP-FORMING OPTION
	<i>-515001-02</i>	NAME PLATES FOR BRIDGES
	601101	CONCRETE HEADWALL FOR PIPE DRAIN
	<i>630001-0</i> 5	STEEL PLATE BEAM GUARDRAIL
	<i>630201-0</i> 3	PCC/BITUMINOUS STABILIZATION AT STEEL PLATE BEAM GUARDRAIL
		SHOULDER WIDENING FOR TYPE 1 GUARDRAIL TERMINALS
	<i>631031-05</i>	TRAFFIC BARRIER TERMINAL TYPE 6
	635006-02	REFLECTOR AND TERMINAL MARKER PLACEMENT
	635011-01	REFLECTOR MARKER AND MOUNTING DETAILS
	642001	
	701001-01	OFF-ROAD OPERATION 2L, 2W, 4.5 m (15') MIN. AWAY FOR SPEEDS ≥ 45 MPH
	701006-02	OFF-ROAD OPERATIONS 2L, 2W, 4.5 m (15') TO PAVEMENT EDGE FOR SPEEDS ≥ 45 MPH
	701201-0 2	LANE CLOSURE, 2L,2W, DAY ONLY ON-ROAD TO 600mm (24") OFF-ROAD FOR SPEEDS > 45 MP
	701301-02	LANE CLOSURE, 2L, 2W SHORT TIME OPERATIONS
	701306-01	LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS - DAY ONLY FOR SPEEDS ≥ 45 MPH
	701311-02 _	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
	701321-08	LANE CLOSURE, 2L, 2W BRIDGE REPAIR WITH BARRIER
	701326-02	LANE CLOSURE, 2L, 2W, PAVEMENT WIDENING FOR SPEEDS > 45 MPH
	702001-05	TRAFFIC CONTROL DEVICES
	704001-02	TEMPORARY CONCRETE BARRIER
	781001-02	TYPICAL APPLICATIONS, RAISED REFLECTIVE PAVEMENT MARKERS
	000001-04	STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS
	780001-01	TYPICAL PAVEMENT MARKINGS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DISTRICT THREE

REVIEWED BY:

DISTRICT STUDIES AND PLANS ENGINEER

DATE:

OCTOBER 20, 2004

EXAMINED BY:

Herbert Jung DISTRICT CONSTRUCTION ENGINEER

DISTRICT MATERIALS ENGINEER

DISTRICT OPERATIONS ENGINEER

GENERAL NOTES & STANDARDS

FAP 697 (IL. RTE. 9) OVER
WALL TOWN DRAINAGE DITCH
SECTION 17BR-1
FORD COUNTY
S.N. 027-0094

4440 ASH GROVE SPRINGFIELD, IL. 62707 (217) 793-8600 oasinc@famvid.com

OZYURT AND STONE, INC.

JOB NO.: 0306.2 FILE: GNOLDGN DATE: 08-17-0

^{***} IF RAP OPTION IS SELECTED, THE ASPHALT CEMENT GRADE MAY NEED TO BE ADJUSTED. THIS WILL BE DETERMINED BY THE ENGINEER.