Coombe-Bloxdorf P.C.
-civil engineers
-structural engineers
-land survetors
-firm lisense No. 184-002703

USER NAME = _CFC_

CHECKED -DRAWN

영 RB RB

REVISED REVISED

DEPARTMENT OF TRANSPORTATION STATE OF ILLINOIS

PLOT DATE = 1/9/2014 PLOT SCALE = 42:8.8888888

Existing Structure: SN 054-0009 is a 5 span steel beam with 7½" bare concrete deck originally built in 1931 as SBI Rte. 120 under Sec. 102-BRC at Sta. 524+30. The four end span beam sizes are W24 while the center span is now a 60" R girder which replaced an original steel truss in 1977. The concrete deck was replaced and the substructure was rebuilt in 1977 as FA Rte 717 Sec. 102BR. The substructure units are open (spill thru) abutments and solid concrete bents on concrete piles and solid concrete pier bents on timber piles.

297'-6" Back to Back Abutments



12.000 00 7 60 54

TOTAL BILL

OF MATERIAL

Item

Unit

Total


Coated

Stee!

2 Install Temporary Shoring and Pier Joints
2 Install Temporary Shoring and Cribbing
3 Remove existing clip angles, diaphragms and tie plates
restraining beam ends called out as needing repaired
4 Cut out Beam Ends as called for in Removal Details
6 Remove and replace bearings as shown in Bearing Details
6 Place new Beam Ends as called for in Repair Details
7 Replace Diaphragms and Anchor Botts called out in Framing Plan
8 Bridge Deck Scarification 34*
9 Bridge Deck Repair
10 Reconstruct Joints at Piers & Bents with Preformed Joint Strip Seal
11 Place new 24" microsilica concrete overlay
12 Plug Existing Floor Drains at locations shown

ω N ~

OF WORK



ridge Deck Scarffication 74"
ridge Deck Microsilica Concrete

Sq. Yd.

889

Foot

883 48 883 883

PLAN

Fasteners shall be ASTM A325 Type 1, mechanically galvanized botts, b Splice holes shall be 6 6, 6 6 for 3 4, 6 6 botts. Flange Splice holes shall 15 6, 19 6 for 7 8, 19 8 botts.

All Structural Steel shall be AASHTO M270, Grade 50.
All Structural Steel shall be AASHTO M270, Grade 50.
No field welding is permitted except as specified in the contract documents. Reinforcement bars designated (E) shall be epoxy coaffed.
Prior to pouring the new concrete deck, all heavy or loose rust, loose mill prior to pouring the new concrete deck, all heavy or loose rust, loose mill scale, and other loose or potentially detrimental foreign material shall be scale, and other loose or potentially detrimental foreign adhered point may

remain unless otherwise noted. Removal shall be accomplished by methods that will not damage the steel and the cost will be included in the pay item covering removal of the existing concrete. d from the surfaces in unless otherwise noted.

As directed by the Engineer, existing construction accessories welded to the top flange of beams and girders shall be removed. The weld areas shall be ground flush and inspected for cracks using magnetic particle testing (MT) or dye penetrant testing (PT) by qualified personnel approved by the Engineer. Any cracks that cannot be removed by grinding 4 inch deep shall be identified and reported to the Bureau of Bridges and Structures for further disposition. The cost of removing welded accessories, grinding and inspecting weld areas and grinding cracks will be paid for according to Article 109.04 of the Standard Specifications.

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the contractor will be paid for the quantity actually furnished at the unit price bid the work.

Cleaning and field painting of structural steel shall be done under a separate painting contract.

The existing structural steel coating confains lead. The Confractor shall take appropriate precautions to deal with the presence of lead on this project. The Confractor shall provide support and/or shoring systems for the slab and beam in the grea of existing beam removal. See Special Provisions Temporary


Shoring and Cribbing".

Existing structural steel that will be in contact with new structural steel shall be cleaned and painted prior to erection as required by Special Provision "Cleaning and Painting Contact Surface Areas of Existing Steel Structures".

All Structural steel shall be shop painted with the inorganic zinc rich primer per AASHTO M300, Type 1. Cost included with Structural Steel Repair or Furnishing

New diaphragms at abutments to be placed tight against concrete. Any gaps shall be filled with epoxy. See Special Provision "Epoxy Injection". Cost included with Furnishing and Erecting Structural Steel. and Erecting Structural Steel.

the inside face and tops of the parapets. Coat shall be applied to the new concrete at expansion joints including



FIELD UNITS f'c = 3,500 psi fy = 60,000 psi fs = 27,000 psi (M223 Gr 50) 20,000 psi (M183)

DESIGN STRESSES (1977 Construction)

**Zefive Coat

**K Slab Repair (Full Dep...

**K Stab Repair Assembly, Total Floor Drains

***Ing Floor Drains

Туре Туре

Sq. Y.
Sq. Y.
Each

formed Joint Strip ige Deck Grooving

INDEX OF SHEETS

- General Plan and Elevation
 Stage Construction Details
 Temporary Concrete Barrier
 for Stage Construction
 Deck Slab Repairs and Concrete Removal
 Concrete Removal Details

- 4 D O V
- Superstructure Details Preformed Joint Strip Seal Bar Splicer Assembly Details Framing Plan and Repair Locations Repairs A thru C
- Repair Details Bearing Plate and Diaphragm Details Bearing Details
- 8 e 0 11 57 E

GENERAL PLAN AND ELEVATION 10 OVER SUGAR CREEK

SECTION (102B-1, 102CR, 102BR-2)RS-5

F.A.P. RTE 717

OCATION

SKETCH

				<u>S</u>
		717	الايلاج.	<u>S1</u> TRU
		717 (102B-1, 102CR, 102BR-2IRS-5 LOGAN	SECTION	<u>STATION 524+30.00</u> STRUCTURE NO. 054-0009
	CONTRACT NO.	LOGAN	COUNTY	
	ş	218	TOTAL	

S NO. 78 72882