



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 20, 2019

SUBJECT: FAI Route 55 & 72 (I-55/72)
Project NHPP-9Q6J(306)
Section (84-2) & (84-3)BRR
Sangamon County
Contract No. 72J97
Item No. 37, March 8, 2019 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page ii of the Table of Contents to the Special Provisions
2. Revised pages 132-135 of the Special Provisions
3. Revised sheet 11 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

Jack A. Elston, P.E.
Bureau Chief
Bureau of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E." with a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

CWR/cr

HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)..... 131
HOT-MIX ASPHALT – OSCILLATORY ROLLER (BDE) 136
HOT-MIX ASPHALT – TACK COAT (BDE)..... 137
LIGHTS ON BARRICADES (BDE)..... 138
PAVEMENT MARKING REMOVAL (BDE)..... 139
PAYMENTS TO SUBCONTRACTORS (BDE) 140
PORTLAND CEMENT CONCRETE (BDE) 140
PORTLAND CEMENT CONCRETE BRIDGE DECK CURING (BDE)..... 141
PROGRESS PAYMENTS (BDE)..... 142
RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE)..... 143
RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)..... 144
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE) 153
SPEED DISPLAY TRAILER (BDE) 164
STEEL COST ADJUSTMENT (BDE) 165
STEEL PLATE BEAM GUARDRAIL MANUFACTURING (BDE) 167
SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE) 168
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)..... 168
TEMPORARY PAVEMENT MARKING (BDE)..... 169
TRAINING SPECIAL PROVISIONS (BDE) 171
IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION. 173
TRAFFIC BARRIER TERMINAL, TYPE 1 SPECIAL (BDE)..... 176
TRAFFIC CONTROL DEVICES - CONES (BDE)..... 176
TRAFFIC SPOTTERS (BDE)..... 177
WARM MIX ASPHALT (BDE) 178
WEEKLY DBE TRUCKING REPORTS (BDE)..... 180

- a. Confined Edge. Each confined edge density shall be represented by a one-minute nuclear density reading or a core density and shall be included in the average of density readings or core densities taken across the mat which represents the Individual Test.
- b. Unconfined Edge. Each unconfined edge joint density shall be represented by an average of three one-minute density readings or a single core density at the given density test location and shall meet the density requirements specified herein. The three one-minute readings shall be spaced 10 ft (3 m) apart longitudinally along the unconfined pavement edge and centered at the random density test location.

When a longitudinal joint sealant (LJS) is applied, longitudinal joint density testing will not be required on the joint(s) sealed.”

Revise the Density Control Limits table in Article 1030.05(d)(4) of the Standard Specifications to read:

“Mixture Composition	Parameter	Individual Test (includes confined edges)	Unconfined Edge Joint Density Minimum
IL-4.75	Ndesign = 50	93.0 – 97.4% ^{1/}	91.0%
IL-9.5	Ndesign = 90	92.0 – 96.0%	90.0%
IL-9.5,IL-9.5L	Ndesign < 90	92.5 – 97.4%	90.0%
IL-19.0	Ndesign = 90	93.0 – 96.0%	90.0%
IL-19.0, IL-19.0L	Ndesign < 90	93.0 ^{2/} – 97.4%	90.0%
SMA	Ndesign = 50 & 80	93.5 – 97.4%	91.0%”

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK