
Bench Mark: Chiseled "" on hubguard Southwest corner of bridge 15.4' Rt. Station 1035+17, Elevation 498.336

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

Existing Structure: S.N. 050-0094, built in 1966 as S.B.I. Route 7 (F.A.S. Rte. 260), Section X-1BR. The existing structure consists of a three span continuous plate girder with reinforced concrete deck. 292'-0" back-to-back abutments. 36'-0" out to out deck. The deck is to be removed and replaced, one girder line added and the substructure widened using stage construction.

No salvage



PLAN

For Section A-A, see sheet 2 of 41.

v.c.=240 v.c.=260' PROFILE GRADE (along € roadway)

DESIGNED FOSSOLIN TERKLANING CHECKED Stephen Milya WOG/8MI CHECKED FT / SMR



Drainage Area = 126 Sq. Mi. Low Grade Elev. 495.38′ ◎ Sta. 10+90									
Yr.	C.F.S.	Exist.		H.W.E.		Prop.	Exist.	Prop	
	10	6579	918	918	464.7	0.7	0.7	465.4	465.
Design	50	9739	1125	1125	466.5	1.1	1.1	467.6	467.
Base	100	11043	1203	1203	467.1	1.2	1.2	468.3	468.
Overtopping	-	-	-	-	-	-	-	-	_
Max. Calc.	500	14095	1364	1364	468.4	<i>1.</i> 5	1.5	469.9	469.

SCOPE OF WORK

2. Make all girders composite in positive moment regions.

6. Remove and replace abutment backwalls and wingwalls.

5. Widen abutments & piers.

2 of 41.

7. Repair substructure as shown.

3. Remove and replace abutment cross frames/diaphragms.

4. Replace existing abutment bearings with elastomeric bearings.

WATERWAY INFORMATION

1. Remove and replace deck. Add new girder on North side of bridge.

8. Erosion under slope wall at Southwest nose of Pier 2 to be filled

and paid for as Slope Wall Slurry Pumping. For details, see sheet

EXPIRES 11-30-2008 This seal excludes sheet 39 of 41.

STATION 1036+60.72 REBUILT 20 BY STATE OF ILLINOIS F.A.P. RT. 623 - SEC. X-1BR

> LOADING HS20 STR. NO. 050-0094

NAME PLATE See Std. 515001

Existing name plate shall be cleaned and placed next to new name plate. Cost included in "Name Plates."

LOADING HS20-44 Allow 50#/sq. ft. for future wearing surface.

DESIGN SPECIFICATIONS

DESIGN STRESSES FIELD UNITS

New Construction

= 3.500 psi

= 60,000 psi (reinforcement) = 36,000 psi (AASHTO M270

Grade 36 structural steel)

 $f_V = 50,000 \, psi \, (AASHTO \, M270 \,$ Grade 50, H-piles only)

Existing Construction

f'_c = 3,500 psi

 $f_y = 40,000$ psi (reinforcement)

 $f_V = 36,000 \text{ psi (structural steel)}$

SEISMIC DATA

Seismic Performance Category (SPC) = A Bedrock Acceleration Coefficient (A) = 3.8%g Site Coefficient (S) = 1.0



Contract #66617

GENERAL NOTES

Fasteners shall be AASHTO M164 Type 1, mechanically galvanized bolts. Bolts $^{7}_{8}$ " ϕ , holes $^{15}_{16}$ " ϕ , unless otherwise noted.

Calculated weight of Structural Steel = 78,260 lbs. (AASHTO M270 Grade 36) No field welding is permitted except as specified in the contract documents.

No in-stream work will be allowed due to environmental constraints. Reinforcement bars shall conform to the requirements of ASTM A 706 Gr 60 (IL Modified). See Special Provisions.

Reinforcement bars designated (E) shall be epoxy coated.

Prior to pouring the new concrete deck, all heavy or loose rust, loose mill scale, and other loose or potentially detrimental foreign material shall be removed from the surfaces in contact with concrete. Tightly adhered paint may remain unless otherwise noted. Removal shall be accomplished by methods that will not damage the steel and the cost will be included in the pay item covering removal of the existing concrete.

As directed by the Engineer, existing construction accessories welded to the top flange of beams and girders shall be removed. The weld areas shall be ground flush and inspected for cracks using magnetic particle testing (MT) or dye penetrant testing (PT) by an individual acceptable to the Engineer. Any cracks that cannot be removed by grinding 4 inch deep shall be identified and reported to the Bureau of Bridges and Structures for further disposition. The cost of removing welded accessories, grinding and inspecting weld areas and grinding cracks will be paid for according to Article 109.04 of the Standard Specifications,

Plan dimensions and details relative to existing plans are subject to routine variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished based upon the unit

Bearing seat surfaces shall be constructed or adjusted to their designated elevations within a tolerance of $^{l}_{8}$ inch (0.01 ft.). Adjustment shall be made either by grinding the surface or by shimming the bearings.

The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project.

The embankment configuration shown shall be the minimum that must be placed and compacted prior to construction of the abutments.

The Contractor shall drive test piles to 110% of the nominal required bearing specified in production locations at substructures specified or approved by the Engineer before ordering the remainder of piles.

Load carrying components designated "NTR" shall conform to the Supplemental Requirements for Notch Toughness, Zone 2.

Concrete Sealer shall be applied to the exposed surface areas of the West and Fast Abutments.

Cleaning and Painting of the existing structural steel shall be as specified in the special provision for Cleaning and Painting Existing Steel Structures. All existing steel shall be cleaned per Near White Blast Cleaning - SSPC-SP10. All existing steel shall be painted according to the requirements of Paint System 1 - OZ/E/U. The color of the final finish coat for all interior steel surfaces shall be Gray, Munsell No. 5B 7/1. The color of the final finish coat for the exterior and bottom flange of the fascia beams shall be Interstate Green, Munsell No. 7.5G 4/8.

A minimum of two (2) air monitors will be required to monitor abrasive blasting operations at this site, see special provision for Containment and Disposal of Lead Paint Cleaning Residues.

The Organic zinc rich primer / Epoxy / Polyurethane Paint System shall be used for shop and field painting of new structural steel except where otherwise noted. The color of the final finish coat for all interior steel surfaces shall be Gray, Munsell No. 5B 7/1. The color of the final finish coat of the exterior and bottom flange of the fascia beams shall be Interstate Green, Munsell No. 7.5G 4/8. See special provision for Cleaning and Painting New Metal Structures.



GENERAL PLAN & ELEVATION U.S. ROUTE 6 OVER LITTLE VERMILION RIVER F.A.P. ROUTE 623 - SECTION X-1BR LaSALLE COUNTY <u> STATION 1036+60.72</u> STRUCTURE NO. 050-0094