

S.N. 016-2429 SCALE: SHEET NO. 6 OF 8 SHEETS

JOINT TO BE TERMINATED AT FACE OF PAVEMENT
TYPICAL END TREATMENT AT SIDEWALK OR MEDIAN

Shorter plates with a single row of studs at 12" cts, may be necessary on medians which are shallower than 9", See manufacturer's recommendation.

Notes:

The strip seal shall be made continuous and shall have a minimum thickness of ${}^{I}_{4}$ ". The configuration of the strip seal shall match the configuration of the Locking Edge Rails.

The height and thickness of the Locking Edge Rails shown are minimum dimensions. The actual configuration of the Locking Edge Rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed.

The inside of the Locking Edge Rail groove shall be free of weld residue. Locking Edge Rails may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods shall be followed. The joint opening and deck dimensions detailed on the superstructure are based on a rolled rail expansion joint. If the Contractor elects to use the welded rail expansion joint, the opening and deck dimensions shall be modified according to the dimensions detailed on this sheet. Required modifications shall be made at no additional cost to the State.

All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.

Maximum space between rail segments at stage lines shall be $\frac{3}{16}$ ", sealed with a suitable sealant.

Parapet plates and anchorage studs for skews > 30° included in the cost of Preformed Joint Strip Seal.

The Inside of the Locking Edge Rail groove shall be free of weld residue.

BILL OF MATERIAL

Item	Unit	Total
Preformed Joint Strip Seal	Foot	230

E OVER B&O.CTRR TRACKS TRIP SEAL		F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		350	2011-064-1	COOK	28	9
9		_		CONTRACT	NO. 60	DP83
STA.	TO STA.	ILLINOIS FED. AID PROJECT				