
STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS**

PROPOSED HIGHWAY PLANS

FAP ROUTE 817 (IL 15) SECTION 106BR-1 PROJECT: BHF-0817(005) SUPERSTRUCTURE REPLACEMENT **OVER ELKHORN CREEK WASHINGTON COUNTY**


C-98-031-05



PROJECT LOCATION IL 15 OVER ELKHORN CREEK (SN: 095-0028) STA 690+00.00

COUNTY SECTION 106BR-1 WASHINGTON


D-98-013-05



STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

MICROFILMED REEL NUMBER **AWARDED** RESIDENT ENGINEER AS BUILT CHANGES WERE MADE ON THE FOLLOWING SHEETS



FOR INDEX OF SHEETS, SEE SHEET NO. 2

ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

.

346-3209

(618)

CONTACT:

SQUAD

(618) 346 - 3179

ENGINEER: PATTI LEBEAU


PROJECT


JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123

CONTRACT NO. 76863

TRAFFIC DATA ADT: 180J (2006) ADT: 2500 (2026)

MU: 7.4%





GROSS LENGTH = 339.5 FT = 0.064 MILES NET LENGTH = 339.5 FT = 0.064 MILES

SECTION 106BR-1 FAP ROUTE 817 (IL 15)

COVER PAGE INDEX OF SHEETS/HIGHWAY STANDARDS/GENERAL NOTES SUMMARY OF QUANTITIES TYPICAL SECTIONS/MIXTURE REQUIREMENTS/MILLING DETAIL SCHEDULES & DETECTOR LOOP IN TRENCH DETAIL WIDE LOAD SIGNING PLAN AND PROFILE SHEETS 10 - 23, BRIDGE PLANS

HIGHWAY STANDARDS

STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS 000001-04 AREAS OF REINFORCEMENT BARS 001001 DECIMAL OF AN INCH OF A FOOT 001006 NAME PLATE FOR BRIDGES STEEL PLATE BEAM GUARDRAIL 630001-05 630301-03 SHOULDER WIDENING FOR TYPE 1 (SPECIAL) GUARDRAIL TERMINALS TRAFFIC BARRIER TERMINAL, TYPE 6A 631032-01 REFLECTOR AND TERMINAL MARKER PLACEMENT REFLECTOR MARKER AND MOUNTING DETAILS 635006-02 635011-01 OFF-ROAD OPERATIONS, 2L, 2W, 4.5m (15') TO 600m (24") FROM PAVEMENT EDGE 701006-02 OFF-ROAD MOVING OPERATIONS, 2L, 2W, DAY ONLY LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS >= 45 MPH 701201-02 LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY, FOR SPEEDS >= 45 MPH 701306-01 LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY 701311-02 701321-08 LANE CLOSURE, 2L, 2W, BRIDGE REPAIR WITH BARRIER 702001-05 TRAFFIC CONTROL DEVICES
TEMPORARY CONCRETE BARRIER 704001-02 780001-01 TYPICAL PAVEMENT MARKINGS TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS

SECTION COUNTY 106BR-1 WASHINGTON 23 TO STA. STA. FED. ROAD DIST. NO. _ ILLINOIS FED. AID PROJECT

CONTRACT NO. 76863

GENERAL NOTES

- 1. THE STANDARDS AND REVISION NUMBERS SHALL APPLY TO THIS PROJECT.
- 2. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO
- 3. THE THICKNESS OF THE BITUMINOUS MIXTURES SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS MAY OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS MIXTURE IS PLACED.
- 4. SAW CUTTING ON ALL EDGES FOR REMOVAL ITEMS SHALL BE INCLUDED IN THE COST OF THE REMOVAL ITEM AS INDICATED AND ACCORDING TO SECTION 440 OF THE STANDARD SPECIFICATIONS. SAW CUTTING FOR ALL REMOVAL ITEMS SHALL BE FULL-DEPTH IN ORDER TO AVOID DAMAGE TO THOSE ITEMS REMAINING IN PLACE.
- 5. ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE BE GIVEN TO UTILITIES WITHIN THE PROJECT AREA BEFORE DIGGING BY CALLING J.U.L.I.E. AND BY NOTIFYING NON-J.U.L.I.E. MEMBERS INDIVIDUALLY, AGENCIES KNOWN TO HAVE FACILITIES WITHIN THE PROJECT AREA ARE AS FOLLOWS:

*EGYPTIAN TELEPHONE CO-OP. ASSN. *TRI-COUNTY ELECTRIC COOPERATIVE, INC. MEMBERS OF J.U.L.I.E (800) 892-0123 ARE INDICATED BY . NON-MEMBERS MUST BE NOTIFIED INDIVIDUALLY.

- 6. IF ANY SECTION OR SUB-SECTION MONUMENTS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED OR RESURFACED OVER. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED SURVEYOR, OR AGENT HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.
- 7. A SURVEY MONUMENT IS LOCATED ON THE SOUTHWEST TOP WINGWALL OF THE STRUCTURE.
- 8. THE CONTRACTOR SHALL NOT ALLOW ANY DEBRIS TO FALL INTO ELKHORN CREEK.
- 9. ALL EXISTING CONCRETE IN THE CREEK, UNDER THE BRIDGE, MUST BE REMOVED. THIS WORK WILL NOT BE MEASURED FOR PAYMENT, BUT SHALL BE INCLUDED IN THE COST OF
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SEEDING, FERTILIZING, AND MULCHING ANY AREAS DISTURBED BY THE CONTRACTOR. THIS WORK WILL NOT BE MEASURED FOR PAYMENT, BUT SHALL BE INCLUDED IN THE COST OF THE CONTRACT. THE SEEDING SHALL BE CLASS 2. THE APPLICATION OF THE SEEDING, FERTILIZER, AND MULCH SHALL BE TO THE SATISFACTION OF THE ENGINEER. FINAL SEEDING SHALL BE PERFORMED AS SOON AS
- 11. AN ESTIMATED QUANTITY OF 100 CU YD OF FURNISHED EXCAVATION HAS BEEN ADDED TO THE CONTRACT FOR ADDITIONAL EARTH BEHIND THE GUARDRAIL.
- 12. A QUANTITY OF 900 FEET OF TEMPORARY PAVEMENT MARKING LINE 6" HAS BEEN ADDED IN THE PLANS FOR PAINTING THE BOTTOM 6" OF THE TEMPORARY CONCRETE BARRIER.
- 13. THE CONTRACTOR HAS THE OPTION OF DISPOSING OF THE BITUMINOUS MILLINGS AND CRUSHED CONCRETE AT MR. BINSBACHER'S FARM LOCATED LESS THAN ONE MILE FROM THE JOB SITE. THE CONTRACTOR CAN CONTACT EITHER MR. VALROY BINSBACHER AT (618) 566-4300 OR MR. RAMZY BINSBACHER AT (618) 980-1634.

COMMITMENTS

NONE

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
NAME	DATE	
		INDEX OF SHEETS/GENERAL
	<u> </u>	NOTES/HIGHWAY STANDARDS
		FAP ROUTE 817
		SECTION 106BR-1
		WASHINGTON COUNTY
-		SCALE: HORIZ. DRAWN BY
		DATE CHECKED BY


DATE MAME SCALE ENCE


DRAWN BY CHECKED BY ILLINOIS DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

	SUMMARY OF QUANTITIES		80% FED. 20% STATE	ROADWAY	TRUCTION TYPE (CTURE
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	XOBO-ZA	X080-2A	SFTY-3N
		CU YD	100	100	7000 27	0, 7, 0,
20400800	FURNISHED EXCAVATION	ACRE	0.1	0.1		
25000210	SEEDING, CLASS 2A			0. 1		
25100105	MULCH, METHOD 1	ACRE	0.1	0, 1	4.4.77.77	
28100109	STONE RIPRAP, CLASS A5	SQ YD	1137		1137	
28200200	FILTER FABRIC	SQ YD	1137		1137	
40600200	BITUMINOUS MATERIALS (PRIME COAT)	TON	0.2	0.2		
40600300	AGGREGATE (PRIME COAT)	TON	0.8	0.8		
40600990	TEMPORARY RAMP	SQ YD	20	20		
44000030	BITUMINOUS SURFACE REMOVAL (VARIABLE DEPTH)	SQ YD	535	535		
44300200	STRIP REFLECTIVE CRACK CONTROL TREATMENT	F007	301	301		
48101200	AGGREGATE SHOULDERS, TYPE B	TON	16	16		
50101500	REMOVAL OF EXISTING SUPERSTRUCTURES	EACH	1		1	7.
50102400	CONCRETE REMOVAL	CU YD	0.9		0.9	
50300130	PREFORMED JOINT SEAL 4"	FOOT	66		66	
50300225	CONCRETE STRUCTURES	CU YD	0.9		0.9	
50300255	CONCRETE SUPERSTRUCTURE	CU YD	. 3	:	3	
50301245	FORMED CONCRETE REPAIR (DEPTH EQUAL TO OR LESS THAN 5")	SQ FT	223.6		223.6	
50400405	PRECAST PRESTRESSED CONCRETE DECK BEAMS (21" DEPTH)	SQ FT	6168		6168	
50500405	FURNISHING AND ERECTING STRUCTURAL STEEL	POUND	5170		5170	
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	500	·	500	
50901005	STEEL BRIDGE RAIL, TYPE SM	FOOT	378		378	
51500100	NAME PLATES	EACH	1		1 .	
58100200 <i>58300100</i> 63100087	WATERPROOFING MEMBRANE SYSTEM PORTLAND CE MENT MORTAR FAIRING COURSE TRAFFIC BARRIER TERMINAL, TYPE 6A	SQ YD FOOT EACH	693 / <i>975</i> 4	4	693 / 8 75	
63100167	TRAFFIC BARRIER TERMINAL TYPE 1, SPECIAL (TANGENT)	EACH	2	2		
63100169	TRAFFIC BARRIER TERMINAL TYPE 1, SPECIAL (FLARED)	EACH	1	1	*	
63200305	STEEL PLATE BEAM GUARD RAIL REMOVAL	F00T	257	257		
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	6	6 .		
67100100	MOBILIZATION	L SUM	1	1		
		7 at 1 annual 2		ille (°		·
70100460	TRAFFIC CONTROL AND PROTECTION, STANDARD 701306	L SUM	1	1		
70101205	TRAFFIC CONTROL AND PROTECTION, STANDARD 701321 (SPECIAL)	EACH	1		1	

IIILO							
SUMMARY OF OUANTITIES	SUMMARY OF QUANTITIES						
	UNIT	20%.STATE TOTAL QUANTITIES	ROADWAY X080-24	STRUC X080-2A	SFTY-3N		
CODE NO ITEM	GIVIT	QUANTITIES	7000 27	X000 ZA	3, 11 3,1		
70106500 TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	1		1			
70300220 TEMPORARY PAVEMENT MARKING - LINE 4"	F00T	1488	1110	378			
70300240 TEMPORARY PAVEMENT MARKING - LINE 6"	F00T	900	522	378			
70400500 TEMPORARY CONCRETE BARRIER (STATE OWNED)	FOOT	450	450				
70400600 RELOCATE TEMPORARY CONCRETE BARRIER (STATE OWNED)	FOOT	450	450				
78000200 THERMOPLASTIC PAVEMENT MARKING - LINE 4"	F00T	764	338.6	425.4			
78100100 RAISED REFLECTIVE PAVEMENT MARKER	EACH	2	2		-		
78100105 RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE)	EACH	3		3 ·			
78200410 GUARDRAIL MARKERS, TYPE A	EACH	6 .	6				
78200530 BARRIER WALL MARKERS, TYPE C	EACH	4		4			
78201000 TERMINAL MARKER - DIRECT APPLIED	EACH	3	3				
78300100 PAVEMENT MARKING REMOVAL	SQ FT	496	496				
78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	2	2				
X4066416 BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "C", N70	TON	132	45	87			
X4066770 LEVELING BINDER (MACHINE METHOD), SUPERPAVE N70	TON	23	23				
X7200200 WIDE LOAD SIGNING	L SUM	1	1				
Z0002600 BAR SPLICERS	EACH	12		-12			
,	EACH	2		12	2		
ZOO30250 IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	EACH				2		
Z0030350 IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2			2		
		7					
N. Company							
		4 .		·			





PROPOSED TYPICAL SECTION STA. 688+29.5 TO STA. 689+05.5 STA. 690+94.5 TO STA. 691+69.0

LEGEND

- 1 EXISTING PAVEMENT 9-6-9
- ② EXISTING BITUMINOUS BINDER, ¾"
- 3 EXISTING PAVEMENT MARKING
- 4 EXISTING BITUMINOUS WIDENING, 12"
- (5) EXISTING BITUMINOUS WIDENING, 9" 6 EXISTING BITUMINOUS SURFACE COURSE, 11/2"
- T EXISTING AGGREGATE SHOULDER
- 8 PROPOSED MILLING
- 9 PROPOSED PAVEMENT MARKING
- 10 PROPOSED BITUMINOUS MATERIAL (PRIME COAT)
- (1) PROPOSED AGGREGATE (PRIME COAT)
- 12 LEVELING BINDER (MACHINE METHOD), 3/4"
- 13 PROPOSED BITUMINOUS CONCRETE SURFACE COURSE. 11/2"
- 1 PROPOSED STRIP REFLECTIVE CRACK CONTROL
- 15 PROPOSED AGGREGATE SHOULDER

- 1 	76′*			
1/4,		1		1 * *
N N	/////////	4	BRIDGE	
EXIST.	PVMT.	2 1,		

*SEE PLAN & PROFILE FOR BEGINNING AND END STATION OF RESURFACING

MILLING DETAIL

MIXTURE REQUIREMENTS

MIXTURE USE	SURFACE	LEVELING BINDER
AC/PG	PG 64-22	PG 64-22
RAP % (MAX)	10%	10%
DESIGN AIR VOIDS	4% @ Ndes=70	4% @ Ndes=70
MIX COMPOSITION		
(GRADATION MIXTURE)		
FRICTION AGGREGATE	MIXTURE "C"	MIXTURE "C"

REVISION	REVISIONS							
NAME	DATE	ILL						
		T						
		_ n=						
		RE						
		1						
		1						
		1						
		1 v						
		SCALE: V						

LINOIS DEPARTMENT OF TRANSPORTATION TYPICAL SECTIONS/ MIXTURE EQUIREMENTS/MILLING DETAIL

> FAP ROUTE 817 SECTION 106BR-1 WASHINGTON COUNTY DRAWN BY

CHECKED BY

COUNTY TOTAL SHEE SHEETS NO.

TO STA.

SECTION

DATE = 12/16/2005

NAME = ci\projecta\e
SCALE = 50.0000 '/ IN
FRENCE = \$REF\$

PAVING SCHEDULE

STATION	BIT, MAT'L PRIME COAT (TON)	AGG. PRIME COAT		BIT. CONC. SURF. CSE., SUPER., MIX "C", N70	BIT. SURF. REMOVAL (SQ YD)	AGG. SHLD TYPE B	STRIP REFL CRACK CTL TREATMENT
688+29.5 TO 689+05.5	0.085	0.4	13.35	27.71	270.4	8.02	152.0
689+05.5 TO 690+94.5				87.00			:
690+94.5 TO 691+69.0	0.083	0.4	11.11	22.21	264.4	7.86	149.0
·							
TOTAL	0.167	0.8	22.46	131.92	534.80	15.88	301.00

PAVEMENT MARKING SCHEDULE


		PAVEN	MENT	BRIDGE		
		WHITE LINE	YELLOW SKIP Dash line 4"	WHITE LINE	YELLOW SKIP	
STATION		(FT)	(FT)	(FT)	(FT)	
688+29.5 TO 689+05.5	RT/LT	152.0				
688+29.5 TO 689+05.5	¢		19.0		-	
689+05.5 TO 690+94.5	RT/LT			378.0		
689+05.5 TO 690+94.5	L ¢				47.25	
690+94.5 TO 691+69.0	RT/LT	149.0				
690+94.5 TO 691+69.0	l · ¢		18.6			
687+80.9 TO 692+19.7						
SUB-TOTAL		301.0	37.6	378.0	47.3	
TOTAL		338	.6	4	25.3	

TEMPORARY PAVEMENT MARKING SCHEDULE

			PAVEMENT	BRIDGE	PAVEMENT	BRIDGE	
			TEMP PVMT MRKG- LINE 4"	TEMP PVMT MRKG- LINE 4"	TEMP PVMT MRKG- LINE 6"	TEMP PVMT MRKG- LINE 6"	PVMT MRKG REMOVAL
STATION			(FT)	(FT)	· (FT)	(FT)	(SQ FT)
686+81.0 TO 693-	+89.8		519.8	189.0			236.3
688+50.5 TO 692-	+20.0	WATL			180.5	189.0	
686+11.0 TO 693-	+89.8	¢	589.8	189.0			259.6
	+20.0	WALL			250.0	189.0	and the committee of th
SUB-TOTAL			1109.6	378.0	430.5	378.0	
TOTAL			148	37.6	- 8C	8.5	495.9

GUARDRAIL SCHEDULE

Company of the Compan							
S ⁻	ГАТІ	ON		SPBGR REMOVAL (FT)	TBT - T1 (SPECIAL) (EA)	TBT - T1 (FLARED) (EA)	TBT - T6A (EA)
688+74	TO	689+05.5	LT	31.5			1
688+15	TO	689+05.5	RT	62.5		1	1
690+94.5	TO	691+26.0	LT	31.5			1
690+94,5	TO	691+26.0	RT	31.5			1
691+64.5	TO	692+14.5	RT	50.0	1		
691+77.5	TO	692+27.5	LT	50.0	1		
	T	OTAL		257.0	2	1	4



DETECTOR LOOP INSTALLED IN TRENCH

INSTALLATION IS TO BE DONE IN CONFORMANCE WITH THE REQUIREMENTS OF THE PLANS AND SECTION 886 OF THE STANDARD SPECIFICATIONS WITH THE FOLLOWING EXCEPTIONS:

- 1. SLOTS ARE TO BE TRENCHED INSTEAD OF SAWED.
- 2. THIS WORK SHALL NOT BE PAID FOR SEPERATELY BUT SHALL BE INCLUDED IN THE COST OF TEMPORARY BRIDGE TRAFFIC SIGNALS 1 EACH.

REVISIONS
NAME
DATE

SCHEDULE OF QUANTITIES AND
DETECTOR LOOP IN TRENCH DETAIL


FAP ROUTE 817
SECTION 106BR-1
WASHINGTON COUNTY


SCALE: VERT.
HORIZ.
DATE

CHECKED BY


NAME = ctyprojectsted01340 pientpin01360 SCALE = 50.0000 / IN. RENCE = \$REF\$


PLOT DATE = 12/16/2005
FILE NAME = ci\projects\ed0130
PLOT SCALE = 50.0000 // IN.






.0T DATE = 12/16/2006 LE NAME = ci\projects\eddi305\plan\pln01305a.dg nt scale = 20.0000 / 1N.







Drainage Area = 54.2 sg. mi. Low Grade Elev. 427.50 @ Sta. 699+00.00

7,540 1,522

100 8,610 1,665

Q Opening Sq. Ft. Nat. Head - Ft. Headwater E

1,522 425.00 0.6 0.6 425.60 425.6

0.7

426,50 426,5

1.4 428.90 428.9

C.F.S. Exist. Prop. H.W.E. Exist. Prop. Exist.

1,665 | 425.80 | 0.7

1.772 427.50 1.4

				ــا							
		F	ang	1e :	5W	- 3	3rd.	Pi	И		
	7		_	5							
	Rehabilitation		-1		S.		-1	l 2—			
	habil		F.A	P. 1	te.	X	X	a	7		
				817				एस्	TATO TOO	7)	1
	Proposed	'	-1	 4 —			-1	 3—		25	
	ropc			\sim	N)			Wp.	
1/05	-	L_					/		لـــا		
	ı	<u> </u>	CA	T.	ΙΟΙ	V :	SK	E7	TC/	1	

GENERAL PLAN ILLINOIS ROUTE 15 OVER ELKHORN CREEK F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028

DESIGN STRESSES

FIELD UNITS

f'c	=	3,500	psi	
f_y		60,000	psi	(reinforcement

	<u>PRECAS</u>	T PI	7E5.	RESSE	D UNIT	5
=	5,000	psi				

CÎ.	-	4,000 pa	01				
f's	=	270,000	psi	(1/2 1/ p	low	lax.	strands)
fel	æ	201.960	DSi	(1511B	low	lax.	strands)

ERIC M. LAGEMANN

GENERAL NOTES Expansion guards which are not cast in the precast unit shall be fabricated and erected according to Article 503.10(c) of the Standard Specifications and are included in quantity of structural steel,

WASHINGTON

ILLINOIS FED. ALD PRO

SHIEET NO.

rO.

SHEET NO.

14 SHEETS

TOTAL

The minimum thickness of Bituminous overlay shall be 2" and varies as required to adjust for the new profile arade and beam camber.

ROUTE NO.

.A.P. 817 106BR-

FED. ROAD DIST. NO. 7

All structural steel shall be AASHTO M 270 Grade 36 unless otherwise noted. All structural steel shall be shop painted with the inorganic zinc rich primer per AASHTO M 300, Type 1. Cost included with "Furnishing and Erecting Structural Steel".

Reinforcement bars shall conform to the requirements of AASHTO M 31 or M 322 Grade 60.

Layout of slope protection system may be varied in the field to suit ground conditions as directed by the Engineer.

Plan dimensions and details relative to existing structure have been taken from existing plans and are subject to nominal construction variations. It shall be the Contractor's responsibility to verify such dimensions and details in the field and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price for the work.

The top surface of the beams shall be finished according to Article 504.06 of the Standard Specifications except that the surface shall not be roughened by brooming. The finished surface shall be free of depressions or high spots with sharp corners, and the top edge of keys shall be rounded or chamfered a minimum of ${}^{l}_{4}$ ".

All Construction joints shall be bonded.

The cut strands at each beam end shall be given two coats of zinc dust spray or paint meeting the requirements of ASTM A 780. The zinc dust spray or paint shall be applied before corrosion appears and allowed to dry according to the manufacturer's specifications prior to another coat of zinc. A concrete sealer meeting the requirements of Section 587 of the Standard Specifications shall be applied to the exterior face and 9" in on the underside of the fascia beams. The sealer shall be applied after visible crack growth has subsided. This work shall be performed by the producer and included with the cost of the beam.

The contractor is advised that the existing Precast Prestressed Concrete Deck Beams are in a deteriated condition with reduced load carrying capacity. It is the contractor's responsibility to account for the condition of the beams when developing construction procedures for removal and replacement of the superstucture.

TOTAL BILL OF MATERIAL

ITEM	UNIT	SUPER	SUB	TOTAL
Stone Riprap, Class A5	Sq. Yd.		1137	1137
Filter Fabric for use with Riprap	Sq. Yd.		1137	1137
Removal of Existing Superstructures	Each	1		1
Concrete Removal	Cu. Yd.		0.9	0.9
Preformed Joint Seal 4''	Foot	66.0		66.0
Concrete Structures	Cu, Yd.		0.9	0,9
Concrete Superstructure	Cu. Yd.	3.0		3.0
Formed Concrete Repair	Sa. Ft.		223.6	223.6
(Depth Equal to or less than 5'')	3q. 11.		223.0	223.0
Precast Prestressed Concrete Deck	Sa. Ft.	6168		6168
Beams (21'' Depth)	34. 11.	0100		0100
Furnishing and Erecting	Pound	5170		5170
Structural Steel	7 00/10	3170		3170
Reinforcement Bars, Epoxy Coated	Pound	410	90	500
Steel Bridge Rail, Type SM	Foot	378		378
Name Plates	Each	1		1
Bar Splicers	Each	12		12
Waterproofing Membrane System	Sq. Yd.	693		693
Bituminous Concrete Surface Coarse,	Ton	87		87
Superpave, Mix "C", N70	100	01		0/
PC Mortar Fairing Course	Foot	1875		1875

Plate. Cost included with Name Plates.

DESIGNED EML

CHECKED NJM

CHECKED NJM

DRAWN

EML


HORNER & SHIFRIN, INC.


Flood


Overtopping


10 50

ROUTE NO.	SECTION	car	INTY	TOTAL SHEETS	SHEET NO.	SHEET	NO.
F.A.P. 817	106BR - 1	WASHI	VGTON		112	<i>14</i> sн	EET
FEOL ROAD DIST	NO. 7	ILL INGIS	FED. AID PRO	DJECT-	f	1	









STAGE I CONSTRUCTION

STAGE II CONSTRUCTION

Notes:
All sections are looking East.
For quantity of Temporary Concrete Barrier, see roadway plans.
For details of Temporary Concrete Barrier, see sheet 3 of 14.
For requirements for lapping waterproofing membrane, see notes on sheet 3 of 14.

DESIGNED EML

CHECKED NJM

DRAWN EML

CHECKED NJM




STAGE CONSTRUCTION DETAILS

F.A.P. ROUTE 817 - SECTION 106BR-1

WASHINGTON COUNTY

STATION 690+00.00

STRUCTURE NO. 095-0028




EXISTING PPC DECK BEAMS


NEW PPC DECK BEAMS

SECTIONS THRU PPC DECK BEAMS

only) See Standard 704001



INSERT DETAIL



<u>DETAIL I</u>

The Temporary Concrete Barrier and wood blocks shall not be removed until Stage II Construction PPC Deck Beams have been placed and shear keys grouted.

NOTES

ROUTE NO.

F.A.P. 817 106BR-1 WASHINGTON

SHEET NO.

12

SHEET NO. 3

14 SHEETS

TOTAL SHEETS

The $1^{\prime\prime}$ ϕ high strength bolts used to connect the wood blocks shall be tightened to a snug fit without crushing the wood block. The wing type threaded insert assembly shall be spaced 6'-0'' longitudinally.

The Waterproofing Membrane shall extend under the Temporary Concrete Barrier without the asphalt sand seal protection layer. Once the Temporary Concrete Barrier has been removed, and the penetrating primer, coal tar emulsion, coal tar emulsion and fiberglass fabric, and coal tar emulsion slurry layers of the Waterproofing Membrane is lapped 6", the asphalt sand seal protection layer shall be applied according to Article 581 of the Standard Specifications.

The cost for H.S. bolts, flat headed washers, and wood block is included with Temporary Concrete Barrier.


The cost for wing type threaded inserts is included with Precast Prestressed Concrete Deck Beams (21" Depth).

TEMPORARY CONCRETE BARRIER

FOR STAGE CONSTRUCTION

F.A.P. ROUTE 817 - SECTION 106BR-1


WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028





Drill 14" \$\phi\$ Holes in existing

beam for 1" ϕ x 10" dowel bars. Traffic side only. Cost included with Temporary Concrete Barrier.











DETAIL A

* Furnish in segments of 20 ft, maximum length. Maximum space between installed segments shall be 3 ₁₆". Seal space with Silicone Sealant suitable for Structural Steel.


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



PREFORMED JOINT SEAL (4")




PLAN - EXP. JT. RETAINER




SECTION B-B

** WT 8x20 and accessories shall be galvanized. Only the Steel wedges shall be removed. Cost of retainer and accessories are included with "Precast Prestressed Concrete Deck Beams".




BITUMINOUS CONCRETE SURFACE COURSE PROFILE

(Bituminous concrete surface course along edge of beams)




BITUMINOUS CONCRETE SURFACE COURSE PROFILE

(Bituminous concrete surface course along & Roadway)





Note;
Bituminous Concrete Surface Course Profile dimensions include ½'' for waterproofing membrance thickness.



ROUTE NO.

F.A.P. 817 106BR-1

TOTAL SHEETS


WASHINGTON

SHEET NO.

15

SHEET NO. 6

14 SHEETS



SHEAR KEY CLAMPING DETAILS AT STAGE CONST. JT.

See Special Provisions for Stage Construction of Precast Prestressed Concrete Deck Beams. Cost included with "Precast Prestressed Concrete Deck Beams". See Stage Construction Details for traffic lanes.


SUPERSTRUCTURE DETAILS


F.A.P. ROUTE 817 - SECTION 106BR-1


WASHINGTON COUNTY

STATION 690+00.00


STRUCTURE NO. 095-0028







TYPICAL TRANSVERSE TIE ASSEMBLY



TYPICAL SECTION

½" ♦ Strands, Each Strand Stressed to 30,900 Lbs. $\overline{5}$ -Strands 1^{3} ₄" up, 6-Strands 3^{1} ₄" up

TOTAL


Place strands symmetrically about € of beam.

Size | Length | Shape #5 |42'-0'' ---

#5 8'-8''

#4 2'-7"

#4 6'-0' #4 5'-.



└─ 2 Pair - #4 U bars

END OF BEAM (EXP. END)

NOTES

2 Pair - #4 U, bars ---

Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be $\frac{1}{2}$ " and the nominal cross-sectional area shall be 0.153 sq. in. Lifting loops shall be $2 \cdot \frac{1}{2}$ " ϕ -270 ksi strands, as shown.

The $1^{\prime\prime}$ ϕ rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets that receive transverse tie bar on outside shall be filled with grout after transverse tie assembly is in place, and only during Stage II Construction.

Non prestressing steel shall conform to AASHTO M-31, or M-322 Grade 60.

The bearing seat surfaces shall be adjusted by shimming to assure firm and even bearing. Two g" fabric adjusting shims of the dimensions of the Exterior Bearing Pad shall be provided for each

Keyway surfaces shall be cleaned to remove form oil or other bond breaking material prior to shipment of the beams. Cleaning shall be done by sandblasting the keyway areas between top of the beam and the bottom edge of the key.

Corrosion Inhibitor, as covered in the Special Provisions, shall be used in the concrete for precast prestressed concrete deck beams.

Required Release Strength, f'ci, shall be 4,000 p.s.i.

See sheet 5 of 14 for spacing of rail post.

See sheet 4 of 14 for rail anchor device to be cast in precast beams.

See sheet 3 of 14 for Wing Type Threaded Insert location and spacing.

BILL OF MATERIAL

No.


4


10


 B_2

Item	Unit	Total
Precast Prestressed Concrete Deck Beams (21'' Depth)	Sq. Ft.	2846


SUPERSTRUCTURE DETAILS-SPANS 1 & 4 F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028







TYPICAL TRANSVERSE TIE ASSEMBLY



TYPICAL SECTION


½″ ∮ Strands, Each Strand Stressed to 30,900 Lbs. 7-Strands 1^3_4 " up, 6-Strands 3^1_4 " up, 2-Strands 9" up

> Place strands symmetrically about € of beam.

SHEET NO.

SHEET NO. 8

TOTAL



END OF BEAM (EXP. END)

NOTES

Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be $l_2^{\prime\prime}$ and the nominal cross-sectional area shall be 0.153 sq. in. Lifting loops shall be $2 - \frac{1}{2}$ " ϕ -270 ksi strands, as shown.

The $I'' \phi$ rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets that receive transverse tie bar on outside shall be filled with grout after transverse tie assembly is in place, and only during Stage II Construction.

Non prestressing steel shall conform to AASHTO M-31, or M-322 Grade 60.

The bearing seat surfaces shall be adjusted by shimming to assure firm and even bearing. Two $l_{g}^{\prime\prime}$ fabric adjusting shims of the dimensions of the Exterior Bearing Pad shall be provided for each

Keyway surfaces shall be cleaned to remove form oil or other bond breaking material prior to shipment of the beams. Cleaning shall be done by sandblasting the keyway areas between top of the beam and the bottom edge of the key.

Corrosion Inhibitor, as covered in the Special Provisions, shall be used in the concrete for precast prestressed concrete deck beams.

Required Release Strength, f'ci, shall be 4,000 p.s.i.

See sheet 5 of 14 for spacing of rail post.

See sheet 4 of 14 for rail anchor device to be cast in precast beams.

See sheet 6 of 14 for Shear Key Clamping Details at Stage Const. Jt.

See sheet 3 of 14 for Wing Type Threaded Insert location and spacing.

BAR LIST (ONE BEAM)

Bar	No.	Size	Length	Shape
В	4	#5	49'-3"	
B_1	4	#5	10'-1''	
B_2	3	#4	2'-7"	
E	3	#5	2'-0"	Γ
U	10	#4	6'-0''	
U_I	4	#4	5'-3"	


BILL OF MATERIAL


Item	Unit	Total
Precast Prestressed Concrete Deck Beams (21″ Depth)	Sq. Ft.	3322

SUPERSTRUCTURE DETAILS-SPANS 2 & 3 F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028

TOTAL SHEETS SHEET NO. 18 F.A.P. 817 106BR-1 WASHINGTON FED. ROAD DIST, NO. 7 ILLINOIS FED. AID PROJECT

SHEET NO. 914 SHEETS





PLAN

(Bituminous concrete surface course not shown)

" cl. typ.



Concrete Structures shown are to be poured before Precast Prestressed Concrete Deck Beams are in place.
For Abutment Repair and Concrete Removal details see sheet 11 of 14.

BILL OF MATERIAL

Bar	No.	Size	Length	Shape
h(E)	6	#4	7'-0"	
Reinfor Epoxy	cement E Coated	Pound	30	
Concret	e Struct	Cu. Yd.	0.3	

Reinforcement bars designated (E) shall be epoxy coated.

SECTION B-B


h(E) -


h(E) —

DESIGNED EML CHECKED NJM DRAWN CHECKED NJM

WEST ABUTMENT F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028


ROLITE NO.	SECTION	cox	INTY	TOTAL SHEETS	SHEET NO.	s
F.A.P. 817	106BR - 1	WASHI	NGT ON		19	1
FED. ROAD DIST	NO. 7	ILLINOIS	FEO. ALD PRO	JECT-		







<u>PLAN</u>



Concrete Structures shown are to be poured before Precast Prestressed Concrete Deck Beams are in place.

For Abutment Repair and Concrete Removal details see sheet 11 of 14.

BILL OF MATERIAL

Bar	No.	Size	Length	Shape
h(E)	12	#4	7'-0''	
Reinford Epoxy C		Pound	60	
Concrete	e Structi	Cu. Yd.	0.6	

Reinforcement bars designated (E) shall be epoxy coated.

SECTION B-B


DESIGNED EML CHECKED NJM DRAWN EML CHECKED NJM

HORNER & SHIFRIN, INC.

EAST ABUTMENT F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028


AQUTE NO.	SECTION	cou	INTY	FOTAL SHEETS	SHEET NO.	SHEE	ĒΤ	NO.
F.A.P. 817	106BR-1	WASHI	NGTON		20	14	SHE	EETS
FED. ROAD DIST	. NG. 7	ILLINGIS	FEO. AID PRO	DJECT-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1		

11



PLAN - WEST ABUTMENT

PLAN - EAST ABUTMENT



VIEW A-A

VIEW B-B

BILL OF MATERIAL


Item	Unit	Total
Concrete Removal	Cu. Yd.	0.9
Formed Concrete Repair (Depth Equal to or less than 5′′)	Sq. Ft.	7.0

Notes:

Existing reinforcement extending into Concrete Removal shall be cleaned and incorporated into Concrete Structures. Concrete Removal and Formed Concrete Repair shall occur during its respective stage construction and prior to placement of the new deck beams.

See Special Provisions for Formed Concrete Repair.

<u>LEGEND</u>



DESIGNED EML

CHECKED NJM

DRAWN EML

CHECKED NJM

HORNER & SHIFRIN, INC

ABUTMENT REPAIR AND
CONCRETE REMOVAL DETAILS

F.A.P. ROUTE 817 - SECTION 106BR-1

WASHINGTON COUNTY


STATION 690+00.00

STRUCTURE NO. 095-0028

See sheet 6 of 14 for details of Expansion Joint Retainer located at Piers 1 & 3. See sheet 13 of 14 for Formed Concrete Repair details.


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

TOTAL SHEETS SHEET SHEET NO. 12 WASHINGTON 2 14 SHEETS F.A.P. 817 106BR-1



PLAN - PIERS 1 & 3

(Not all deck beams are shown) (Bituminous concrete surface course and expansion joint not shown)



PLAN - PIER 2


(Not all deck beams are shown) (Bituminous concrete surface course not shown)


DESIGNED EML CHECKED NJM EML DRAWN CHECKED NJM




PIERS F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028











ELEVATION-PIER 1



ELEVATION-PIER 3





ELEVATION-PIER 1
(Looking West)

VIEW A-A

ELEVATION-PIER 3

BILL OF MATERIAL

Item Unit Total Formed Concrete Repair (Depth Equal to or less than 5") Sq. Ft. 216.6

DESIGNED EML

CHECKED NJM

DRAWN EML

CHECKED NJM



Notes:								
For	med C	`oncrete	Repai	ir sha	11 000	our dur	ing i	ts
respec	otive s	stage c	onstruc	ction e	and p	rior to	plac	cement
of the	new	deck b	eams.					
See	Spec	ial Pro	visions	for F	- orme	d Conc	rete	Repair

1'-9" x 1'-9" -

LEGEND

₩ Formed Concrete Repair

PIER REPAIR

F.A.P. ROUTE 817 - SECTION 106BR-1

WASHINGTON COUNTY

STATION 690+00.00

STRUCTURE NO. 095-0028



SHEET NO. 14 14 SHEETS

NOTES

Bar splicer assemblies shall be of an approved type and shall develop in tension at least 125 percent of the yield strength of the lapped reinforcement bars.

Splicer rods shall be of minimum 60 ksi yield strength, threaded or coiled full length. All reinforcement bars shall be lapped and tied to the splicer rods or dowel bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars.

Other systems of similar design may be submitted to the Engineer for approval. Approval shall be based on certified test results from an approved testing laboratory that the proposed bar splicer assembly satisfies the following requirements:

Minimum Capacity (Tension in kips) = 1.25 x fy x A_t


Minimum *Pull-out Strength = 1.25 x fs_{allow} x A_t (Tension in kips)

Where fy = Yield strength of lapped reinforcement bars in ksi.

fsallow = Allowable tensile stress in lapped reinforcement bars in ksi (Service Load) A_t = Tensile stress area of lapped reinforcement bars. * = 28 day concrete

BAR SPLICER ASSEMBLIES					
	0.11	Strength Requirements			
	Splicer Rod or Dowel Bar Length		Min. Pull-Out Strength kips - tension		
#4	1'-8''	14.7	5.9		
#5	2′-0′′	23.0	9.2		
#6	2'-7''	33.1	13.3		
#7	3′-5″	45.1	18.0		
#8	4'-6''	58.9	23.6		
#9	5′-9″	75.0	30.0		
#10	7′-3′′	95.0	38.0		
#11	9'-0''	117.4	46.8		


Bar splicer assemblies shall be according to Section 508 of the Standard Specifications, except as noted. The furnishing and installation of bar splicer assemblies will be measured and paid for at the contract unit price each for "BAR SPLICERS."



STANDARD


Bar Size	No. Assemblies Required	Location
#5	12	Expansion Joint

BAR SPLICER ASSEMBLY DETAILS F.A.P. ROUTE 817 - SECTION 106BR-1 WASHINGTON COUNTY STATION 690+00.00 STRUCTURE NO. 095-0028



INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E): Indicates epoxy coating.



ROLLED THREAD DOWEL BAR

** ONE PIECE

WELDED SECTIONS

BAR SPLICER ASSEMBLY ALTERNATIVES ** Heavy Hex Nuts conforming to ASTM

A 563, Grade C, D or DH may be used.

-Wire Connector

The diameter of this part is

equal or larger than the

diameter of bar spliced.

FOR INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

Bar	Splicer for #	5 bar	
Min. Capacity	= 23.0 kips -	tension	
Min. Pull-out	Strength = 9.2	kips -	tension
No. Required	=		


DESIGNED	EML	
CHECKED	NJM	
DRAWN	EML	
CHECKED	'N.IM	

The diameter of this part

of the bar spliced.

is the same as the diameter





-	6′-0′′	-
	Approach slab	Abutment hatch block
	Threaded or Coil Splicer Rods (E)	Threaded or Coil Loop Couplers (E)
Reinfor	pement bars $\frac{1^{l_2}}{cl}$	
	FOR PILE BENT A	BUTMENTS
	Bar Splicer for #5	5 <i>bar</i>
	Min. Capacity = 23.0 kips - Min. Pull-out Strength = 9.2	

No. Required =