



'2" FABRIC BRG. PAD DETAILS



PROFILE OF OVERLAY



(Along **©** Beams)

## QUANTITIES FOR ONE SPAN

P.P. Conc. Dk. Bm. 17" Dp.	1680 Sq. Ft
Steel Railing	120 Ft.
Waterproofing Membrane System	186.7 Sq. Yds
Portland Cement Mortar Fairing Course	360 Ft.

Note: Quantity of overlay for one span = 21.9 Tons

P.P.C. DECK BEAM **SUPERSTRUCTURE** 

28' RDWY. | 27" BMS. | 60' SPAN | 0° SKEW STANDARD CS-2827-60

Illinois Department of Transportation PASSED APRIL 4, 2005
Thomas Jaki)
Engineer of Aldre Design
APPROVED APRIL 4, 2005 Engineer of Bridges and Structures

to o. Bms (S

8

0'- $\frac{l_2}{2}''$  (end of rall)

1. After beams have been erected, holes shall be drilled into substructure and anchor dowels placed. Dowel holes shall be filled with non-shrink grout to top of beam and allowed to cure min. 24 hrs. prior to grouting the shear keys.

**NOTES** 

Profile Grade Line

29'-11'2"

2. Nominal 1" joint at € Pier shall be filled with non-shrink grout.

9-Rail Post Spaces at 6'-3" = 56'-3"

59'-11" end to end of beam

PLAN

3. Longitudinal keys shall be grouted.

**Ç** Roadway

—See Note 3 (Typ.)

29'-11'2"

4. The  $I^{\prime\prime}$   $\phi$  rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets that receive transverse tie bar outside shall be filled with grout after transverse tie assembly is in place.

