

4" Dimples on 2" centers

PTFE Surface

deep, or equivalent.

 $\circ$ 

 $\circ$ 

PLAN-PTFE SURFACE

Layers of 3<sub>8</sub>" Elastomer (55 Durometer)

3<sub>32</sub> " Steel Plates

OO

00

000

TYPE II TFE ELASTOMERIC EXP. BRG.

<sup>3</sup>₄′′¢ Threaded Stud

with flat washer &

2" x 11" x 1'-2"

\* '8" PTFE dimpled.

unlubricated

hex nut. (4-Read.)

l<sub>16</sub>" Stainless Steel

### BEAM REACTIONS

RQ	(K)	36.6
RŁ	(K)	41.3
Imp.	(K)	10.7
R (Total)	(K)	88.6

Diaphraam removal and reinstallation may be required to facilitate drilling holes. Cost included with Furnishing and Erecting Structural Steel.

New steel extensions, shim plates and connection bolts are included with Furnishing and Erecting Structural Steel. Prior to ordering any material, the Contractor shall verify in the field all bearing height and shim thickness dimensions.

Min. jack capacity = 50 Tons.

Anchor bolts shall be ASTM F1554 all-thread (or an

Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade C anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used in lieu of ASTM F1554.

Anchor bolts at fixed bearings may be either cast in place or installed in holes drilled after the supported member is in place.


Anchor bolts for Type II bearings shall be placed in holes drilled through the bottom bearing plate after members are in place. Side retainers shall be placed after bolts are installed.

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications. Side retainers shall be included in the cost of


Elastomeric Bearing Assembly, Type II.


The 'g' PTFE sheet shall be bonded directly to the top steel plate with a two-component, medium viscosity epoxy resin, conforming to the requirements of the Federal Specification MMM-A-134, Type I. The bond agent shall be applied on the full area of the contact surfaces.

Bonding of  $_B^{\prime\prime}$  PTFE sheet during vulcanizing process will be permitted provided the process and method of adjusting assembly height is approved by the Engineer.




### PLAN TOP AND BOTTOM PLATE





#### SECTION B-B

### STEEL EXTENSION DETAIL





Existing & to be removed using the air-arc method and grind smooth all weld material remaining on the bottom flange.

Burn existing anchor bolts flush with existing concrete surface. Grind existing anchor bolt smooth and seal with epoxy.

### EXISTING BEARING REMOVAL DETAIL

Cost included with Jack and Remove Existing Bearings.





ABOVE 50° F.

# BILL OF MATERIAL

Item	Unit	Total
Elastomeric Bearing Assembly, Type II	Each	19
Jack and Remove Existing Bearings	Each	19
Furnishing and Erecting Structural Steel	Pound	2.710
Anchor Bolts 1'4	Each	38

& Bott. Brg. ---BELOW 50° F.

# SETTING ANCHOR BOLTS AT EXP. BRG.

(Move bott. brg. away from fixed brg.) (Move bott. brg. toward fixed brg.)

 $D = {}^{l}g''$  per each 100' of expansion for every 15° temp. change from the normal temp. of 50°F.

TYII/RFPS	12-03-2008	

Bonded -

TOP BEARING ASSEMBLY

DESIGNED - 1.J.L.	EXAMINED Journe F. J. H.	DATE - February 3, 2011
CHECKED - A.T.H.  DRAWN - Drew Christopher	PASSED ACTING ENGINEER OF STRUCTURES PASSED	
CHECKED - 1.J.L. A.T.H. SLT-94-001-10	ACTING ENGINEER OF BRIDGES AND STRUCTURES	

- P 1'2" x 10" x 2'-1'4"

BOTTOM BEARING ASSEMBLY

-- € 1½"\$ Holes

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

SIDE RETAINER

Equivalent rolled angle with stiffeners

will be allowed in lieu of welded plates.

'R" PTFE with dimpled.

3," F

SECTION THRU PTFE

unlubricated surface

EAST ABUTMENT BEARING DETAILS SN 072-0134 SHEET NO. 5 OF 6 SHEETS

county SHEETS NO.
Peoria 26 25
CONTRACT NO. 68995 (48B)I-1 ILLINOIS FED. AID PROJECT