April 18, 2008

SUBJECT: FAS 919 & FAS 1900 (Giant City Rd & Grassy Rd)

Project ACRS-919(109)

Section 07-00018-03-RS & 07-00050-03-RS

Jackson County Contract No. 99329

Item 60

April 25, 2008 Letting

Addendum (A)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

Proposal - Added Bituminous Mix Tables

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Eric Harm

Interim Engineer of Design and Environment

By: Ted B. Walschleger

Engineer of Project Development

and Implementation

Jackson County FAS 919 & 1900 Sect. 07-00018-03-RS/07-00050-03-RS Project No. RS-919(109)

SPECIAL PROVISIONS

INDEX

<u>ITEM</u>	<u>PAGE</u>
DESCRIPTION OF WORK	2
TRAFFIC CONTROL	2
HOT-MIX ASPHALT SHOULDERS	3
HOT-MIX ASPHALT SURFACE REMOVAL VARIABLE DEPTH	. 3
RUMBLE STRIPS	3 ·
PRIVATE ENTRANCE & SIDE ROADS	.4
MAILBOX TURNOUTS	. 4
RAISED REFLECTIVE PAVEMENT MARKERS	4
DEFINITION OF DEPARTMENT	. 5
PROJECT TRAFFIC CONTROL	6
PLAN SHEETS	P1 - P22
BITUMINOUS MIX TABLES	6a.

Revised 4-18-08

Jackson County
FAS 919 & 1900
Section 07-00018-03-RS/07-00050-03-RS
Project No. RS-919(109)
Contract 99329

MIXTURE REQUIREMENTS		
LOCATIONS:	GIANT CITY ROAD, GRASSY ROAD	
MIXTURE USES:	HOT-MIX ASPHALT SURFACE COURSE MIX "C" N90	
AC/PG:	PG 64-22	
RAP % (MAX):	10%	
DESIGN AIR VOIDS:	4% @ Ndes 90	
MIXTURE COMPOSITION	IL 9.5 IR IL 12.5	
(GRADATION COMPOSTION):		
FRICTION AGGREGATE:	MIXTURE C	
MIXTURE WEIGHTS:	112 LBS/SY/INCH THICKNESS	

MIXTURE REQUIREMENTS		
LOCATIONS:	GIANT CITY ROAD, GRASSY ROAD	
MIXTURE USES:	HOT-MIX ASPHALT SHOULDERS (TOP LIFT)	
AC/PG:	PG 64-22	
RAP % (MAX):	10%	
DESIGN AIR VOIDS:	4% @ Ndes 90	
MIXTURE COMPOSITION	IL 9.5 IR IL 12.5	
(GRADATION COMPOSTION):		
FRICTION AGGREGATE:	MIXTURE C	
MIXTURE WEIGHTS:	112 LBS/SY/INCH THICKNESS	

MIXTURE REQUIREMENTS		
LOCATIONS:	GIANT CITY ROAD, GRASSY ROAD	
MIXTURE USES:	HOT-MIX ASPHALT SHOULDERS (BOTTOM LIFT)	
AC/PG:	PG 64-22	
RAP % (MAX):	25%	
DESIGN AIR VOIDS:	4% @ Ndes 70	
MIXTURE COMPOSITION	IL 19.0	
(GRADATION COMPOSTION):		
FRICTION AGGREGATE:	NONE	
MIXTURE WEIGHTS:	112 LBS/SY/INCH THICKNESS	

Added 4-18-08