


10'




100'

PROP. C. IL ROUTE 31

14'

(29)

PROPOSED TYPICAL SECTION - IL ROUTE 31 STA. 121+83.21 TO STA. 125+95.28



PROPOSED TYPICAL SECTION - IL ROUTE 31 STA. 125+95.28 TO STA. 129+37.79

RTE.	SECTION	C	OUNT	Y	SHEETS	NO.
336	112R-N		MCHE	NRY	266	16
STA.		TO	STA	•		
FED. ROAD	DIST. NO.	ILLINOIS	FED.	AID	PROJECT	
CONTRA	CT NO. 62	2537	L-			

## LEGEND

- POROUS GRANULAR EMBANKMENT, SUBGRADE
  (AT LOCATIONS SPECIFIED PER THE SOILS NOTE ON
  SHEET 15 OR AT LOCATIONS DESIGNATED BY THE
  ENGINEERN (EXCAVATION PAID FOR PER APPLICABLE
  EARTHWORK PAY ITEM)
- GEOTECHNICAL FABRIC FOR GROUND STABILIZATION (AT LOCATIONS SPECIFIED PER THE SOILS NOTE ON SHEET 15 OR AT LOCATIONS DESIGNATED BY THE ENGINEER)
- TOPSOIL FURNISH AND PLACE, 4"
- SEEDING OR SODDING, SALT TOLERANT
- SUB-BASE GRANULAR MATERIAL, TYPE B 2" (COST INCLUDED IN P.C.C. SIDEWALK 5")
- (6) SUB-BASE GRANULAR MATERIAL, TYPE B 4"
- AGGREGATE SUBGRADE IMPROVEMENT, 12"
- (8) AGGREGATE SHOULDERS, TYPE B, 8"
- SUB-BASE GRANULAR MATERIAL, TYPE C (COST INCLUDED IN AGGREGATE SUBGRADE IMPROVEMENT, 12") 9
- (10) CONCRETE MEDIAN SURFACE 4"
- CONCRETE MEDIAN, TYPE SB-6.12
- (12) STABILIZED MEDIAN (HOT-MIX ASPHALT SURFACE COURSE, MIX D, N50, 2") (HOT-MIX ASPHALT BASE COURSE, 8")
- NOT USED

VARIES

15' TO 26'

(3) (4)

(30)

- 14) CLASS D PATCHES, 4"
  (AT LOCATIONS DESIGNATED BY THE ENGINEER)
- CLASS D PATCHES, 10"
  (AT LOCATIONS DESIGNATED BY THE ENGINEER)

- PORTLAND CEMENT CONCRETE PAVEMENT 9 3/4" (JOINTED)
- HOT-MIX ASPHALT BASE COURSE WIDENING, 9  $\frac{1}{2}$ " (IN THREE LIFTS)
- (18) HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50, 1 1/2"
- POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "F", N90, 1  $\frac{1}{4}$ "
- HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 2 1/4"
- LEVELING BINDER (MACHINE METHOD), N70, VARIABLE DEPTH (2  $\frac{1}{4}$ " MAXIMUM THICKNESS)
- POLYMERIZED LEVELING BINDER (MACHINE METHOD, IL-4.75, N50,  $\frac{1}{4}$ "
- (23) HOT-MIX ASPHALT SHOULDERS, 8"
- PORTLAND CEMENT CONCRETE SIDEWALK, 5"
- COMBINATION CONCRETE CURB AND GUTTER, TYPE M-2.12
- (26) COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12
- COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24
- SAWED LONGITUDINAL JOINT WITH 30" LONG DEFORMED EPOXY-COATED NO. 6 TIE BARS  $\ensuremath{\mathbf{e}}$  30" CTS.
- LONGITUDINAL CONSTRUCTION JOINT WITH 24" LONG GROUTED IN PLACE DEFORMED EPOXY-COATED NO. 8 TIE BARS @ 24" CTS.
- 24" LONG DEFORMED EPOXY-COATED NO. 6 TIE BARS  $\ensuremath{\mathfrak{Q}}$  24" CTS. GROUTED IN PLACE
- POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N90, 2  $\frac{1}{4}$ "
- (32) POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N90, VARIABLE DEPTH (2 1/4" MINIMUM THICKNESS)

## SOILS NOTE:

POROUS GRANULAR EMBANKMENT SUBGRADE (PGES) HAS BEEN PROVIDED AT THE LOCATIONS INDICATED FOR SOILS WHICH TEND TO BE UNSTABLE WHEN WET. THE ACTUAL NEED FOR REMOVAL AND REPLACEMENT WITH PGE WILL BE DETERMINED IN THE FIELD AT THE TIME OF CONSTRUCTION BY THE ENGINEER (BY USE OF A CONE PENETROMETER IN CONJUNCTION WITH THE IDOT SUBGRADE MANUAL), IF UNSTABLE SOILS ARE ENCOUNTERED THE SOILS SHALL BE REMOVED AND REPLACED WITH PGE. IF UNSTABLE SOIL IS NOT ENCOUNTERED, THEN THE QUANTITY WILL BE DEDUCTED AND NO ADDITIONAL COMPENSATION WILL BE DUE THE CONTRACTOR.

THE LIMITS OF UNSTABLE SOILS ARE AT THE APPROXIMATE LOCATIONS AS FOLLOWS:

STA. TO STA. IL ROUTE 31:	ESTIMATED UNDERCUT DEPTH	ESTIMATED UNDERCUT
109+17 TO 113+00	6′′	580 CU YD
129+50 TO 132+50	-	- GEOTECHNICAL FABRIC TO BE PROVIDED (1,678 SQ YD)
135+00 TO 137+75	6"	374 CU YD
137+75 TO 139+35	6"	306 CU YD WITH GEOTECHNICAL FABRIC (1,833 SQ YD)
IL ROUTE 176: 235+00 TO 237+50	12"	369 CU YD
TERRA COTTA AVE.		

TERRA COTTA AVE.:

 	F.A.P. ROUTE 336	á			
	IL RTE 31 AND IL RT	E 176			
	SDACED TUDIOU	CEOTIONS			
PR(	PROPOSED TYPICAL SECTION ILLINOIS ROUTE 31				
	TEETROIS ROOT	L JI			
SCALE: NTS		DRAWN BY: SMP			

SCALE: NTS DATE: 02/10/2012

ILLINOIS DEPARTMENT OF TRANSPORTATION

CHECKED BY: BDH