





## SECTION C-C

Anchor bolts shall be ASTM F1554 all-thread (or an Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade C anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used

Anchor bolts for side retainers may be cast in place or installed in holes drilled before or after members are in

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.

Side retainers and other steel members required for the elastomeric bearing assembly shall be included in the cost of Elastomeric Bearing Assembly, Type I.

All structural steel plates of the Bearing Assembly shall conform to the requirements of AASHTO M270 Grade 50W. Prior to ordering any material, the Contractor shall verify in the field all bearing height and shim thickness dimensions.

Two  $l_{B}^{\prime\prime}$  adjustment shims shall be provided for each bearing in addition to all other plates or shims and placed as

New steel extensions, connection bolts, Fill R's and Shim *Pers are included in "Furnishing and Erecting Structural Steel".* 

## BILL OF MATERIAL

Item	Unit	Total
Elastomeric Bearing Assembly Type I	Each	12
Anchor Bolts, 1"	Each	24

DETAILS	FAU	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
NO. 092–0085	7043	09-00171-00-BR	VERMILION	66	49
110. 052-0085			CONTRACT	NO. 9	449
OF 33 SHEETS	ILLINOIS FED. AID PROJECT				