

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum lap length	
Stage Line	#4	67	2'-1''	
West Abut	#6	6	3'-1''	
Deck beam blockout	#6	4	3'-1''	



INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt.
 "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.
 (E) : Indicates epoxy coating.





 DESIGNED
 Preform

 DESIGNED
 Brad Williams
 EXAMINED
 Date
 3/16/11
 STATE OF ILLINOIS
 BAR SPLICER ASSEMBLY AND MEC

 DRAWN
 Brad Williams
 PASSED
 ENGINEER OF SPRUCtures
 Date
 3/16/11
 STATE OF ILLINOIS
 BAR SPLICER ASSEMBLY AND MEC

 DRAWN
 Brad Williams
 PASSED
 ENGINEER OF SPRUCture Services
 Date
 3/16/11
 STATE OF ILLINOIS
 BAR SPLICER ASSEMBLY AND MEC

 DEPARTMENT OF TRANSPORTATION
 ENGINEER OF BRIDGER OF BRIDGER OF STRUCTURES
 SHEET NO. 4 OF 4
 SHEET NO. 4 OF 4

<u>Mechan</u>ical coupler (E) *************** Reinforcement bar -Reinforcement bar

STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers. See approved list of bar splicer assemblies and mechanical splicers for

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

CHANICAL SPLICER DETAILS		SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
067-0033	829	102BR-3-I	MONROE	6	6
007-0033			CONTRACT	NO. 7	76E24
SHEETS		ILLINOIS FED. AI	D PROJECT		