## 04-29-2022 LETTING ITEM 137

FOR INDEX OF SHEETS, SEE SHEET NO. 2

# STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

D-96-099-20

#### **HIGHWAY CLASSIFICATION**


A.D.T. (2019) 12.032 PV = 95.71%DESIGN SPEED SU = 2.45%35 POSTED SPEED MU = 1.84%

CLASSIFICATION: OTHER PRINCIPAL ARTERIAL


# **PROPOSED** HIGHWAY PLANS

FAP ROUTE 67 (IL 97) SECTION (107Z) BDR-1 PROJECT NHPP-TX7N(254) **BRIDGE DECK REPAIR SANGAMON COUNTY** 

C-96-129-20



LOCATION OF SECTION INDICATED THUS: -



PROJECT BEGINS EB STA 39+94.00

ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATORS 1-800-892-0123

PROJECT ENGINEER: JAY EDWARDS (217-785-0596) **TEAM MANAGER: ROBERT MILES (618–447–4656)** 

GROSS LENGTH = 332.27 FT. = 0.060 MILE NET LENGTH = 332.27 FT. = 0.060 MILE

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION SUBMITTED February 15

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

REV. - MS

CONTRACT NO. 72M29

 $\circ$ 

#### **STANDARDS**

000001-08 STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS

701101-05 OFF-ROAD OPERATIONS, MULTILANE, 15' (4.5 M) TO 24" (600 MM) FROM PAVEMENT EDGE

701106-02 OFF-ROAD OPERATIONS, MULTILANE, MORE THAN 15' (4.5 M)

701427-05 LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPERATIONS, SPEEDS LESS THAN 40 MPH

701601-09 URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN

701602-10 URBAN LANE CLOSURE, MULTILANE, 2W WITH BIDIRECTIONAL LEFT TURN LANE

701801-06 SIDEWALK, CORNER OR CROSSWALK CLOSURE

701901-08 TRAFFIC CONTROL DEVICES

704001-08 TEMPORARY CONCRETE BARRIER

780001-05 TYPICAL PAVEMENT MARKINGS

782006-01 GUARDRAIL AND BARRIER WALL REFLECTOR MOUNTING DETAILS

001001-02 AREAS OF REINFORCEMENT BARS

DECIMAL OF AN INCH AND OF A FOOT 001006

420001-10 PAVEMENT JOINTS 442001-04 CLASS A PATCHES

#### GENERAL NOTES

1 THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE

LOCATIONS:	IL 97
MIXTURE USE(S):	HMA SURF CSE
PG:	SBS PG 70-28
DESIGN AIR VOIDS	4.0% @ N70
MIXTURE COMPOSITION	TT 0 F
MIXTURE COMPOSITION (GRADATION MIXTURE)	IL-9.5
	IL-9.5 MIX "D"
(GRADATION MIXTURE)	

- 2 CHANGEABLE MESSAGE SIGNS SHALL BE SET UP 7 DAYS PRIOR TO THE INSTALLATION OF THE TEMPORARY BARRIER WALL AND SHALL REMAIN IN PLACE THROUGHOUT THE DURATION OF CONSTRUCTION.
- 3 SYNTHETIC FIBERS ARE NOT REQUIRED IN THE BRIDGE DECK MICROSILICA CONCRETE OVERLAY.
- 4 NUCLEAR GUAGES WILL BE USED FOR DENSITY VERIFICATION BY THE ENGINEER FOR QC/QA.
- 5 ANY FULL DEPTH PATCHES THAT ARE DISCOVERED SHALL BE COVERED WHEN WORKERS ARE NOT PRESENT.

RATE TABLE THE FOLLOWING RATES OF APPLICATION HAVE BEEN ASSUMED IN

CALCULATING PLAN QUANTITIES.

BITUMINOUS MATERIALS (TACK COAT):

0.05 LBS/SQ FT (MILLING) 0.025 LBS/SQ FT (HMA LIFTS)

0.056 TONS/SQ YD

HMA SURFACE MIX "D":

COMMITMENTS NONE

#### INDEX OF SHEETS COVER SHEET

- INDEX OF SHEETS, LISTS OF STANDARDS, GENERAL NOTES AND COMMITMENTS
- 3-4 SUMMARY OF QUANTITIES
- SCHEDULE OF QUANTITIES
- ROADWAY TYPICAL SECTION
- ROADWAY PLAN SHEET
- 8 STAGING TYPICAL SECTIONS
- 9-13 TRAFFIC CONTROL PLANS (5)
- 14-22 STRUCTURE PLANS (9)
- 23 EXPANSION JOINT REPLACEMENT DETAIL
- 24 EXISTING BRIDGE APPROACH PAVEMENT (SPECIAL) DETAIL

**DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS** DISTRICT 6 February 8 ENGINEER OF OPERATIONS February 4 ENGINEER OF PROJECT IMPLEMENTATION

February 4

I A Madria

STATE OF ILLINOIS

REV. - MS

USER NAME = milesra DESIGNED REVISED DRAWN REVISED CHECKED REVISED PLOT DATE = 2/11/2022 REVISED DATE

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

HIGHWAY STANDARDS, INDEX OF SHEETS, GENERAL NOTES, RATE TABLE, & COMMITMENTS

SHEET 1 OF 1 SHEETS STA. N/A

COUNTY SECTION 67 (107Z) BDR-1 SANGAMON 24 2 CONTRACT NO. 72M29

ENGINEER OF PROGRAM DEVELOPMENT

URBAN URBAN 6-01458-0000 6-01458-0000 80% FEDERAL 80% FEDERAL 20% STATE 20% STATE **BRIDGE** BRIDGE CODE TOTAL 0059 CODE TOTAL 0059 ITEM QUANTITY S.N. 084-0183 ITEM UNIT QUANTITY S.N. 084-0183 NO. UNIT NO. POUND 395 395 67000400 CAL MO 40600290 BITUMINOUS MATERIALS (TACK COAT) ENGINEER'S FIELD OFFICE, TYPE A 6 6 40600370 LONGITUDINAL JOINT SEALANT 395 395 67100100 L SUM FOOT MOBILIZATION 1 1 312 L SUM 40600985 PORTLAND CEMENT CONCRETE SURFACE REMOVAL - BUTT JOINT SQ YD 312 70102632 TRAFFIC CONTROL AND PROTECTION, STANDARD 701602 1 1 40600990 TEMPORARY RAMP SQ YD 107 107 70102640 TRAFFIC CONTROL AND PROTECTION, STANDARD 701801 L SUM 1 1 POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, TON 74 74 70107025 CAL DA 40604162 CHANGEABLE MESSAGE SIGN 308 308 MIX "D", N70 50102400 CONCRETE REMOVAL CU YD 4.3 4.3 70400100 TEMPORARY CONCRETE BARRIER FOOT 467 467 50157300 PROTECTIVE SHIELD SQ YD 70400200 FOOT 405 405 RELOCATE TEMPORARY CONCRETE BARRIER 467 467 IMPACT ATTENUATORS, TEMPORARY (FULLY REDIRECTIVE, 50300255 CONCRETE SUPERSTRUCTURE CU YD 5.2 EACH 5.2 70600255 1 1 NARROW), TEST LEVEL 2 IMPACT ATTENUATORS, RELOCATE (FULLY REDIRECTIVE, SQ YD 274 274 70600322 EACH 1 X5030250 BRIDGE DECK GROOVING (LONGITUDINAL) 1 NARROW), TEST LEVEL 2 SQ YD 50300300 PROTECTIVE COAT 452 452 **1**78009005 82 MODIFIED URETHANE PAVEMENT MARKING - LINE 5" FOOT 82 50800205 REINFORCEMENT BARS, EPOXY COATED POUND 78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 6 6 790 790 50800515 BAR SPLICERS EACH 8 8 X4420557 CLASS A PATCHES, TYPE III, 10 INCH (SPECIAL) SQ YD 112 112 TRAFFIC CONTROL AND PROTECTION, STANDARD 701601, 52000110 PREFORMED JOINT STRIP SEAL FOOT 87 87 X7010228 L SUM 1 1 SPECIAL CONTAINMENT AND DISPOSAL OF NON-LEAD PAINT CLEANING 60260100 INLETS TO BE ADJUSTED EACH 2 2 L SUM 1 1 **X**X5060601 RESIDUES NO. 1

#### \* SPECIALTY ITEM

REV. - MS

USER NAME = milesra	DESIGNED -	REVISED
	DRAWN	REVISED
PLOT SCALE = 40.0000 / in	CHECKED	REVISED
PLOT DATE = 2/14/2022	DATE	REVISED

SUMMARY OF QUANTITIES						
	FAP	67	(IL	.97 / MAI	DISON ST)	
SHEET	1	OF	2	SHEETS	STA. N/A	

TO STA, N/A

SCALE: N/A

URBAN

					6-01458-0 80% FEDER 20% STAT	RAL
	CODE NO.	ITEM	UNIT	TOTAL QUANTITY	BRIDGE 0059 S.N. 084-0	
*	Z0010501	CLEANING AND PAINTING STEEL BRIDGE NO. 1	L SUM	1	1	
	Z0010615	CLEANING EXISTING INLETS	EACH	2	2	
	Z0012130	BRIDGE DECK SCARIFICATION 3/4"	SQ YD	432	432	
	Z0012166	BRIDGE DECK MICROSILICA CONCRETE OVERLAY 2 3/4"	SQ YD	432	432	
	Z0016002	DECK SLAB REPAIR (FULL DEPTH, TYPE II)	SQ YD	5	5	
	Z0029090	DIAMOND GRINDING (BRIDGE SECTION)	SQ YD	388	388	
	Z0073346	SLEEPER SLAB	SQ YD	64	64	

## \* SPECIALTY ITEM

 USER NAME
 = milesra
 DESIGNED REVISED 


 DRAWN
 REVISED 

 PLOT SCALE
 = 40.0000 ' / in.
 CHECKED REVISED 

 PLOT DATE
 = 2/14/2022
 DATE REVISED

#### STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

	SI	JMMARY	OF QU	ANTITIES		F.A.P. RTE.	SECTION		COUNTY	TOTAL
	SUMMARY OF QUANTITIES FAP 67 (IL97 / MADISON ST)					67	(107Z) BDR-	-1	SANGAMON	24
	IAI	U/ (ILa	7 / WIAL	DISUN SI					CONTRACT	NO.
SCALE: N/A	SHEET 2	OF 2	SHEETS	STA. N/A	TO STA. N/A		ILLING	DIS FED. A	ID PROJECT	



CHECKED - ATH

#### GENERAL NOTES

All structural steel shall conform to AASHTO Classification M-270 Gr. 36, unless otherwise noted.

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

Prior to pouring the new concrete deck, all heavy or loose rust, loose mill scale, and other loose or potentially detrimental foreign material shall be removed from the surfaces in contact with concrete. Tightly adhered paint may remain unless otherwise noted. Removal shall be accomplished by methods that will not damage the steel and the cost will be included in the pay item covering removal of the

Reinforcement bars designated (E) shall be epoxy coated.

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with an approved bar splicer or anchorage system. Cost included with Concrete Removal.

Joint openings shall be adjusted according to Article 520.04 of the Standard Specifications when the deck is poured at an ambient temperature other than

Traffic will be maintained using stage construction.

#### TOTAL BILL OF MATERIAL

ITEM	UNIT	QUANTITY
Concrete Removal	Cu. Yd.	4.3
Concrete Superstructure	Cu. Yd.	5.2
Bridge Deck Microsilica Concrete	Sq. Yd.	4.32
Overlay 2¾"	34	
Preformed Joint Strip Seal	Foot	87
Reinforcement Bars, Epoxy Coated	Pound	790
Bar Splicers	Each	8
Bridge Deck Scarification ¾"	Sq. Yd.	432
Diamond Grinding (Bridge Section)	Sq. Yd.	388
Protective Coat	Sq. Yd.	452
Protective Shield	Sq. Yd.	405
Bridge Deck Grooving (Longitudinal)	Sq. Yd.	274
Cleaning and Painting Steel Bridge No. 1	L. Sum	1
Containment and Disposal of Non Lead Paint Cleaning Residues No. 1	L. Sum	1
Deck Slab Repair (Full Depth Type II)	Sq. Yd.	5
· · · · · · · · · · · · · · · · · · ·		

SECTION

(107Z) BDR-1


COUNTY

SANGAMON 24 5

CONTRACT NO. 72M29

\* Apply to new concrete only.

SHEET NO. 1 OF 9 SHEETS






### BILL OF MATERIAL

	Item	Unit	Total
*	Deck Slab Repair (Full Depth Type II)	Sq. Yd.	5

\* No Full Depth patches anticipated. Nominal value included.


DESIGNED - ATH EXAMINED	mot A MI ( DATE - MARCH 16, 2022	OTATE OF ULUNION	DECK REPAIR DETAILS	F A P RTE	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
CHECKED - SMR	NGINEER OF STRUCTURAL SERVICES	STATE OF ILLINOIS	084 - 0183	67	(107Z) BDR-1	SANGAMON	24 6
DRAWN - Venkat Ramana Reddy PASSED	Jayne +. Jeffs REVISED -	DEPARTMENT OF TRANSPORTATION	004 - 0103			CONTRACT	NO. 72M29
CHECKED - ATH SMR ENG	GINEER/ON BRIDGES AND STAUCTURES REVISED -		SHEET NO. 2 OF 9 SHEETS		ILLINOIS FED. /	AID PROJECT	





#### CROSS SECTION AT MID SPAN

(Looking West)


DESIGNED - ATH	EXAMINED	Timoty A. And at	DATE - MARCH 16, 2022	CTATE OF ILLINOIS	CROSS SECTIONS & STAGING DETAILS	F.A.P. RTE	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
CHECKED - SMR  DRAWN - Venkat Ramana Reddy	PASSED	ENGINEER OF STRUCTURAL SERVICES	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	084 - 0183	67	(107Z) BDR-1	SANGAMON	24 7 NO 72M29
CHECKED - ATH SMR	_	ENGINEER OF BRIDGES AND STRUCTURES	REVISED -		SHEET NO. 3 OF 9 SHEETS		ILLINOIS FED.	AID PROJECT	







### SECTION THRU BRIDGE PARAPET AT BOTH ABUTMENTS



# BILL OF MATERIAL (TWO ABUTMENTS)

	( 1 VV O F	10011	VILIVI 3)	
Bar	No.	Size	Length	Shape
a(E)	8	#6	21'-10"	
a1(E)	8	#6	4'-0"	
d(E)	16	#5	3'-0''	
d1(E)	16	#5	2'-7"	7
d2(E)	16	#4	3'-0"	
d3(E)	16	#4	3'-11''	
h(E)	8	#6	22'-0"	
u(E)	44	#4	1'-7"	Ш
oncrete	Removal		Cu. Yd.	4.3
oncrete	Superstr	ucture	Cu. Yd.	5.2
rotective	e Coat		Sq. Yd.	452
ar Splic	ers		Each	8
einforce boxy Co	ment Bar ated	5,	Pound	790
_	_		-	


DESIGNED -	АІП	EXAMINED	mot A Mall Ut	DATE -	MARCH 16, 2022	i
CHECKED -	SMR		ENGINEER OF STRUCTURAL SERVICES			
DRAWN -	Venkat Ramana Reddy	PASSED	Jayne F. Johth	REVISED	-	
CHECKED -	ATH SMR		ENGINEER OF BRIDGES AND STRUCTURES	REVISED	-	

Concrete Replacement


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

Concrete Replacement


	F.A.P. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
084 - 0183		(107Z) BDR-1	SANGAMON	24	10
004 - 0100			CONTRACT	NO. 72	и29
SHEET NO 6 OF 9 SHEETS		LUNION EED AL	D DDO IEOT		




FOR SKEWS ≤ 30° PLAN AT PARAPET



ELEVATION AT PARAPET



#### PARAPET ELEVATION AT ABUTMENTS $(Skews \leq 30^{\circ})$



2-25-20

miss studs. All rods shall be burned, or sawed off flush with the plates after concrete is set.

### Locking edge railat 50° F Top of concrete —Strip seal \* $\frac{1}{8}$ " Ø x 6" studs @ 6" cts. (alternate angled/bent studs with horizontal studs) at 50° F %" $\phi$ threaded rods in %6" $\phi$ holes at $\pm 4'$ -0" cts. for holding the proper joint opening based on

SHOWING WELDED RAIL JOINT

#### SECTION A-A

\* Granular or solid flux filled headed studs conforming to Article 1006.32 of the Std. Specs., automatically end welded.

\*\*\*Prior to 1/4" Grinding

The strip seal shall be made continuous and shall have a minimum thickness of  $\frac{1}{4}$ ". The configuration of the strip seal shall match the configuration of the locking edge rails. Open or "webbed" strip seal gland configurations are not permitted. The gland shall be sized for a maximum rated movement of 4 inches.


The locking edge rails depicted are configured for typical applications and are conceptual only. The actual configuration of the locking edge rails and matching strip seal may vary from manufacturer to manufacturer provided they fit the application and meet the minimum anchorage shown. Flanged edge rails, however, will not be allowed. Locking edge rails may exceed the 4½" maximum depth provided the anchorage system is revised according to the manufacturer's recommendation.

The manufacturer's recommended installation methods shall be followed.

All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.


The Maximum space between locking edge rail segments shall be  $\frac{3}{16}$  and sealed with a suitable sealant; however, any rail joint within 10' measured perpendicular to the face of the curb or parapet shall be welded as shown in the locking edge rail splice detail.

The concrete opening below the strip seal will vary based on the locking edge rail chosen by the Contractor. Deck and parapet lengths shown elsewhere in the plans are dimensioned to the concrete opening, not the joint opening, and are based on the rolled locking edge rail. If the Contractor elects to use a different locking edge rail, dimensional adjustments may be required. One exception to this would be the strip seal joint at the end of the precast bridge approach slab. For these cases the pavement connector length shall be adjusted, not the length of the bridge approach slab.



### LOCKING EDGE RAILS

\*\* Back gouge not required if complete joint penetration is verified by mock-up.



#### LOCKING EDGE RAIL SPLICE

The inside of the locking edge rail groove shall be free of weld residue. Rolled rail shown, welded rail similar.

#### BILL OF MATERIAL

Item	Unit	Total
Preformed Joint Strip Seal	Foot	87


#### EJ-SS1 LT30/REPS

DESIGNED - ATH EXAMINED MARCH 16, 2022 CHECKED - SMR DRAWN - Venkat Ramana Reddy PASSED REVISED CHECKED - ATH SMR

#### **STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**

#### PREFORMED JOINT STRIP SEAL 084 - 0183 SHEET NO. 7 OF 9 SHEETS

F.A.P. SECTION			COUNTY	TOTAL SHEETS	SHE	
67 (107Z) BDR-1		SANGAMON	24	11		
		CONTRACT	NO 72	<b>и2</b> 9		
ILLINOIS FED, AI			D PROJECT			




#### STANDARD BAR SPLICER ASSEMBLY PLAN

(All components shall be provided from one supplier)

Threaded splicer bar length = min. lap length +  $1\frac{1}{2}$ " + thread length

\* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.


Location	Bar size	No. assemblies required	Minimum Iap length
East Abutment	#6	2	3'-7"
East Abutment Hatch Block	#6	2	4'-0"
West Abutment	#6	2	3'-7"
West Abutment Hatch Block	#6	2	4'-0"



#### INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt "B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.



#### STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

Notes:

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements

for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for alternatives.


BSD-1


1-1-2020


DESIGNED ·	-	ATH	EXAMINED	I mote A A I Go	DATE -	MARCH 16, 2022
CHECKED ·	-	SMR		ENGINEER OF STRUCTURAL SERVICES		
DRAWN ·	-	Venkat Ramana Reddy	PASSED	Jayne F. Jeff	REVISED	-
CHECKED -	-	ATH SMR		ENGINEER OF BRIDGES AND STRUCTURES	REVISED	_

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS	F.A.P. RTE	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
SN 084-0183	67	(107Z) BDR-1		SANGAMON	24	12
311 004-0103				CONTRACT	NO. 721	v129
SHEET NO. 8 OF 9 SHEETS		ILLINOIS	FED AL	D PROJECT		







Item	Unit	Total
Deck Slab Repair (Partial)	Sq. Yd.	40

DESIGNED - ATH
CHECKED - VHV EXAMINED DATE - FEBRUARY 08, 2022 CROSS SECTIONS & STAGING DETAILS STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION SANGAMON 084 - 0183 DRAWN - Venkat Ramana Reddy
CHECKED - ATH VHV REVISED PASSED CONTRACT NO. 72M29 SHEET NO. 2 OF 9 SHEETS

DATE: 02/08/2022

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SECTION

CROSS SECTIONS & STAGING DETAILS

084 - 0183

SHEET NO. 3 OF 9 SHEETS

COUNTY

SANGAMON

CONTRACT NO. 72M29

DESIGNED - ATH
CHECKED - VHV

DRAWN - Venkat Ramana Reddy


CHECKED - ATH VHV


EXAMINED


PASSED

DATE - FEBRUARY 08, 2022

REVISED








# BILL OF MATERIAL (TWO ABUTMENTS)


Bar	No.	Size	Length	Shape
a(E)	8	#6	21'-3"	
a1(E)	8	#6	4'-0"	
d(E)	16	#4	3'-0''	Γ
d1(E)	16	#4	2'-7"	/
d2(E)	16	#4	3'-0"	
d3(E)	16	#4	3'-11"	
h(E)	16	#6	21'-3"	
u(E)	44	#4	2'-9"	□
Concrete	Removal		Cu. Yd.	4.3
Concrete Superstructure			Cu. Yd.	5.2
Protective Coat			Sq. Yd.	452
Bar Splicers			Each	12
Reinforcement Bars,			Pound	1040
гроху Со	ated		, cana	1040

		6"
5		
5'-6'''		
	6"	91/2" 6"

BAR d1(E)



*BAR d3(E)* 



BAR d(E) & d2(E)

DRAFT | DATE: 02/08/2022 |

DESIGNED - ATH
CHECKED - VHV

DRAWN - Venkat Ramana Reddy
CHECKED - ATH VHV

ENGINEER OF BRIDGES AND STRUCTURES


REVISED REVISED REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


JOINT REMOVAL & REPLACEMENT DETAILS - WEST ABUTMENT

084 - 0183


SHEET NO. 6 OF 9 SHEETS




FOR SKEWS ≤ 30° PLAN AT PARAPET



ELEVATION AT PARAPET



#### PARAPET ELEVATION AT ABUTMENTS $(Skews \leq 30^{\circ})$



SHOWING ROLLED RAIL JOINT

## Locking edge railat 50° F Top of concrete — Strip seal \* $\frac{1}{8}$ " Ø x 6" studs @ 6" cts. (alternate angled/bent studs with horizontal studs) at 50° F

%"  $\phi$  threaded rods in %6"  $\phi$  holes at  $\pm 4'$ -0" cts. for holding the proper joint opening based on the temperature during the deck pour. Place to miss studs. All rods shall be burned, or sawed off flush with the plates after concrete is set.

#### SECTION A-A

\* Granular or solid flux filled headed studs conforming to Article 1006.32 of the Std. Specs., automatically end welded.

\*\*\*Prior to 1/4" Grinding



#### LOCKING EDGE RAILS \*\* Back gouge not required if complete joint penetration is verified by mock-up.

groove shall be free of weld residue. Rolled rail shown, welded rail similar.

Item	Unit	Total
Preformed Joint Strip Seal	Foot	87

EJ-SS1 LT30/REPS

DRAFT

DATE: 02/08/2022

DESIGNED - ATH EXAMINED DATE - FEBRUARY 08, 2022 CHECKED - VHV DRAWN - Venkat Ramana Reddy PASSED REVISED CHECKED - ATH VHV

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**  PREFORMED JOINT STRIP SEAL 084 - 0183 SHEET NO. 7 OF 9 SHEETS

SECTION COUNTY SANGAMON CONTRACT NO. 72M29 ILLINOIS FED. AID PROJECT

SHOWING WELDED RAIL JOINT

WELDED RAIL

BILL OF MATERIAL

LOCKING EDGE RAIL SPLICE

The inside of the locking edge rail

The strip seal shall be made continuous and shall have a minimum thickness of  $\frac{1}{4}$ ". The configuration of the strip seal shall match the configuration of the locking edge rails. Open or "webbed" strip seal gland configurations are not permitted. The gland shall be sized for a maximum

The locking edge rails depicted are configured for typical applications and are conceptual only. The actual configuration

according to the manufacturer's recommendation.

The manufacturer's recommended installation methods

All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications. The Maximum space between locking edge rail segments shall be  $\frac{3}{6}$  and sealed with a suitable sealant; however, any rail joint within 10' measured perpendicular to the face of the curb or parapet shall be welded as shown in the locking edge

The concrete opening below the strip seal will vary based on the locking edge rail chosen by the Contractor. Deck and parapet lengths shown elsewhere in the plans are dimensioned to the concrete opening, not the joint opening, and are based on the rolled locking edge rail. If the Contractor elects to use a different locking edge rail, dimensional adjustments may be required. One exception to this would be the strip seal joint at the end of the precast bridge approach slab. For these cases the pavement connector length shall be adjusted, not the

of the locking edge rails and matching strip seal may vary from manufacturer to manufacturer provided they fit the application and meet the minimum anchorage shown. Flanged edge rails, however, will not be allowed. Locking edge rails may exceed the  $4\frac{1}{2}$ " maximum depth provided the anchorage system is revised


rated movement of 4 inches.

shall be followed.

rail splice detail.

length of the bridge approach slab.

2-25-20




#### STANDARD BAR SPLICER ASSEMBLY PLAN

(All components shall be provided from one supplier)

Threaded splicer bar length = min. lap length +  $1\frac{1}{2}$ " + thread length

\* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.


Location	Bar size	No. assemblies required	Minimum Iap length
East Abutment	#6	2	3'-7"
East Abutment	#4	4	2'-5"
West Abutment	#6	2	3'-7"
West Abutment	#4	4	2'-5"



#### INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.



#### STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

Notes:

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements

for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for

alternatives.

DRAFT DATE: 02/08/2022


BSD-1

1-1-2020


DESIGNED	-	ATH	EXAMINED	I mot A. All It	DATE -	FEBRUARY 08, 2022
CHECKED	-	VHV		ENGINEER OF STRUCTURAL SERVICES		
DRAWN	-	Venkat Ramana Reddy	PASSED	d. Carl Provey	REVISED	=
CHECKED	-	ATH VHV		ENGINEER OF BRIDGES AND STRUCTURES	REVISED	_

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 


BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS	F.A.P. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
SN 084-0183	67	-	SANGAMON	-	-
314 004 - 0103			CONTRACT	NO. 721	M29
SHEET NO. 8 OF 9 SHEETS	ILLINOIS FED AID PROJECT				



## 72M29 Expansion Joint Replacment




# 72M29 Detail Adjacent to Parapet Removal Plan



PARAPET SECTION

USER NAME = milesra	DESIGNED -	REVISED -		EXPANSION JOINT REPLACEMENT				F.A.P.	SECTION	COUNTY	TOTAL	SHEET		
	DRAWN -	REVISED -	STATE OF ILLINOIS	DETAIL					67	(107Z) BDR-1	SANGAMON	24	23	
PLOT SCALE = 2.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION									CONTRACT	NO. 72	M29
PLOT DATE = 2/11/2022	DATE -	REVISED -		SCALE: N/A	SHEET 1	OF 1	SHEET	S STA. N/A	TO STA. N/A		ILLINOIS FED. A	ID PROJECT		



24 24 CONTRACT NO. 72M29

SCALE: N/A