

NOTES:

- 1. THE WIDTH OF THE FULL DEPTH PATCH OVER A TRENCH SHALL BE 12 (300) WIDER ON EACH SIDE OF THE TRENCH.
- 2. FOR METHOD OF MEASUREMENT AND BASIS OF PAYMENT, SEE RECURRING SPECIAL PROVISION "PATCHING WITH HOT-MIX ASPHALT OVERLAY REMOVAL".

SEQUENCE OF CONSTRUCTION (PATCHING FIRST)

- 1. REMOVE THE EXISTING HMA MATERIAL OVER THE AREA TO BE PATCHED.
- 2. REMOVE AND REPLACE WITH CLASS C OR D PATCH.
- 3. REPLACE HMA MATERIAL OVER THE AREA TO BE PATCHED.

SEQUENCE OF CONSTRUCTION (MILLING FIRST)

- 1. MILL HMA FIRST IF THERE IS AT LEAST 41/2 INCHES OR MORE OF HMA MATERIAL ON TOP OF THE EXISTING PAVEMENT OR IF THE PAVEMENT IS FULL DEPTH HMA. A MINIMUM OF 2 INCHES OF HMA MATERIAL SHALL BE IN PLACE AFTER MILLING.
- 2. REMOVE AND REPLACE WITH FULL DEPTH CLASS D PATCHES TO TOP OF MILLED SURFACE.

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

FILE	NAME =	USER NAME = guillaumefp	DESIGNED - R. SHAH	REVISED -	A. ABBAS 04-27-98		PAVEMENT PATCHING FOR	F.A.P	SECTION	COUNTY	TOTAL	SHEET
c:/p	w_work\PWIDOT\GUILLAUMEFP\dØ136683\	D152809-sht-plan.dgn	DRAWN -	REVISED -	R. BORO 01-01-07	STATE OF ILLINOIS			533 RS-9	DUPAGE	20	11
		PLOT SCALE = 50.0000 '/ IN.	CHECKED ~	REVISED -	R. BORO 09-04-07	DEPARTMENT OF TRANSPORTATION	HMA SURFACED PAVEMENT	RI	D400_04 (RD_22)	CONTRAC	CT NO.	60G72
l		PLOT DATE = 4/17/2009	DATE - 10-25-94	REVISED -	K. ENG 10-27-08		SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA TO STA	FED. ROAD		ID PROJECT	71 1101	70012