

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths					
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	
3, 4	1'-5''	1'-11''	2'-1"	2'-4''	
5	1'-9''	2'-5"	2'-7"	2'-11''	
6	2'-1''	2'-11''	3'-1''	3'-6"	
7	2'-9''	3′-10′′	4'-2''	4'-8''	
. 8	3'-8''	5'-1"	5'-5"	6'-2''	
9	4'-7''	6'-5"	6'-10''	7'-9''	

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C


Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C


Threaded splicer bar length = min. lap length + 1_2^{l} " + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies reguired	Table for minimum lap length		



BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS




3-31-2010

BSD-1 11-1-09

No. required =


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION




INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt.
"B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.





STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required	
South Abutment	#6	118	
South Abutment	#10	139	
North Abutment	#6	132	
North Abutment	#10	155	
Pier	#5	68	
Pier	#9	218	

<u>NOTES</u>

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.

See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS STRUCTURE NO. 082-0377

		F.A.I.	SFC ⁻	ΓΙΟΝ		COUNTY	TOTAL	SHEET
	SHEET NO. 39	KIE.				2HFF 12	NQ.	
		64	82-1-	-2HB		ST. CLAIR	345	246
	44 SHEETS					CONTRACT	NO. 7	6C49
				ILLINOIS	FED. AI	D PROJECT		

REVISED 4/15/2010