PAINT PAVEMENT MARKING - LINE 4"

FO	OT
YELLOW	WHITE
141	<i>546</i>

HOT-MIX ASPHALT MIX DESIGN

LOCATION:	TEMPORARY HOT-MIX ASPHALT SHOULDERS					
MIXTURE USE(S):	HOT-MIX ASPHALT SHOULDERS					
AC/PG:	PG58-22					
RAP % (MAX):	50					
DESIGN AIR VOIDS:	2.0%, 30 GYRATION					
MIXTURE COMPOSITION: (GRADATION MIXTURE)	HMA SHOULDERS					
FRICTION AGGREGATE:	NONE					

LOCATION:	HOT-MIX ASPHALT SURFACE COURSE
MIXTURE USE(S):	HOT-MIX ASPHALT SURFACE COURSE, MIX C, N 90
AC/PG:	PG64-22
RAP % (MAX):	10
DESIGN AIR VOIDS:	4.0%, 90 GYRATION
MIXTURE COMPOSITION: (GRADATION MIXTURE)	IL-9.5 mm or IL 12.5 mm
FRICTION AGGREGATE:	C SURFACE

FILE NAME =	USER NAME = gautneyrk	DESIGNED	REVISED -			RTE. SECTION COUNTY TOTAL SHEET NO.
c:\pw_work\PWIDOT\GAUTNEYRK\dØ174138\76	179-sheets.dgn	DRAWN	REVISED	STATE OF ILLINOIS	MARE AND	853 D9 CM BRIDGE REPAIR 2010-2 FRANKLIN 16 5
	PLOT SCALE = 2727.2619 '/ IN.	CHECKED	REVISED	DEPARTMENT OF TRANSPORTATION		CONTRACT NO. 78179
	PLOT DATE = 1/25/2010	DATE	REVISED		SCALE: SHEET NO OF SHEETS STA TO STA.	ILLINOIS FED. AID PROJECT