STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** DIVISION OF HIGHWAYS

PROPOSED HIGHWAY PLANS

FAI 57 (I-57) AND

FAI 24 (I-24)

SECTION D9 BSMART FY09-1 PULASKI/JOHNSON COUNTY **MICROSILICA OVERLAY AND MISC. REPAIRS** OVER | 57 & US 51 AND | 24

C-99-005-09 PROJECTNO. IM-0005 (678)

JOHNSON 2007 ADT = 4100

12% TRUCKS

TOWNSHIPS:

TRAFFIC DATA

2007 ADT = 2300

PULASKI

7% TRUCKS

MOUND CITY


GOREVILLE

FOR INDEX OF SHEETS, SEE SHEET NO. 2

PROPOSED PROJECT BEGINS STA 106 + 31.11 PROPOSED PROJECT ENDS STA 109 + 70.78 PROPOSED MICROSILICA OVERLAY AND MISC REPAIRS OVER I-57 AND US 51 STRUCTURE NO. 077-0027

CENTERLINE STRUCTURE STA 108+00.95

VOUNDS



PROPOSED PROJECT BEGINS

PROPOSED PROJECT ENDS STA 588 + 61.65

PROPOSED MICROSILICA OVERLAY

CENTERLINE STRUCTURE STA 586 + 52.32

STA 584 + 42.99

AND MISC REPAIRS OVER 1-24

STRUCTURE NO. 044-0031

GROSS LENGTH OF PROJECT = 758'-4"

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123 OR 811

ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS

ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

PROJECT ENGINEER: DAVID PICHE (618) 351-5227 DESIGNER: T. WAYNE HALSTEAD (618) 351-5228


CONTRACT NO. 78095

SN 077-0027 BRIDGE LENGTH = 251'-8" ROADWAY LENGTH = 88'-0" NET LENGTH = 339'-8"

BRIDGE LENGTH = 328'-8" ROADWAY LENGTH = 90'-0" NET LENGTH = 418'-8"

SECTION 4/57 D9 BSMART FYO9-1 JOHNSON/PULASKI FED. ROAD DIST. NO. ILLINOIS CONTRACT NO. 78095





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

GENERAL NOTES

FACTORS USED FOR ESTIMATING PLAN QUANTITIES ARE AS FOLLOWS AND SHALL NOT BE USED FOR THE BASIS OF FINAL QUANTITIES:

ALL HOT-MIX ASPHALT

2.016 TONS/CU.YD.

TRIM EDGES OF EXISTING HOT-MIX ASPHALT SURFACE FLUSH WITH EXISTING PAVEMENT PRIOR TO CONSTRUCTING NEW BASE COURSE WIDENING.

IF THE CONTRACTOR ELECTS TO USE P.C.C. BASE COURSE WIDENING, SUCH WIDENING SHALL BE ACCORDING TO ARTICLE 406.02, EXCEPT THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST OF THE WIDENING.

PRIOR TO PLACEMENT OF THE FINAL PAVEMENT MARKINGS THE RESIDENT ENGINEER SHOULD CONTACT THE BUREAU OF OPERATIONS AND ARRANGE FOR INSPECTION AND APPROVAL OF THE PAVEMENT MARKING LAYOUT.

THE ADVANCE DETECTOR LOOPS ARE TYPICALLY LOCATED 275 FEET IN ADVANCE OF THE STOP BAR. THE BUREAU OF OPERATIONS SHOULD APPROVE THE LOOP LOCATIONS PRIOR TO INSTALLATION.

THE CENTERLINE PAVEMENT MARKING SHOULD BE REMOVED FROM THE STOP BAR TO THE SAND ATTENUATORS OR DRUMS. EDGE LINE PAVEMENT MARKING SHOULD BE REMOVED IF A 10 FOOT LANE WIDTH CANNOT BE MAINTAINED. TEMPORARY EDGE LINES SHOULD BE INSTALLED WHEN THE EDGE LINES ARE EMOVED.

ANY TIME THE CONCRETE BARRIER IS NOT IN THE PROPER POSITION, FLAGGERS SHALL BE IN PLACE TO CONTROL TRAFFIC. THE TEMPORARY TRAFFIC SIGNALS SHALL BE SET TO FLASH ALL RED.

IN ADDITION TO THE REQUIREMENTS OF ARTICLE 107.16 THE CONTRACTOR SHALL PROTECT THE SURFACE OF ALL BRIDGE DECKS AND BRIDGE APPROACH PAVEMENTS IN A MANNER SATISFACTORY TO THE ENGINEER BEFORE ANY EQUIPMENT IS ALLOWED TO CROSS THE STRUCTURE. PROTECTION SHALL BE PROVIDED FOR ALL EQUIPMENT AS DEFINED IN ARTICLE 101.16 REGARDLESS IF TRACK MOUNTED OR WHEELED.

THE THICKNESS OF HOT-MIX ASPHALT MIXTURE SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE HOT-MIX ASPHALT MIXTURE IS PLACED.

COMMITMENTS: NONE

MIXTURE REQUIREMENTS

LOCATION(S):	SN 044-0031
MIXTURE USES(S):	HOT-MIX ASPHALT BASE COURSE WIDENING, 10"
AC/PG:	PG 64-22
RAP% (MAX):	10%
DESIGN AIR VOIDS:	4% @ NDES 90
MIXTURE COMPOSITION:	IL 19.0
(GRADATION MIXTURE)	
FRICTION AGGREGATE:	NONE

LOCATIONICS	CN 077 0007 CN 011 0071
LOCATION(S):	SN 077-0027 SN 044-0031
MIXTURE USES(S):	HOT-MIX ASPHALT SURFACE COURSE
AC/PG:	PG 64-22
RAP% (MAX):	10%
DESIGN AIR VOIDS:	4% @ NDES 90
MIXTURE COMPOSITION:	IL 9.5 OR IL 12.5
(GRADATION MIXTURE)	
FRICTION AGGREGATE:	MIXTURE C

STANDARDS

000001-05	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
001001-02	AREAS OF REINFORCEMENT BARS
701001-02	OFF-ROAD OPERATIONS 2L, 2W, MORE THAN 15' AWAY
701006-03	OFF-ROAD OPERATIONS 2L, 2W, 15' TO PAVEMENT EDGE FOR SPEEDS ≥ 45 MPH
701011-02	OFF-ROAD MOVING OPERATIONS 2L, 2W, DAY ONLY FOR SPEEDS \geq 45 MPH
701101-02	OFF-ROAD, MULTILANE < 15' TO PAVEMENT EDGE
701201-03	LANE CLOSURE, 2L, 2W, DAY ONLY ON-ROAD TO 24" OFF-ROAD FOR SPEEDS \geq 45 MPH
701311-03	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
701321-10	LANE CLOSURE, 2L, 2W, BRIDGE REPAIR WITH BARRIER
701326-03	LANE CLOSURE, 2L, 2W, PAVEMENT WIDENING, FOR SPEEDS $>$ 45 MPH
701406-05	LANE CLOSURE, FREEWAY/EXPRESSWAY - DAY ONLY
701901-01	TRAFFIC CONTROL DEVICES
704001-05	TEMPORARY CONCRETE BARRIER
780001-02	TYPICAL PAVEMENT MARKINGS
BLR 21-08	

INIDEN OF SUPERA

	INDEX OF SHEETS	
1	COVER SHEET	
2	INDEX OF SHEETS; GENERAL NOTES; STANDARDS	
3	SUMMARY OF QUANTITIES	
4	GENERAL PLAN AND ELEVATION (077-0027)	
5	TYPICAL SECTION/BUTT JOINT DETAIL	
6	DECK SLAB REPAIR	
7	FLOOR DRAIN DETAILS	
8	JOINT REPLACEMENT DETAILS	
9	MEDIAN AND PARAPET DETAILS	
10	BEARING DETAILS	Prepared By:
11	GENERAL PLAN AND ELEVATION (044-0031)	
12	STAGE CONSTRUCTION	Examined By:
13	STAGE CONSTRUCTION AND BUTT JOINT DETAILS	F
14	DECK SLAB REPAIR DETAIL	Examined By:
15	JOINT REPLACEMENT DETAILS	Examined By:
16	BEARING DETAILS	3
17	PREFORMED STRIP SEAL DETAIL	Examined By:
18	SUBSTRUCTURE REPAIRS	Everning of Dec
19	BAR SPLICER ASSEMBLY DETAILS	Examined By:
20	TEMPORARY CONCRETE BARRIER	Examined By:
		Examined By:
		Approved By:

ROJECI IMPLEMENTATION ENGINEER

ILE NAME USER NAME = cornellim DESIGNED REVISED pw.work\PWIDOT\CORNEL;!M\dms4/ -0031-bsmart.dan DRAWN REVISED LOT SCALE : 50.0000 1/ IN. CHECKED REVISED DATE REVISED

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** **GENERAL NOTES, STANDARDS, INDEX OF SHEETS** AND MIXTURE REQUIREMENTS SHEET NO. 2 OF SHEETS STA. TO STA.

SCALE:

SECTION 24/57 D9 BSMART FYO9-1 JOHNSON/PULASKI 20 CONTRACT NO. 78095 FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT

DEPUTY DIRECTOR OF HIGHWAYS, REGION 5 ENGINEER

SUMMARY OF QUANTITIES

	• •		
	90% FEDERAL	; 10% STATE	
TOTAL	CONSTRUCTION TYPE CODE		
	SFT'	7-2A	
	JOHNSON	PULASKI	
	SN 044-0031	SN 077-0027	

				SN 044-0031	314 011 002
CODE NUMBER	ITEM DESCRIPTION	UNIT	QUANTITY	QUANTITY	QUANTITY
35600716	HOT-MIX ASPHALT BASE COURSE WIDENING, 10"	SQ YD	193	193	
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT PORTLAND CEMENT CONCRETE SURFACE REMOVAL - BUTT JOINT	SQ YD SQ YD	252 188	188	252
40600990	TEMPORARY RAMP	SQ YD	42	42	
40603330	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N90	TON	61	29	32
,					
42001300	PROTECTIVE COAT	SQ YD	2708	1552	1156
50102400	CONCRETE REMOVAL	CU YD	32. 7	13.3	19.4
50157300	PROTECTIVE SHIELD	SQ YD	842	360	482
50300100	FLOOR DRAINS	EACH	20		20
50300255	CONCRETE SUPERSTRUCTURE	CU YD	35	14.2	20.8
50300260	BRIDGE DECK GROOVING	SQ YD	2462	1444	1018
50500405	FURNISHING AND ERECTING STRUCTURAL STEEL	POUND	4270	2350	1920
50500715	JACK AND REMOVE EXISTING BEARINGS	EACH	30	12	18
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	4190	1640	2550
50800515	BAR SPLICERS	EACH	20	20	
52000110	PREFORMED JOINT STRIP SEAL	FOOT	115	115	
52100010	ELASTOMERIC BEARING ASSEMBLY, TYPE I	EACH	12	12	
52100020	ELASTOMERIC BEARING ASSEMBLY, TYPE II	EACH	18		18
52100520	ANCHOR BOLTS, 1"	EACH	84	48	36
59300100	CONTROLLED LOW-STRENGTH MATERIAL	CU YD	6. 7		6. 7
67000 4 00	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	4		4
67100100	MOBILIZATION	L SUM	1	0.5	0.5
70100405	TRAFFIC CONTROL AND PROTECTION, STANDARD 701321	EACH	1	1	
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	L SUM	1	1	
70100500	TRAFFIC CONTROL AND PROTECTION, STANDARD 701326	L SUM	1 '	1	
70100700	TRAFFIC CONTROL AND PROTECTION, STANDARD 701406	L SUM	1		1
70101830	TRAFFIC CONTROL AND PROTECTION, STANDARD BLR 21	L SUM	1		1
7010381 5	TRAFFIC CONTROL SURVEILLANCE	CAL DA	2	2	
70106500	TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	1	1	
70106700	TEMPORARY RUMBLE STRIP	EACH	3	3	
70106800	CHANGEABLE MESSAGE SIGN	CAL MO	14	6	8
70300100	SHORT-TERM PAVEMENT MARKING	FOOT	160	90	70
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	2780	1304	1476
10000220	TEM COUNT FATERICAL MAINTING LINE 1	1		1.001	

			TOTAL	SFT) JOHNSON	ON TYPE CODE Y-2A PULASKI
ODE NUMBER	ITEM DESCRIPTION	UNIT	QUANTITY	QUANTITY	QUANTITY

				SN 044-0031	SN 077-0027
CODE NUMBER	ITEM DESCRIPTION	UNIT	QUANTITY	QUANTITY	QUANTITY
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	980	465	515
70400100	TEMPORARY CONCRETE BARRIER	FOOT	575	575	
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	550	550	
¥ 78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	2780	1304	1476
78300100	PAVEMENT MARKING REMOVAL	SQ FT	497	497	
* 86200300	UNINTERRUPTIBLE POWER SUPPLY, EXTENDED	EACH	1	1	
X0301245	SHOULDER REMOVAL	SQ YD	193	193	
X0301424	SILICONE JOINT SEALER	FOOT	127		127
X0320887	POLYMER CONCRETE	CU FT	9. 9		9. 9
X0325305	STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5 INCHES)	SQ FT	235	235	
XZ193500	BRIDGE DECK MICROSILICA CONCRETE OVERLAY 2 1/4"	SQ YD	2643	1516	1127
Z0006204	BRIDGE DECK HYDRO-SCARIFICATION 1/2''	SQ YD	2643	1516	1127
Z0016001	DECK SLAB REPAIR (FULL DEPTH, TYPE I)	SQ YD	36	2	34
Z0030250	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2	
Z0030350	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2	
			LALVIEW.		


*5	oec	·- ^	4	440	~

FILE NAME =	USER NAME = kelleykd	DESIGNED -	REVISED -
c:\pw_work\PWIDOT\KELLEYKD\dms47925\Ø4	-0031-bsmart.dgn	DRAWN	REVISED -
	PLOT SCALE = 50.0000 '/ IN.	CHECKED -	REVISED ~
	PLOT DATE = 3/2/2009	DATE -	REVISED -

STATE	OF	ILLINOIS
DEPARTMENT	OF	TRANSPORTATION

	SUMMA	RY OF QUANTITIE	ES
E:	SHEET NO. 2 OF	SHEETS STA.	TO STA.

F.A.I. RTE.		SECTIO	N		COUNTY		TOTAL SHEETS	SHE
24/57	D9	BSMART	FY09-1	JOHNS	ON/PUL	ASKI	20	3
				CON	TRACT	NO.	78095	
FFD. RO	ומ מענ	ST. NO.	THE TNOTS F	FD. ATD	PROJECT			



<u>Design Stresses</u>

FIELD UNITS (New Construction)

f'c = 3.500 psi


fy = 60,000 psi (reinforcement)

fy = 36,000 psi (AASHTO M270 Gr. 36))

FIELD UNITS (Existing Construction)

f'c = 1,400 psi

fy = 20,000 psi (reinforcement)



STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

GENERAL PLAN AND ELEVATION SN 077-0027

TOTAL SHEE SHEETS NO. SECTION COUNTY JOHNSON/PULASKI 20 CONTRACT NO. 78095

BRIDGE REPAIRS F.A.S. ROUTE 939 OVER FAI 57 PULASKI COUNTY STA. 108+00.95

GENERAL NOTES

Fasteners shall be AASHTO M164 Type 1, mechanically galvanized bolts. Bolts - 34" \$\phi\$, holes - 1516" \$\phi\$, unless otherwise noted.

All structural steel shall be AASHTO M 270 Grade 36 unless otherwise noted. No field welding is permitted except as specified in the contract documents. Reinforcement bars shall conform to the requirements of ASTM A 706 Gr 60. See Special Provisions.

Reinforcement bars designated (E) shall be epoxy coated.

Prior to pouring the new concrete deck section, all heavy or loose rust, loose mill scale, and other loose or potentially detrimental foreign material shall be removed from the surfaces in contact with concrete. Tightly adhered paint may remain unless otherwise noted. Removal shall be accomplished by methods that will not damage the steel and the cost will be included in the pay item covering removal of the existing concrete.

As directed by the Engineer, existing construction accessories welded to the top flange of beams and girders shall be removed. The weld areas shall be ground flush and inspected for cracks using magnetic particle testing (MT) or dye penetrant testing (PT) by qualified personnel approved by the Engineer.

Any cracks that cannot be removed by grinding I4 inch deep shall be identified and reported to the Bureau of Bridges and Structures for further disposition. The cost of removing welded accessories, grinding and inspecting weld areas and grinding cracks will be paid for according to Article 109.04 of the Standard Specifications.

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project.

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with an approved bar splicer or anchorage system. Cost included with Concrete Removal.

Existing structural steel shall only be cleaned and painted as required by the Special Provision "Cleaning and Painting Adjacent Areas of Existing Steel Structures

The Inorganic zinc rich primer / Acrylic / Acrylic Paint System shall be used for shop and field painting of new structural steel except where otherwise noted. The color of the Acrylic finish coat shall be Interstate Green, Munsell No. 7.5G 4/8. See Special Provisions for "Cleaning and Painting New Metal Structures".

Deck Slab Repair (Partial Depth) quantity is estimated at 139.4 Sq. Yd. (info only). Joint openings shall be adjusted according to Article 520.04 of the Std. Specs. when the deck is poured at an ambient temperature other than 50°F.


TOTAL BILL OF MATERIAL


ITEM	UNIT (QUANTIT
Concrete Removal	Cu. Yd.	19.4
Concrete Superstructures	Cu. Yd.	20.8
Bridge Deck Grooving	Sq. Yd.	1018
Furnishing and Erecting Structural Steel	Pound	1920
Jack and Remove Existing Bearings	Each	18
Reinforcement Bars, Epoxy Coated	Pound	2550
Protective Shield	Sq Yd.	482
Silicone Joint Sealer	Foot	127
Elastomeric Bearing Assembly, Type II	Each	18
Anchor Bolts, 1"	Each	36
Controlled Low-Strength Material	Cu. Yd.	6.7
Bridge Deck Microsilica Concrete Overlay 21/4"	Sq. Yd.	1127
Bridge Deck Hydro-Scarification 2"	Sq. Yd.	1127
Deck Slab Repair (Full Depth, Type I)	Sq. Yd.	34
Floor Drains	Each	20
Protective Coat	Sq. Yd.	1156
Polymer Concrete	Cu. Ft.	9.9

S.N. 077-0027 24/57 D9 BSMART FY09-1 OF SHEETS STA.

FILE NAME : DESIGNED -USER NAME = \$USER\$ \$FILEL\$ DRAWN REVISED PLOT SCALE = #SCALE# CHECKED REVISED PLOT DATE = \$DATE\$ DATE REVISED

Controlled Low-Strength Material







TYPICAL SECTION

AND BUTT JOINT DETAILS

SN 077-0027
PULASKI COUNTY


	FILE NAME =	USER NAME = kelleykd	DESIGNED -	REVISED -			TYPICAL SECTION AND BUTT JOINT DETAILS	F.A.I. SECTION	COUNTY TOTAL SHEET
	c:\pw_work\PWIDOT\KELLEYKD\dms47925\Ø4	-0031-bsmart.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS		SN 077-0027	24/57 D9 BSMART FY09-1 JOI	HNSON/PULASKI 20 5
ı		PLOT SCALE = 4.0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		3N 0//-002/	C	CONTRACT NO. 78095
		PLOT DATE = 3/2/2009	DATE -	REVISED -		SCALE:	SHEET NO. OF SHEETS STA. TO STA.	FED. ROAD DIST. NO. ILLINOIS FED.	AID PROJECT






SECTION AT FLOOR DRAIN REPLACEMENT

(20 Locations)



ASTM B 211

alloy 6061-T6




TOP PLAN

SECTION B-B


*Dimension as required

by Pipe Clamp

ALUMINUM TUBE




TOP PLAN (Showing Aluminum Tube)



SECTION AT DRAIN ELIMINATION

(20 Locations)



Hatched areas indicate concrete sections to be removed and replaced at new Floor Drains and Drain Elimination locations. Perimeters of concrete removal areas shall be saw cut $\frac{3}{4}$ " prior to the removal of concrete. Cost of concrete removal and concrete placement included in Deck Slab Repair (Full Depth, Type I).

See sheet 6 of 20 for locations of new Floor Drains and Drain Elimination.

The exterior surfaces of the floor drains shall be painted with the finish coat as specified in the special provisions for Cleaning and Painting New Metal Structures. The exterior surfaces of the drains shall be cleaned according to Society of Protective Coatings Spec. SSPC-SP1 prior to painting. Fiberglass pipe shall conform to ASTM D 2996, with short-time rupture strength hoop tensile stress


of 30,000 p.s.i. minimum.


BILL OF MATERIAL

Total	Unit	Item
20	Each	Floor Drains
+		

FLOOR DRAIN DETAILS STRUCTURE NO. 077-0027

FILE NAME =	USER NAME = cornelllm	DESIGNED -	REVISED -				FINND	DRAIN	DETAILS		F.A.I.	SECTION		COUNTY	TOTAL	SHEET
c:\pw_work\PWIBOT\CORNELLLM\dms47925\044-0031~bsmart.dga		DRAWN - REVISED -		STATE OF ILLINOIS		FLOOR DRAIN DETAILS SN 077-0027			24/57 D9 BSMART FY09-1 JOHN		JOHNSON/PULASKI	OHNSON/PULASKI 20				
	PLOT SCALE = 4.0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	3N 077-0021						CONTRACT NO.	78095				
	PLOT DATE = 2/27/2009	DATE -	REVISED -		SCALE:	SHEET NO.	OF	SHEET	S STA.	TO STA.	FED. RO	AD DIST. NO.	ILLINOIS F	ED. AID PROJECT		






\rightarrow A STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION € Brg. - 5'2" Beam End Field drill 78" \$\phi\$ holes for 34" \$ H.S. Bolts in Bottom Flange Cost included with F. & E. Structural steel Side Retainer (Typ.) € 34" Ø Studs Extension Bearina Assembly Shim P 1034" 1034" '8" elastomeric neoprene leveling pad according to the material properties of/ € 1" Ø x 12" Anchor bolts with 2^{1} 4^{1} 12^{1} Anchor bons will -2^{1} 4" \times 2^{1} 4" \times 2^{1} 6" \times Washer under nut. 1^{1} 4" \times Holes in bottom \times 2. Article 1052.02(a) of the Standard Specifications, Cost included with Elastomeric Bearing Assembly Type II.

TYPE II ELASTOMERIC EXP. BRG.

SECTION A-A




ELEVATION AT ABUTMENTS


TOP BEARING ASSEMBLY

*1₈" PTFE dimpled,

-R 158" x 7" x 2'-14"




PLAN-PTFE SURFACE




- € 1'4" \$ Holes

BOTTOM BEARING ASSEMBLY

Bonded-



SECTION THRU PTFE



<u>ABUTS</u>

Anchor bolts shall be ASTM F1554 all-thread (or an

in lieu of ASTM F1554.

Anchor bolts for Type II bearings shall be placed in holes drilled in the concrete through holes in the bottom

bearing plate after members are in place. Side retainers

Elastomeric Bearing Assembly, Type II.

The 'g'' PTFE sheet shall be bonded directly to the top steel plate with a two-component, medium viscosity

epoxy resin, conforming to the requirements of the

Federal Specification MMM-A-134, Type I. The bond agent shall be applied on the full area of the contact

Bonding of ${}^{l}_{8}$ " PTFE sheet during vulcanizing process will be permitted provided the process and method of

adjusting assembly height is approved by the Engineer. The minimum jack capacity required is 30 Tons. Existing cross frame removal and reinstallation may be required to facilitate drilling holes, cost to be included with "Jack and Remove Existing Bearings".

Prior to ordering any material, the Contractor shall verify in the field all bearing height and shim thickness dimensions.

New steel extensions, connection bolts, Fill £'s and Shim £'s are included in "Furnishing and Erecting

Two $^{l}_{\mathcal{B}}$ in. adjusting shims shall be provided for each bearing

in addition to all other plates or shims and placed as shown on

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications. Side retainers and other steel members required for the bearing assembly shall be included in the cost of

Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade C

anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used

shall be placed after bolts are installed.


surfaces.

bearing details.

Structural Steel".


EXISTING BEARING REMOVAL DETAIL

Cost is included with Jack and Remove Existing Bearings




ANCHOR BOLT LAYOUT


GIRDER REACTIONS



PLAN-TOP & BOTTOM PLATE




STEEL EXTENSION DETAIL



\$\frac{1}{5}\text{6} \quad \text{45}\text{7} \quad \text{45}\text{7} \quad \text{7} \quad \text{

SIDE RETAINER

Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.



SETTING ANCHOR BOLTS AT EXP. BRG.


 $D={}^{l}g^{\prime\prime}$ per each 100' of expansion for every 15° temp. change from the normal temp. of 50°F.

BILL OF MATERIAL (Both Abuts.)

Item	Unit	Total
Elastomeric Bearing Assembly Type II	Each	18
Anchor Bolts, 1"	Each	36
Jack and Remove Existing Bearings	Each	18

<u>BEARING DETAILS</u> <u>STRUCTURE NO. 077-0027</u>

FILE NAME =	USER NAME = cornellim	DESIGNED ~	REVISED -			BEARING DETAILS		F.A.I.	SECTION	COUNTY	TOTAL SHEET
cr\pw_work\PWIDOT\CORNELLLM\dms47925\0	14-0031-bsmart.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS		SN 077-0027		24/57 D9	9 BSMART FY09-1	JOHNSON/PULASK	(I 20 10
	PLOT SCALE = 1.0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	2M 0/1-0021					CONTRACT NO	0. 78095
	PLOT DATE = 2/27/2009	DATE -	REVISED ~		SCALE:	SHEET NO. OF SHEETS STA. TO ST	TA.	FED. ROAD D	DIST. NO. ILLINOIS F	ED. AID PROJECT	



If the analysis submitted to the Contractor for the jacking/temporary support system to be used shows temporary stiffeners are required to prevent web crippling or buckling, the stiffeners shall be steel and bolted to the web. If stiffeners are not required, hardwood timbers shall be installed tightly between the top and bottom flange to prevent flange rotation.

sta. 588+12.65

<u>Design Stresses</u>

FIELD UNITS (New Construction)

f'c = 3,500 psi

fy = 60,000 psi (reinforcement)

fy = 36,000 psi (AASHTO M270 Gr. 36))

FIELD UNITS (Existing Construction)

f'c = 1,200 psi (deck slab)

f'c = 1,400 psi (curb, parapet, sub.)

fy = 20,000 psi (structural steel)

fy = 20,000 psi (sirucial di sieen)

n = 10

Brg. North Abut.

sta. 585+28.15

044-0031-B0.don 5/1/2009 10: 30: 35 AM



Expires 11-30-2010

GENERAL NOTES

Fasteners shall be AASHTO M164 Type 1, mechanically galvanized boits. Bolts $^{-3}\!\!\!\!\!4''$ ϕ , holes $^{-15}\!\!\!\!\!\!\!\!6''$ ϕ , unless otherwise noted.

All structural steel shall be AASHTO M 270 Grade 36 unless otherwise noted. No field welding is permitted except as specified in the contract documents.

Reinforcement bars shall conform to the requirements of ASTM A 706 $\,$ Gr 60. See Special Provisions.

Reinforcement bars designated (E) shall be epoxy coated.

Prior to pouring the new concrete deck section, all heavy or loose rust, loose mill scale, and other loose or potentially detrimental foreign material shall be removed from the surfaces in contact with concrete. Tightly adhered paint may remain unless otherwise noted. Removal shall be accomplished by methods that will not damage the steel and the cost will be included in the pay item covering removal of the existing concrete.

As directed by the Engineer, existing construction accessories welded to the top flange of beams and girders shall be removed. The weld areas shall be ground flush and inspected for cracks using magnetic particle testing (MT) or dye penetrant testing (PT) by qualified personnel approved by the Engineer.

Any cracks that cannot be removed by grinding $\frac{1}{4}$ inch deep shall be identified and reported to the Bureau of Bridges and Structures for further disposition. The cost of removing welded accessories, grinding and inspecting weld areas and grinding cracks will be paid for according to Article 109.04 of the Standard Specifications.

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project.

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with an approved bar splicer or anchorage system. Cost included with Concrete Removal.

 $^{''}$ Existing structural steel shall only be cleaned and painted as required by the Special Provision "Cleaning and Painting Adjacent Areas of Existing Steel Structures'

The Inorganic zinc rich primer / Acrylic / Acrylic Paint System shall be used for shop and field painting of new structural steel except where otherwise noted.

The color of the Acrylic finish coat shall be Interstate Green, Munsell No. 7.5G 4/8. See Special Provisions for "Cleaning and Painting New Metal Structures".

Joint openings shall be adjusted according to Article 520.04 of the Std. Specs. when the deck is poured at an ambient temperature other than 50°F.

Deck Slab Repair (Partial Depth) quantity is estimated at 59.7 Sq. Yd. (info only).

TOTAL BILL OF MATERIAL

ITEM	UNIT	QUANTIT
Concrete Removal	Cu. Yd.	13.3
Concrete Superstructures	Cu. Yd.	14.2
Bridge Deck Grooving	Sq. Yd.	1444
Furnishing and Erecting Structural Steel	Pound	2350
Jack and Remove Existing Bearings	Each	12
Reinforcement Bars, Epoxy Coated	Pound	1640
Bar Splicers	Each	20
Preformed Joint Strip Seal	Foot	115
Elastomeric Bearing Assembly, Type I	Each	12
Anchor Bolts, 1''	Each	48
Structural Repair of Concrete (Depth ≤ 5")	Sq. Ft.	235
Bridge Deck Microsilica Concrete Overlay 214''	Sq. Yd.	1516
Bridge Deck Hydro-Scarification ¹ 2''	Sq. Yd.	1516
Deck Slab Repair (Full Depth, Type I)	Sq. Yd.	2
Protective Coat	Sq. Yd.	1552
Protective Shield	Sq Yd.	360

BRIDGE REPAIRS

IL. ROUTE 37 OVER FAI 24

JOHNSON COUNTY

STA. 203+80.86

S.N. 044-0031


FILE NAME USER NAME = \$USER\$ DESIGNED REVISED SECTION TOTAL SHEET COUNTY **GENERAL PLAN AND ELEVATION** \$FILEL\$ DRAWN REVISED STATE OF ILLINOIS 24/57 D9 BSMART FY09-1 JOHNSON/PULASKI 20 11 SN 044-0031 CHECKED **DEPARTMENT OF TRANSPORTATION** PLOT SCALE = \$SCALE\$ REVISED CONTRACT NO. 78095 SHEET NO. OF SHEETS STA. TO STA. PLOT DATE = \$DATE\$ DATE REVISED


€ IL. 37

Pier


PLAN

sta. 586+52.32





FILE NAME :



1 2 3 4 5 6 7 8 9 10	LENGTH (FT)	WIDTH (FT)	AREA (SQ YD)
2 3 4 5 6 7 8 9 10			
3 4 5 6 7 8 9 10	1	1.5	0.2
4 5 6 7 8 9 10	2	3	0.7
5 6 7 8 9 10	2	2	0.4
6 7 8 9 10 11	3.5	4	1.6
7 8 9 10 11	1	3	0.3
8 9 10 11	3	3	1.0
9 10 11	1	2	0.2
10 11	2.5	4	1.1
11	3	2.5	0.8
	3.5	2	0.8
10	2.5	5	1.4
12	4	3	1.3
13	1.5	4.5	0.8
14	1	1	0.1
15	1	3	0.3
16	3.5	5	1.9
17	1.5	3,5	0.6
18	1.5	2	0.3
19	2.5	2	0.6
20	2.5	6.5	1.8
21	1	7	0,8
22	3.5	9.5	3.7
23	3	6	2.0
24	4.5	5.5	2.8
25	6	12	8.0
26	2.5	3	0.8
27	3	2.5	0.8
28	5	4	2.2
29	3	4	1.3
30	3.5	3	1.2
31	2	3	0.7
32	2.5	2	0.6
33	2.5	3.5	1.0
34	1.5	2	
35		1 4	0.3
36	2	2.5	0.3
37	<u>2</u> 4	2.5	0.6
38	4	2.5 4.5	0.6 2.0
39	<i>4</i> <i>3</i>	2.5 4.5 3.5	0.6 2.0 1.2
40	4	2.5 4.5	0.6 2.0

NUMBER	LENGTH (FT)	WIDTH (FT)	AREA (SQ YD)
41	3	5.5	1.8
42	1	3	0.3
43	2	3	0.7
44	1	3	0.3
45	2	2	0.4
46	7	6.5	5.1
47	2	3	0.7
48	1	4	0.4
49	1.5	4.5	0.8
50	2.5	2.5	0.7
51	1.5	3.5	0.6
52	2.5	4.5	1.3
53	2.5	2.5	0.7
54	1	2.5	0.3

Notes: Deck sounding was performed in November 2008 The Resident Engineer will determine final patch locations and quantities in the field before bridge deck patching operations begin.


* denotes Deck Slab Repair (Full Depth, Type I). Deck Slab Repair (Partial Depth) quantity estimated at 59.7 Sq Yd (info only).


BILL OF MATERIAL

Item	Unit	Total	
Deck Slab Repair (Full Depth)	Sq Yd	2.0	

<u>DECK SLAB REPAIRS</u> STRUCTURE NO. 044-0031

FILE NAME =	USER NAME = cornellim	DESIGNED -	REVISED -			DECK SLAB REPAIRS	F.A.I. SECTION	COUNTY TOTAL SHEET
c:\pw_work\PWIDOT\CORNELLLM\dms47925\&	44-0031-bsmart.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS	SN 044-0031		24/57 D9 BSMART FY09-1 .10	OHNSON/PULASKT 20 14
	PLOT SCALE = 16.0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION			f	CONTRACT NO. 78095
	PLOT DATE = 2/27/2009	DATE -	REVISED -		SCALE:	SHEET NO. OF SHEETS STA. TO STA.		. AID PROJECT





TYPE I ELASTOMERIC EXP. BRG.

GIRDER REACTIONS

R₽	(K)	61
R4	(K)	49
Imp.	(K)	10
R (Total)	(K)	120

Anchor bolts shall be ASTM F1554 all-thread (or an Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used

in lieu of ASTM F1554.

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.

Side retainers and other steel members required for the bearing assembly shall be included in the cost of


Elastomeric Bearing Assembly, Type I.

The minimum jack capacity required is 70 Tons.


Existing cross frame removal and reinstallation may be required to facilitate drilling holes, cost to be included with "Jack and Remove Existing Bearings". Prior to ordering any material, the Contractor shall verify in the field all bearing height and shim thickness dimensions.

Two $^{\prime}_{8}$ in. adjusting shims shall be provided for each bearing in addition to all other plates or shims and placed as shown on bearing details.


New steel extensions, connection bolts, Fill f2's and Shim P's are included in "Furnishing and Erecting Structural Steel".



PLAN-TOP & BOTTOM PLATE



STEEL EXTENSION DETAIL



SECTION B-B

$^{3}\!_{4}^{\prime\prime}$ ϕ Threaded Stud with flat washer & hex nut. (4-Reqd.) £ 158" x 11" x 16" - Layers of 7₁₆'' -7 - ^la" Steel Plates

SIDE RETAINER


Equivalent rolled angle with stiffeners will be allowed in lieu

 \oplus

BEARING ASSEMBLY

Note: Shim plates shall not be placed under Bearing Assembly.

of welded plates.



EXISTING BEARING REMOVAL DETAIL

Cost is included with Jack and Remove Existing Bearings

DIMENSION "T"

		SN.	044-00	31		
Beam #	1	2	3	4	5	6
N. Abut.	0	0	4"	0	0	0
S. Abut.	0	0	1''	12"	0	0

ANCHOR BOLT LAYOUT

50°-18'-55'

BILL OF MATERIAL (Both Abuts.)


Item	Unit	Total
Elastomeric Bearing Assembly Type I	Each	12
Anchor Bolts, 1"	Each	48
Jack and Remove Existing Bearings	Each	12

BEARING DETAILS STRUCTURE NO. 044-0031





*Omit weld at seal opening.

**When joint is fixed, dimension
is set at 1½".




SECTION THRU STRIP SEAL JOINT FOR OVERLAY OVER DECK BEAMS






LOCKING EDGE RAIL

LOCKING EDGE RAIL SPLICE





SECTION A-A

POINT BLOCK DETAILS

Notes: The strip seal shall be made continuous and shall have a minimum thickness of \(^1_4"\). The configuration of the strip seal shall match the configuration of

of 4". The configuration of the strip seal shall match the configuration of the Locking Edge Rails.


The height and thickness of the Locking Edge Rails shown are minimum dimensions. The actual configuration of the Locking Edge Rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed.

The inside of the Locking Edge Rail groove shall be free of weld residue.


Locking Edge Rails may be spliced at slope discontinuities and stage construction laints.

construction joints.

The manufacturer's recommended installation methods shall be followed.



TYPICAL END TREATMENT AT PARAPET





RII I	OF	MATERIAL	(BOTH	JOINTS)
DILL	UI.	$M \cap I \cap I \cap L$	COULI	JULINI J

Item	Unit	Total
Preformed Joint Strip Seal	Foot	115

PREFORMED JOINT STRIP SEAL STRUCTURE NO. 044-0031


FILE NAME =	USER NAME = cornelllm	DESIGNED -	REVISED -			PREFORMED JOINT STRIP SEAL DETAILS	F.A.I.	SECTION	COUNTY TOTAL SHEET
c:\pw_work\PWIDOT\CORNELLLM\dms47925\@	144-0031-bsmort.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS		SN 044-0031	24/5	D9 BSMART FY09-1	OHNSON/PULASKT 20 17
	PLOT SCALE = 1,0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		5N U44-UU31	2,73	30 201111111 1103 2	CONTRACT NO. 78095
	PLCT DATE = 2/27/2009	DATE -	REVISED -		SCALE:	SHEET NO. OF SHEETS STA. TO ST	FED. F	OAD DIST. NO. ILLINOIS FED	. AID PROJECT






NORTH EAST CORNER
Looking West


Structural Repair of Concrete ≤ 5″






SUBSTRUCTURE REPAIRS
SN 044-0031
JOHNSON COUNTY

FILE NAME =	USER NAME = cornellim	DESIGNED -	REVISED -			G	HIDOTO	ICTUBE	REPAIRS		F.A.I.	SEC	TION	COUNTY	TOTAL	SHEET
c:\pw_work\PWIDOT\CORNELLLM\dms47925\@	144-0031-bsmart.dgn	DRAWN ~	REVISED -	STATE OF ILLINOIS		•		1 0440			24/57	D9 BSMA	ART FY09	1 JOHNSON/PULAS	SKI 20	18
	PLOI SCALE = 4.00000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION			21/	1 U44U	U31		1			CONTRACT N	10. 7809	5
	PLOT DATE = 2/27/2009	DATE -	REVISED -		SCALE:	SHEET NO.	0F	SHEETS	STA.	TO STA.	FED. RO	AD DIST. NO	. ILLINO	IS FED. AID PROJECT		



DCD 1




INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E): Indicates epoxy coating.

> Min. Capacity = 23.0 kips - tension Min. Pull-out Strength = 12.3 kips - tension

No. Required =



NOTES

Bar splicer assemblies shall be of an approved type and shall develop in tension at least 125 percent of the yield strength of the lapped reinforcement bars.

Splicer rods shall be of minimum 60 ksi yield strength, threaded or coiled full length.

All reinforcement bars shall be lapped and tied to the splicer rods or dowel bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars.

Other systems of similar design may be submitted to the Engineer for approval. Approval shall be based on certified test results from an approved testing laboratory that the proposed bar splicer assembly satisfies the following requirements:


Minimum Capacity
(Tension in kips) = 1.25 x fy x A₁

Minimum *Pull-out Strength
(Tension in kips) = 0.66 x fy x A₂

Where fy = Yield strength of lapped reinforcement bars in ksi.

 A_t = Tensile stress area of lapped reinforcement bars. * = 28 day concrete

	BAR SPLIC	CER ASSEMBLI	ES					
		Strength Requirements						
Bar Size to be Spliced	Splicer Rod or Dowel Bar Length		Min. Pull-Out Strength kips - tension					
#4	1'-8''	14.7	7.9					
#5	2'-2"	23.0	12.3					
#6	2'-7"	33.1	17.4					
#7	3′-5′′	45.1	23.8					
#8	4'-6''	58.9	31.3					
#9	5′-9′′	75.0	39.6					
#10	7′-3′′	95.0	50.3					
#11	9'-0''	117.4	61.8					




STANDARD

Bar Size	No. Assemblies Required	Location
#5	20	Deck

BAR SPLICER ASSEMBLY DETAILS STRUCTURE NO. 044-0031

BSD-1	10-1-08													!
FILE NAME =	USER NAME = cornellim	DESIGNED -	REVISED -			DARC	DIICED	ACCEN	BLY DETAI	u c	F.A.I.	SECTION	COUNTY	TOTAL SHEET
c:\pw_work\PWIDOT\CORNELLLN	M\dms47925\0#4-0031-bsmart.dgn .	DRAWN -	REVISED ~	STATE OF ILLINOIS		DAN 3				IL9	24/57	DO REMART EYOR-1	JOHNSON / PHILAS	SKI 20 19
	PLOT SCALE = 1.0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION			2M	04400	J31		2-17-31-1	D3 D3MART 1103 1	CONTRACT N	NO. 78095
	PLOT DATE = 2/27/2009	DATE -	REVISED -		SCALE:	SHEET NO.	0F	SHEETS	STA.	TO STA.	FED. RC	DAD DIST. NO. ILLINOIS	FED. AID PROJECT	
								OTTELE 7 O	1 0 171	10 0174	FED. NO	AD DIST. NO. ILLINOIS	FED. AID PROJECT	



NOTES

Detail I - With Bar Splicer or Couplers:

Connect one (!) !''x7''x!0'' steel ₱ to the
top layer of couplers with 2-5₈'' \$\phi\$ bolts
screwed to coupler at approximate \$\mathbelle\$ of
each barrier panel,

Detail II - With Extended Reinforcement Bars:

Connect one (1) 1"x7"x 10" steel £ to the concrete slab or concrete wearing surface with 2-5g" \$\phi\$ Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate \$\mathbb{C}\$ of each barrier panel.


Cost of anchorage is included with Temporary Concrete Barrier.


The 1'' x 7'' x 10'' plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready to be placed.


SECTIONS THRU SLAB OR DECK BEAM

- *** Dimension shown is minimum required embedment into concrete.

 If hot-mix asphalt wearing surface is present, minimum embedment shall be in addition to wearing surface depth.
- **** If existing deck beam is to remain in place after stage construction, embedment shall only be into wearing surface and not into existing deck beam concrete.







STEEL RETAINER P 1" x 7" x 10"

* Required only with Detail II

**Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.

TEMPORARY CONCRETE BARRIER
FOR STAGE CONSTRUCTION
STRUCTURE NO. 044-0031

R-27	10-1-08					
FILE NAME =	USER NAME = cornellim	DESIGNED -	REVISED -		TELEPOPLENI AANADERE DAADARE	F.A.I. SECTION COUNTY TOTAL SHEET
c:\pw_work\PWIDOT\CORNELLLM\dms47925\0	‡4-0031-bsmart.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS	TEMPORARY CONCRETE BARRIER	RIE. SHEETS NO.
	PLGT SCALE = 1.00000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	SN 044-0031	24/57 D9 BSMART FY09-1 JOHNSON/PULASKI 20 20
	PLOT DATE = 2/27/2009	DATE -	REVISED -		SCALE: SHEET NO. OF SHEETS STA.	TO STA. FED. ROAD DIST, NO. TILLINOIS FED. AID PROJECT