

* Furnish in segments of 20 ft. maximum length. Maximum space between installed segments shall be ^{'3}16". Seal space with Silicone Sealant suitable for Structural Steel. After fabrication, all surfaces of the steel R shall be galvanized in accordance with the Steel Grid Deck Special Provision. Cost of the plate shall be included with Steel Grid Deck.

Grid deck rebar splice, cross bar and supplementary bar sizes shown are minimums, see Special Provisions. Grid deck panel widths may be adjusted to meet the distance requirements of the grid deck between roadway expansion devices.

Grid deck material shall be AASHTO M270 Grade 50. Reinforcing bar shall be AASHTO M31 Grade 60. See Steel Grid Deck Special Provision for additional information related to this work.

BILL OF MATERIAL

Item	Unit	Total	
Steel Grid Deck	Sq. Ft.	31,026	
Bridge Deck Grooving	Sq. Yd.	3058	
Silicone Joint Sealer, 1.5"	Foot	300	
Floor Drains	Each	100	

ECK DETAILS – 3	F.A.P. SECTION				COUNTY		TOTAL SHEETS	SHEET NO.
OVER MISSISSIPPI RIVER	799	1BR, DRS-2			ST	. CLAIR	156	34
						6B03		
SIJO SHEEIS			ILLINOIS	FED. A	ID PR	OJECT		