


228 180


WILL

FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT




PIER 1 ELEVATION

(Looking East)




PIER 2 ELEVATION

(Looking East)




PIER 3 ELEVATION

(Looking East)




PIER 1 ELEVATION

(Looking West)



PIER 2 ELEVATION

(Looking West)



LEGEND

Structural Repair of Concrete (Depth Equal to or less than 5")

F.A.I. SECTION 55 99 (1&2) WRS-2

STA.

Epoxy Crack Injection

Hairline Crack - Not to be sealed

- 1. Crack widths to receive Epoxy Crack Injection are $^{l}_{8}$ " $^{\pm}$ $^{l}_{6}$ " unless noted otherwise.
- 2. Work this sheet with Sht. 1 of 2.
- 3. See Sht. 1 of 2 for notes.
- 4. Areas of repair are based upon inspection surveys conducted June 13, 2006 and increased by a factor of 1.1 to compensate for further deterioration. The type of repair (depth) quantities are assumed and shall be determined by the Engineer. The Engineer shall document actual locations and types of repairs on As-Built plans.
- 5. Apply protective coat to new concrete surfaces of structurally repaired concrete.
- 6. Repair work shall not be perfomed on both sides of the column

ILLINOIS DEPARTMENT OF TRANSPORTATION FAI ROUTE 55 (BLACK ROAD TO U.S. 30)
WIDENING AND RESURFACING CATON FARM ROAD OVER 1-55, S.N. 099-0210 STA. 199+97.84, SECTION 99 (1&2) WRS-2 WILL COUNTY

PIER REPAIRS

SCALE: DATE 02/23/07 **TENG** DRAWN BY MW CHECKED BY MJK

TENG & ASSOCIATES, INC. ENGINEERS/ARCHITECTS/PLANNERS CHICAGO, ILLINOIS

DATE = NAME = SCALE = NAME =