

STANDARD BAR SPLICER ASSEMBLY

| Minimum Lap Lengths | | | | | | |
|------------------------|---------|---------|---------|---------|---------|--|
| Bar size to be spliced | Table 1 | Table 2 | Table 3 | Table 4 | Table 5 | |
| 3, 4 | 1'-5'' | 1'-11'' | 2'-1" | 2'-4" | 2'-3" | |
| 5 | 1'-9'' | 2'-5" | 2'-7" | 2'-11'' | 2'-10'' | |
| 6 | 2'-1" | 2'-11'' | 3'-1" | 3'-6" | 3'-4'' | |
| 7 | 2'-9'' | 3′-10′′ | 4'-2" | 4'-8'' | 4'-6" | |
| 8 | 3′-8′′ | 5′-1′′ | 5′-5′′ | 6'-2'' | 5′-10′′ | |
| 9 | 4'-7'' | 6'-5" | 6'-10'' | 7'-9'' | 7′-5′′ | |

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C

Table 2: Black bar, Top bar lap, Table 3: Epoxy bar, 0.8 Class C


Table 4: Epoxy bar, Top bar lap, 0.8 Class C

Table 5: Epoxy bar, Top bar lap, Class B

Threaded splicer bar length = min. lap length + $1'_2$ " + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.


| Location | Bar size | No. assemblies required | Table for minimum |
|------------------|-------------|-------------------------|-------------------|
| Expansion Joints | #5 | 24 | 3 |
| | | | |
| | | | |
| | | | |




INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt.
"B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.





STANDARD MECHANICAL SPLICER

| | | , |
|----------|-------------|----------------------------|
| Location | Bar size | No. assemblies required |
| | | |
| | | |
| | | |
| | | |
| | 1 | |

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications, See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

| | Bridge Deck | Approach Slab | |
|------------------|------------------------------|--------------------------|--|
| Reinford Bars | cement Threaded couplers (E) | Threaded splicer bar (E) | |
| | | <u></u> | |
| | Threaded splicer bar (E) | | |
| 4'-0'' | | 6′-0″ | |

BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

No. required =

BSD-1
DESIGNED - MKC

CHECKED - ADY

DRAWN - Kyle M. Steffen

CHECKED - MKC ADY

7-1-10

EXAMINED PASSED

ACTING ENGINEER OF BRIDGES AND STRUCTURES

DATE - MAY 9, 2012

ACTING ENGINEER OF BRIDGES AND STRUCTURES

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

BAR SPLICER ASSEMBLY & MECHANICAL SPLICER DETAILS

SN 016-0235

SHEET NO. 9 OF 10 SHEETS

F.A.I. SECTION COUNTY TOTAL SHEET SHEET'S NO.

290 3-B-10BR(11) COOK 2 18

| CONTRACT NO. 60T39 | |