

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths							
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	Table 5	Table 6	
3, 4	1'-5''	1'-11''	2'-1"	2'-4"	2'-7"	2'-11"	
5	1'-9''	2'-5"	2'-7"	2'-11''	3'-3"	3'-8"	
6	2'-1''	2'-11''	3'-1''	3'-6"	3'-10''	4'-5"	
7	2'-9''	3'-10''	4'-2"	4'-8"	5'-2"	5′-10′′	
8	3′-8′′	5′-1′′	5′-5′′	6'-2"	6′-9′′	7′-8′′	
9	4'-7''	6′-5′′	6'-10''	7′-9′′	8'-7''	9'-8"	

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C

Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C


Table 5: Epoxy bar, Class C

Table 6: Epoxy bar, Top bar top, Class C

Threaded splicer bar length = min. lap length + 1^{l_2} " + thread length


* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum	
Top of Slab	#5	20	3	
Bottom of Slab	#5	20	3	



BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS


No. required =



INSTALLATION AND SETTING METHODS


"A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.



STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required



<u>NOTES</u>

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for alternatives.

BSD-1

1-27-12

DESIGNED - DAB FXAMINED CHECKED - VHV DRAWN - Kyle M. Steffen PASSED CHECKED - DAB

MAY 8, 2012

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS SN 027-2524

SHEET NO. 2 OF 2 SHEETS

COUNTY SHEETS NO.
FORD 9 9
CONTRACT NO. 66C29 SECTION 326 (126C)I ILLINOIS FED. AID PROJECT