



STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

EXISTING AND PROPOSED TYPICAL CROSS SECTIONS
S.N. 092-0038

SHEET 4 OF 26 SHEETS

| F.A.I. | SECTION | COUNTY | TOTAL SHEETS | NO. |
| 74 | (92-10,11,12)R | VERMILION | 698 | 401 |
| CONTRACT NO. 70A29







(Looking North)

\*Prior to grinding

1S C ::	Prairie Engineers, P.C.	USER NAME = jmasset	DESIGNED - SMJ	REVISED -		STAGE CONSTRUCTION DETAILS - BRIDGE	F.A.I. S	SECTION	COUNTY	TOTAL	SHEET NO.
AME AME	22484 Grosenbach Road Washington, IL 61571 (217) 605-0403		CHECKED - BAS	REVISED -	STATE OF ILLINOIS	S.N. 092-0038	74 (92-	-10,11,12)R	VERMILION	698	402
Er Er	qineers or of essional design from no. 184,005,065	PLOT SCALE = 0.166666'/in.	DRAWN - JLM	REVISED -	DEPARTMENT OF TRANSPORTATION	3.N. U32-0036			CONTRAC	CT NO. 7	'0A29
S = ENGINEERS SI	Copyright Proints Engineers, P.C. 2021	PLOT DATE = 4/25/2022	CHECKED - SMJ	REVISED -		SHEET 5 OF 26 SHEETS		ILLINOIS FED	AID PROJECT		





STATE OF ILLINOIS

**DEPARTMENT OF TRANSPORTATION** 

STAGE CONSTRUCTION DETAILS - APPROACH SLAB

S.N. 092-0038

SHEET 6 OF 26 SHEETS

SECTION

(92-10,11,12)R

74

COUNTY

VERMILION 698 403

CONTRACT NO. 70A29

Prairie

JSER NAME = jmasset

PLOT DATE = 4/25/2022

PLOT SCALE = 0.166666 ' / in.

DESIGNED - SMJ

CHECKED - BAS

DRAWN - JLM

CHECKED - SMJ

REVISED -

REVISED -

REVISED -

REVISED

to Detail I, II or III. No restraint is required when "A" is greater than 3'-1".

barrier shall be restrained to the new slab according

See Standard 704001 min. min. Drill 3-11/4" Ø Holes in existing slab for 1" Ø restraining pins. Traffic side only. Cost of restraining pins are included with Temporary Concrete Barrier. No restraint

— Stage removal line

1'-101/2"

EXISTING SLAB

\* When hot-mix asphalt wearing surface is present, embedment shall be 3" plus the wearing surface depth.

EXISTING DECK BEAM

— Stage removal line

1'-101/2"

# US Std. 11/16" I.D. x 21/2" O.D. x approx. 8 gauge thick washer RESTRAINING PIN


1x8 UNC


NEW SLAB OR NEW DECK BEAM

#### SECTIONS THRU SLAB OR DECK BEAM

is required when "A" is greater than 3'-1".

Temporary Concrete Barrier





## RAILING CRITERIA

Railing Weight (plf) R-27

STEEL RETAINER P 1" x 8" x "W" (Detail I and II)

← Ç ¾" Ø Holes

STEEL RETAINER P 1" x "H" x 10" (Detail III)



#### BAR SPLICER FOR #4 BAR - DETAIL III

Cost of retainer assembly is included with Temporary Concrete Barrier. A retainer assembly shall be located at the approximate Q of each temporary concrete barrier.

The retainer plate shall not be removed until the concrete on the adjacent stage is ready to be poured. For Detail III applications the retainer plate shall not be removed until just prior to placing the adjacent beam.

When the 'A' dimension is less than  $1\frac{1}{2}$ ", the wood block shall be omitted and the barrier shall be placed in direct contact with the steel retainer plate. For deck beam applications the minimum required 'A' distance is 6" to accommodate the shear key clamping device.

- Detail I Installation for a new bridge deck or bridge slab.
- Detail II Installation for a new deck beam with an initial concrete wearing surface. Additional bar splicers shall be provided at 6'-0" centers and paired with the bar splicers of the concrete wearing surface reinforcement to accommodate the installation of the retainer assemblies. The cost of the additional bar splicers is included with the concrete wearing surface.
- Detail III Installation for a new deck beam with no initial wearing surface or with an initial hot-mix asphalt (HMA) wearing surface present. The deck beam directly beneath the temporary concrete barrier shall be fabricated with bar splicer inserts in the side of the beam, as detailed, to accommodate the installation of the retainer assemblies. A pair of bar splicers, 6" apart, shall be placed at 6'-0" centers along the length of the beam. The cost of the bar splicers is included with the deck beam.


NCHRP 350 Test Level

10-12-2021 DESIGNED - SMJ REVISED Prairie Engineers, P.C. CHECKED - BAS REVISED OT SCALE = 0.166666 ' / in. REVISED Engineers PLOT DATE = 4/25/2022 CHECKED - SMJ REVISED -

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION** 

SECTION COUNTY **TEMPORARY CONCRETE BARRIER** (92-10,11,12)R VERMILION 698 404 **STRUCTURE NO. 092-0038** CONTRACT NO. 70A29 SHEET 7 OF 26 SHEETS

4/25/2022 9:14:29 AM



Deck Latex Concrete Overlay 2¾", Diamond Grinding (Bridge Section), \*\*Bridge Deck Grooving (Longitudinal), (typ. deck & approach slabs)


Abutment joint replacement, Diamond Grinding (Bridge Section), \*\*Bridge Deck Grooving (Longitudinal)

ITEM	UNIT	QUANTITY
Bridge Deck Latex Concrete Overlay 2¾"	Sq. Yd.	3,258
Bridge Deck Scarification ¾"	Sq. Yd.	3,258
Protective Shield	Sq. Yd.	2,148
Bridge Deck Grooving (Longitudinal)	Sq. Yd.	2,805
Protective Coat	Sq. Yd.	3,414
Deck Slab Repair (Full Depth Type I)	Sq. Yd.	17
Diamond Grinding (Bridge Section)	Sq. Yd.	2,958


The actual sizes and locations of deck slab repairs are to be determined by the Engineer and shall be documented on As-Built Plans. Full Depth Deck Slab Repair quantities have been estimated as 0.5% of the deck and approach slab areas.

Prairie Engineers, P.C.	USER NAME =	jmasset	DESIGNED -	SMJ	REVISED -	
22484 Grosenbach Road Washington, IL 61571			CHECKED -	. BAS	REVISED -	
Prairie (217) 605-0403  www.prairieengineers.com professional design firm no. 184-005965	PLOT SCALE =	0.166666 ' / in	DRAWN -	. JLM	REVISED -	
ENGINEERS - SURVEYORS - SCIENTISTS Professional design firm no. 184-005965	PLOT DATE =	4/25/2022	CHECKED -	. SMJ	REVISED -	


STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**  **DECK PLAN - OVERLAY** SECTION COUNTY VERMILION 698 405 (92-10,11,12)R S.N. 092-0038 CONTRACT NO. 70A29 SHEET 8 OF 26 SHEETS




4/25/2022 9:15:18 AM




(For Skews ≤ 30°)






\*\*\* Prior to 1/4" Diamond Grinding



SHOWING ROLLED RAIL JOINT




for holding the proper joint opening based on the temperature during the deck pour. Place to miss studs. All rods shall be burned, or sawed off flush with the plates after concrete is set.

#### SHOWING WELDED RAIL JOINT

#### SECTION B-B

\* Granular or solid flux filled headed studs conforming to Article 1006.32 of the Std. Specs., automatically end welded.



Notes:

rated movement of 4 inches.

shall be followed.

rail splice detail.

The strip seal shall be made continuous and shall have a minimum thickness of  $\frac{1}{4}$ ". The configuration of the strip seal shall match the configuration of the locking edge rails. Open or "webbed" strip seal gland configurations are not permitted. The gland shall be sized for a maximum

The locking edge rails depicted are configured for typical

applications and are conceptual only. The actual configuration of the locking edge rails and matching strip seal may vary from manufacturer to manufacturer provided they fit the application

and meet the minimum anchorage shown. Flanged edge rails, however, will not be allowed. Locking edge rails may exceed the 4½" maximum depth provided the anchorage system is revised

All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications. The Maximum space between locking edge rail segments shall be  $\frac{3}{6}$  and sealed with a suitable sealant; however, any rail joint within 10' measured perpendicular to the face of the curb or parapet shall be welded as shown in the locking edge

The concrete opening below the strip seal will vary based on the locking edge rail chosen by the Contractor. Deck and

parapet lengths shown elsewhere in the plans are dimensioned

may be required. One exception to this would be the strip seal joint at the end of the precast bridge approach slab. For these cases the pavement connector length shall be adjusted, not the

to the concrete opening, not the joint opening, and are based on the rolled locking edge rail. If the Contractor elects to use

a different locking edge rail, dimensional adjustments

length of the bridge approach slab.

according to the manufacturer's recommendation. The manufacturer's recommended installation methods

#### LOCKING EDGE RAILS

\*\* Back gouge not required if complete joint penetration is verified by mock-up.

# Omit weld a seal openin

#### LOCKING EDGE RAIL SPLICE

The inside of the locking edge rail groove shall be free of weld residue. Rolled rail shown, welded rail similar.

#### BILL OF MATERIAL

Item	Unit	Total
Preformed Joint Strip Seal	Foot	183.0

DESIGNED - SMJ REVISED -Prairie Engineers, P.C. CHECKED - BAS REVISED 0.166666 ' / in. REVISED Engineers PLOT DATE = 5/5/2022 CHECKED - SMJ REVISED -

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**  PREFORMED JOINT STRIP SEAL DETAILS S.N. 092-0038 SHEET 11 OF 26 SHEETS

SECTION COUNTY (92**-**10,11,12)R VERMILION 698 408 CONTRACT NO. 70A29

5/5/2022 3:17:10 PM

APPROACH SLAB PLAN VIEW Z



#### BILL OF MATERIAL


ITEM	UNIT	QUANTITY
Epoxy Crack Injection	Foot	120

An estimated quantity has been included for epoxy crack injection of longitudinal cracks in the approach slabs. Locations shown on plan are representative of the type of cracks. The actual extent and locations of crack repairs are to be determined by the Engineer after scarification has been completed. Crack repairs shall be desumpted on As Puilt desured. repairs shall be documented on As-Built drawings. See sheet 8 of 26 for limits of scarification and overlay.

Prairie Engineers, P.C.

22484 Grosenbach Road
Washington, It. 61571
(217) 605-0403 JSER NAME = jmasset DESIGNED - SMJ REVISED -STATE OF ILLINOIS CHECKED - BAS REVISED Prairie **DEPARTMENT OF TRANSPORTATION** LOT SCALE = 0.166666 ' / in. DRAWN - JLM REVISED Engineers pro PLOT DATE = 4/25/2022 CHECKED - SMJ REVISED -

APPROACH SLAB REPAIR DETAILS SECTION COUNTY 74 VERMILION 698 409 (92-10,11,12)R S.N. 092-0038 CONTRACT NO. 70A29 SHEET 12 OF 26 SHEETS



Cost of furnishing and erecting steel diaphragms and diaphragm support angles shall be included with Furnishing and Erecting Structural Steel.

Cost of furnishing and erecting steel for beam end repairs shall be included with Structural Steel

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work. However, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

Upon completion of the beam repairs and placement of new Concrete Superstructure, the Engineer in the field shall check to see that the top flange is tight against the existing portion of the slab. If not, the Contractor shall inject epoxy between the existing concrete deck and the top flange of the beam. See Special Provision "Epoxy Injection". Locations shown in the plan are estimates. Actual locations and extent of repair shall be determined by the Engineer and shall be documented on As-Built plans.

Existing Structural steel that will be in contact with new Structural steel shall be cleaned and painted prior to erection as required by the Special Provision "Cleaning and Painting Contact Surfaces Areas of Existing Steel Structures".

ITEM	UNIT	TOTAL
Furnishing & Erecting Structural Steel	Pound	8250
Structural Steel Repair	Pound	5940
Structural Steel Removal	Pound	8030
Epoxy Injection	Foot	108

The Contractor shall obtain dimensions from the existing diaphragms and connection angles for use in the fabrication of the proposed replacement diaphragms, except as must be adjusted for new beam web repair plates. (Estimated weight of steel removal = 8030 Pounds)

EXISTING DIAPHRAGM REMOVAL

Anale 6"x4"x¾"

to be removed using the air-arc

method and grind

material remaining


on the beam webs.

smooth all weld

(Sheet 1 of 2)


Prairie Engineers, P.C.	USER NAME = jmasset	DESIGNED - SMJ	REVISED -		FRAMING PLAN	F.A.I. SECTION	COUNTY SHEETS NO
22484 Grosenbach Road Washington, IL 61571		CHECKED - BAS	REVISED -	STATE OF ILLINOIS		74 (92-10,11,12)R	VERMILION 698 410
Prairie (217) 605-0403 Engineers www.prairieengineers.com	PLOT SCALE = 0.166666 ' / in.	DRAWN - JLM	REVISED -	DEPARTMENT OF TRANSPORTATION	S.N. 092-0038		CONTRACT NO. 70A29
ENGINEERS - SURVEYORS - SCIENTISTS OCCUPYRIGH Proirio Engineers, P.C. 2021	PLOT DATE = 4/25/2022	CHECKED - SMJ	REVISED -		SHEET 13 OF 26 SHEETS	ILLINOIS	S FED. AID PROJECT

4/25/2022 9:28:16 AM



4/25/2022 9:28:38 AM

#### PARTIAL ELEVATION: EAST PARAPET (INSIDE VIEW)



#### Notes

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with an approved bar splicer or anchorage system. Cost included with Concrete Removal.

The contractor shall use extreme care during concrete removal so as not to damage existing reinforcing.

Anchor rods shall be All-threaded rod conforming to ASTM F1554 Grade 105,  $\frac{3}{4}$ " Ø x 12" long, each with one plate washer and locknut and be hot dip galvanized per AASHTO M232. They shall be either cast into the concrete or epoxy grouted in accordance with Section 584 of the Standard Specifications. Minimum embedment in concrete shall be 9".


The Contractor shall submit a Temporary Support System design for review and acceptance by the Engineer. The Temporary Support System shall support the sign structure during parapet repair operations. See special provisions.

#### BILL OF MATERIAL

ITEM	UNIT	TOTAL
Protective Coat	Sq. Yd.	1
Concrete Removal	Cu. Yd.	0.2
Concrete Superstructure	Cu. Yd.	0.2
Temporary Support System	L Sum	1

Prairie Engineers, P.C.

22484 Grosenbach Road
Washington, IL 61571
(217) 605-0403 JSER NAME = jmasset DESIGNED - SMJ REVISED -SECTION COUNTY PARAPET REPAIRS **STATE OF ILLINOIS** CHECKED - BAS REVISED . 74 (92-10,11,12)R VERMILION 698 412 S.N. 092-0038 LOT SCALE = 0.166666 ' / in. DRAWN REVISED **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 70A29 Engineers ,, SHEET 15 OF 26 SHEETS CHECKED - SMJ PLOT DATE = 4/25/2022 REVISED -



#### TYPE II ELASTOMERIC EXP. BRG.

\*1/8" PTFE dimpled,

unlubricated.


x 6" x 10"


5- Layers of 5/16"

elastomer

4 - 14 ga Steel plates

1\%" x 7" x 2'-2\\/2"





# 1/4" Ø Dimples on 1/2" centers $\backslash \mathcal{V}_{16}$ " deep, or equivalent. PTFE surface $\bigcirc$ $\bigcirc$ $\bigcirc$


PLAN-PTFE SURFACE

<u>~³¼" P</u>

SECTION THRU PTFE

1/3" PTFE with dimpled

unlubricated surface.




21/8" 21/8"


 $D=\frac{1}{8}$ " per each 100' of expansion for every 15° temp. change from the normal temp. of 50°F.

#### EXPANSION BEARING ORIENTATION

The above diagrams are for informational purposes only to show the amount of expected offset "D" for the current temperature in the field.



<u>→</u> Ç 1½"Ø Holes




SIDE RETAINER Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.

#### EXISTING BEARING REMOVAL DETAIL

1'-0"

END VIEW STEEL EXTENSION

Cost included with Jack and Remove Existing Bearings.



#### PLAN VIEW STEEL EXTENSION

#### BEAM REACTIONS

R₽	(k)	16.5
R Ł	(k)	27.1
Imp.	(k)	8.1
R (Total)	(k)	51.7

#### BILL OF MATERIAL

Item	Unit	Total
Jack and Remove Existing Bearings	Each	<i>32</i>
Elastomeric Bearing Assembly Type II	Each	<i>32</i>
Furnishing & Erecting Structural Steel	Pound	4,590
Anchor Bolts 1"	Each	64

#### Notes:

Side retainers and leveling pad required for the elastomeric bearing assembly shall be included in the cost of Elastomeric Bearing Assembly, Type II. New steel extensions, shim plates and connection bolts

are included with Furnishing and Erecting Structural Steel. The  $\frac{1}{8}$ " PTFE sheet shall be bonded directly to the top steel plate with a two-component, medium viscosity epoxy resin, conforming to the requirements of the Federal Specification MMM-A-134, Type I. The bond agent shall be applied on the full area of the contact

Bonding of  $\frac{1}{8}$ " PTFE sheet during vulcanizing process will be permitted provided the process and method of adjusting assembly height is approved by the Engineer. Anchor bolts and side retainers at all supports shall be installed as each member is erected unless an equivalent

temporary means of lateral restraint is used. Prior to ordering any material, the Contractor shall verify

in the field all bearing height and shim thickness dimensions. Adjustment must account for deck heave due to pack rust (if present).

Min. jack capacity = 26 Tons Min.

Anchor bolts shall be ASTM F1554 all-thread (or an Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade C anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used in lieu of ASTM F1554.

Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.

All H.S. bolts in bearing assembly and steel extensions, side retainers, anchor bolts, nuts, and washers shall be hot dip galvanized. See Special Provisions for "Hot Dip Galvanizing for Structural Steel".


The top and bottom plates of the Elastomeric Bearings shall be shop painted with the inorganic zinc rich primer per AASHTO M300 Type I. Cost to be included with Elastomeric Bearing Assembly Type II.

SER NAME = DESIGNED - SMJ REVISED Prairie Engineers, P.C. CHECKED - BAS REVISED 0.166666 ' / in. RAWN REVISED Engineers PLOT DATE = 4/25/2022 CHECKED -REVISED -SMJ

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**  ABUTMENT BEARING REPLACEMENT DETAILS S.N. 092-0038 SHEET 16 OF 26 SHEETS

SECTION COUNTY 74 (92-10,11,12)R VERMILION 698 413 CONTRACT NO. 70A29

Bonded:



4/25/2022 9:29:51 AM

Engineers ,,

Prairie Engineers, P.C.

22484 Grosenbach Road
Washington, IL 61571
(217) 605-0403

0. 184-005965 0. 2021 PLOT DATE = 4/25/2022


DESIGNED - SMJ

REVISED -


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

ABUTMENT AND SLOPE WALL REPAIR PLAN
S.N. 092-0038

SHEET 17 OF 26 SHEETS




4/25/2022 9:30:21 AM




4/25/2022 9:30:49 AM




4/25/2022 9:31:15 AM




4/25/2022 9:31:43 AM




4/25/2022 9:32:10 AM



#### SECTION A-A



SECTION B-B



\*Epoxy grout bars in 9" min. holes according to Article 584 of the Standard Specifications.

<u>PIER 2</u> BAR LIST

	'			
Bar	No.	Size	Length	Shape
h2(E)	96	#5	2'-9"	
h3(E)	28	#5	14'-1"	
h4(E)	14	#5	5'-4"	
s(E)	96	#5	2'-0"	
s1(E)	48	#5	7'-3"	
s2(E)	4	#5	19'-1"	
u1(E)	18	#5	6'-1"	Ш
v(E)	4	#5	7'-0"	

<u>PIER 4</u> BAR LIST

Bar	No.	Size	Length	Shape
h2(E)	96	#5	2'-9"	
h3(E)	28	#5	14'-1"	
h4(E)	14	#5	5'-4"	
s(E)	96	#5	2'-0"	
s1(E)	48	#5	7'-3"	
s2(E)	4	#5	19'-1"	
u1(E)	18	#5	6'-1"	Ш
v(E)	4	#5	7'-0"	

Prairie Engineers, P.C.

22484 Grosenbach Road
Washington, It. 61571
(27) 605-403

Prairie
Engineers
professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the second professional design fin no. 164-005965
Design and the

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PIER REPAIR DETAILS
S.N. 092-0038
SHEET 23 OF 26 SHEETS

 
 F.A.I. RTE.
 SECTION
 COUNTY
 TOTAL SHEETS
 SHEET NO.

 74
 (92-10,11,12)R
 VERMILION
 698
 420

 CONTRACT NO. 70A29

4/25/2022 9:32:36 AM


#### STANDARD BAR SPLICER ASSEMBLY PLAN

(All components shall be provided from one supplier)

Threaded splicer bar length = min. lap length +  $1\frac{1}{2}$ " + thread length

\* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.


Location	Bar size	No. assemblies required	Minimum lap length		
Hatch Block	#5	16	3'-6"		
Slab	#5	72	3'-6"		



#### INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt "B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.



#### STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

Notes:

Splicer bars shall be deformed with threaded ends and have a minimum  $60\ ksi$  yield strength.

All reinforcement shall be lapped and tied to the splicer bars.


Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.


I-2E-2


6-15-2019

-	Prairie Engineers, P.C.	USER NAME	= jmasset	DESIGNED - SMJ	REVISED -
	22484 Grosenbach Road Washington, IL 61571			CHECKED - BAS	REVISED -
	Prairie (217) 605-0403  www.prairieengineers.com professional design firm no. 184-005965	PLOT SCALE	= 0.166666 ' / in.	DRAWN - JLM	REVISED -
	Professional design firm no. 184-005965  O Copyright Professional, Profe	PLOT DATE	= 4/25/2022	CHECKED - SMJ	REVISED -



4/25/2022 9:33:28 AM







Concrete Removal

DETAIL "A" - EXISTING

Class S.I. Concrete

\*Prior to grinding





# EXISTING TYPE C INLET BOX PROFILE BRIDGE APPROACH SHOULDER PAVEMENT AND DRAIN

(Existing Approach Slab Std. 2442, Drain Std. 2443)

# <u>PROPOSED PROFILE</u> BRIDGE APPROACH SHOULDER PAVEMENT AND DRAIN

#### Notes:

(GRATING OMITTED FOR CLARITY)

Expansion bolts, 3/4"

Expansion bolts shall extend a minimum of 4" into the proposed concrete.

All work and materials shall be in accordance with applicable portions of Section 602.

This work will be paid for at the Contract unit price each for "Inlet Boxes to be Adjusted (Special)" which shall include all labor, equipment and material necessary to complete the work.

#### ESTIMATED QUANTITIES

(for information only)

ITEM	UNIT	TOTAL
Concrete Removal	Cu Yd	0.17
Reinforcement Bars (Epoxy)	Pound	8.6
Class S.I. Concrete	Cu Yd	0.20
Expansion Bolts, ¾"	Each	14.0

#### BILL OF MATERIALS

ITEM	UNIT	TOTAL
Inlet Boxes to be Adjusted (Special)	Each	4.0

 Prairie Engineers, P.C.
 USER NAME
 = jmasset
 DESIGNED
 - SMJ
 REVISED

 Prairie Prairie Prairie Engineers
 Washington, IL 61571 (217) 605-04043

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INLET BOX TO BE ADJUSTED
S.N. 092-0038

SHEET 26 OF 26 SHEETS

F.A.I. RTE. SECTION COUNTY TOTAL SHEETS NO.

74 (92-10,11,12)R VERMILION 698 423


CONTRACT NO. 70A29


Structure 092-0126 was originally constructed under FAI 74, Section 92-11HB-1; Contract 20973. The structure is a 4 span continuous concrete tee beam structure with open stub abutments on concrete piles and multi column reinforced concrete piers on spread footings. In 1991 steel bridge rail was placed across the structure as FAI 74 Section 92(11RS, 11BR, 11VB-BR, 11VB-1-BR); Contract 90165.

The existing structure has a back to back of abutment length of 251'-9", an out to out width of 30'-4" and a roadway width of 24'-0". The structure has a 35°49'20" skew left forward.

Note:

See Sheet 2 of 21 for Proposed Work, Bill of Material, and General Notes.





CIVIL DESIGN, INC.
WBE | DBE

EFFINGHAM, IL

LICENSE # 184.003222
PLOT DATE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

GENERAL PLAN AND ELEVATION
S.N. 092-0126

SHEET 1 OF 21 SHEETS

Expires 11-30-2022

#### **INDEX OF SHEETS**

- 1. General Plan & Elevation
- 2. General Data
- 3. Existing & Proposed Cross Sections
- 4. Stage Construction Details
- 5. Wearing Surface Details
- 6. Floor Drain & Patching Details
- 7. Floor Drain Details
- 8. Drainage Scupper, DS-11
- 9. Parapet Repair Plan
- 10. Substructure Plan Concrete Removal Details
- 11. Superstructure Plan Deck Reinforcement Details
- 12. Preformed Joint Strip Seal
- 13. Framing Plan
- 14. Beam 1 Repairs 15. Beam 2 Repairs
- 16. Beam 3 Repairs
- 17. Beam 4 Repairs
- 18. Substructure Repair Plan Sheet 1 of 2
- 19. Substructure Repair Plan Sheet 2 of 2
- 20. Slope Wall Repair
- 21. Bar Splicer Assembly & Mechanical Splicer Details

#### TOTAL BILL OF MATERIAL

Item	Unit	Total
Protective Coat	Sq. Yd.	798
Concrete Removal	Cu. Yd.	9.8
Protective Shield	Sq. Yd.	316
Floor Drains	Each	10
Concrete Superstructures	Cu. Yd.	9.8
Bridge Deck Grooving	Sq. Yd.	762
Drainage Scuppers, DS-11	Each	2
Reinforcement Bars, Epoxy Coated	Pound	805
Bar Splicers	Each	16
Preformed Joint Strip Seal	Foot	64
Bridge Deck Latex Concrete Overlay, 2½"	Sq. Yd.	762
Slope Wall Repair	Sq. Yd.	110
Acrylic Coating	Sq. Yd.	28.9
Bridge Deck Scarification 3/4"	Sq. Yd.	762
Deck Slab Repair (Full Depth, Type I)	Sq. Yd.	41
Deck Slab Repair (Full Depth, Type II)	Sq. Yd.	34
Epoxy Crack Injection	Foot	55
Fiber Wrap	Sq. Ft.	260
Structural Repair of Concrete (Depth Greater than 5")	Sq. Ft.	20
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	225
Slope Wall Slurry Pumping	Cu. Yd.	53

\* Protective Coat shall be applied to all new concrete superstructure and all new concrete overlays as specified in Article 503.19 of the Standard Specifications.

#### PROPOSED WORK

- Bridge deck and approach slabs scarification.
- Remove deck and curb end, and hatch block.
- Remove existing bridge floor drains.
- Repair bridge deck slab and install new floor drains and drainage scuppers.
- Repair concrete superstructure beams.
- Place latex concrete overlay on approach slabs and bridge deck.
- Repair substructure and slopewall.
- Install preformed joint strip seal.

#### GENERAL NOTES

Plan dimensions and details relative to the existing structure have been taken from existing plans and are subject to nominal construction variations. it shall be the Contractor's responsibility to verify such dimensions and details in the field and make the necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of work. However, the Contractor will be paid for the quantity actually furnished at the unit price for the work.

Reinforcement bars designated (E) shall be epoxy coated.

SHEET

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with approved bar splicer or anchorage system. Cost included with Concrete Removal.

Joint openings shall be adjusted according to article 520.04 of the Std. Specs. when the deck is poured at an ambient temperature other than 50°F.

Protective Shield shall be required in accordance with Section 501. No drill and epoxy shall be allowed in the bottom 12" of the concrete beams to avoid tension reinforcement.


Synthetic fibers shall be included in the bridge deck concrete overlay specified. See Special Provisions.

The Contractor shall use extreme care during concrete removal so as not to damage the existing concrete beam.


USER NAME =	DESIGNED - KAS	REVISED _
	CHECKED _ TJZ	REVISED _
PLOT SCALE =	DRAWN _ DCS	REVISED _
PLOT DATE =	CHECKED _ KAS	REVISED _

GENERAL DATA S.N. 092–0126		SECTION			COUNTY	TOTAL SHEETS	SHEET NO.
		(92-10,11,12)R			VERMILION	698	425
					CONTRAC	T NO. 7	0A29
2 OF 21 SHEETS		j.	LLINOIS	FED. AID	PROJECT		

## **EXISTING CROSS SECTION**



#### PROPOSED CROSS SECTION



CIVIL DESIGN,INC. WBE   DBE	
EFFINGHAM, IL CENSE #184.003222	


	USER NAME =	DESIGNED _ KAS	REVISED _
		CHECKED - TJZ	REVISED _
	PLOT SCALE =	DRAWN _ DCS	REVISED _
?	PLOT DATE -	CHECKED KAS	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


EXISTING & PROPOSED CROSS SECTIONS S.N. 092–0126		SECTION	COUNTY	TOTAL SHEETS	
		(92-10,11,12)R	VERMILION	698	426
			CONTRAC	T NO. 7	'0A29
SHEET 3 OF 21 SHEETS		ILLINOIS EED AID	DDO JECT		

## STAGE I CONSTRUCTION DETAILS

(Looking North)








MODEL: 04 St FILE NAME: P:	<b>G</b>	CIVIL DESIGN,ING. WBE   DBE EFFINGHAM, IL LICENSE #184.003222
	4/4/2022	10:57:48 AM

	USER NAME =	DESIGNED -	KAS	REVISED -
		CHECKED _	TJZ	REVISED -
	PLOT SCALE =	DRAWN _	DCS	REVISED -
22	PLOT DATE =	CHECKED _	KAS	REVISED _

STATE OF ILLINOIS			
DEPARTMENT OF TRANSPORTATION			

STAGE CONSTRUCTION DETAILS		SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
S.N. 092-0126	74	(92-10,11,12)R	VERMILION	698	427
3.14. 032-0120			CONTRAC	T NO. 7	0A29
SHEET 4 OF 21 SHEETS		ILLINOIS FED. AID	PROJECT		




Item	Unit	Total
Bridge Deck Grooving	Sq. Yd.	762
Bridge Deck Scarification,¾"	Sq. Yd.	762
Bridge Deck Latex Concrete Overlay, 2½"	Sq. Yd.	762

CIVIL DESIGN,INC. WBE   DBE	
EFFINGHAM, IL	E
LICENSE #184.003222	Г

c.	USER NAME =	DESIGNED -	KAS	REVISED _
		CHECKED _	TJZ	REVISED _
	PLOT SCALE =	DRAWN _	DCS	REVISED _
3222	PLOT DATE =	CHECKED _	KAS	REVISED _


STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	

WEARING SURFACE DETAILS		SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
S.N. 092-0126	74	(92-10,11,12)R	VERMILION	698	428
0,14, 032-0120			CONTRAC	T NO. 7	0A29
SHEET 5 OF 21 SHEETS		ILLINOIS EED AID	DDOJECT		




4/4/2022 10:57:59 AM

Removal Limits for Deck Slab Repair (Full-Depth, Type I) at Drain Locations




#### TYPICAL REMOVAL LIMITS AT NEW FLOOR DRAIN

(Bridge rail not shown for clarity)



#### TYPICAL REMOVAL LIMITS AT NEW DRAINAGE SCUPPER

(Bridge rail not shown for clarity)



#### SECTION A-A

Note:

2-#5 a(E) bars @ 4" cts.


reinforcement mat (Typ.)

Cut longitudinal reinforcement to clear drainage scuppers.

½" ∅ X 8" Fiberglass Reinforced Plastic Rebar

**FIBERGLASS** 

<u>PIPE</u>



All dimensions shall be field verified by the contractor prior to ordering of materials.

Edge of Curb

#### BILL OF MATERIAL

Item	Unit	Total
Floor Drains	Each	10
Reinforcement Bars, Epoxy Coated	Pound	25

Cost of removal of existing drains and extensions is included in Deck Slab Repair (Full Depth, Type I)

CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL ICENSE # 184.003222 PLOT DATE =

DESIGNED - KAS REVISED CHECKED -TJZ REVISED DRAWN DCS REVISED CHECKED -KAS REVISED

(Bridge rail not shown for clarity)

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 


(Bridge rail not shown for clarity)

SECTION FLOOR DRAIN DETAILS (92-10,11,12)R S.N. 092-0126 SHEET 7 OF 21 SHEETS

COUNTY VERMILION 698 430 CONTRACT NO. 70A29

TOP PLAN

\*\* Slope to Drain




SHEET 8 OF 21 SHEETS


LIDENSE #184.003222 PLOT DATE = 4/4/2022 10:58:12 AM

CHECKED -


KAS

REVISED





Showing Typical Removal Limits for Structural Repair of Concrete on Curb




SECTION AT PARAPET


#### NOTES:

The Rail Posts within the parapet removal and replacement limits shall be removed to allow for the repair work to be completed. Following completion of the parapet ends, the Rail Posts shall be re-attached. It is the option of the contractor to either save and reuse the existing cast-in-place anchor system or use epoxy-grouted threaded rods. The cost of this work shall be included in Concrete Superstructure. See As-Built Plans for railing detail.

Areas of Concrete Removal and Superstructure were identified September 15, 2020. The engineer shall determine if additional areas require removal and replacement at time of construction.



Concrete Removal & Concrete Superstructure



Structural Repair of Concrete, Depth < 5"

### BILL OF MATERIAL

Item	Unit	Total
Concrete Removal	Cu. Yd.	4.4
Concrete Superstructures	Cu. Yd.	4.4
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	112



 USER NAME
 DESIGNED
 KAS
 REVISED


 CHECKED
 TIZ
 REVISED


 PLOT SCALE
 =
 DRAWN
 DCS
 REVISED

 PLOT DATE
 =
 CHECKED
 KAS
 REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

 PARAPET REPAIR PLAN
 F.A.I. RTE.
 SECTION
 COUNTY SHEETS
 NO. SHEETS
 NO. TOTAL SHEETS
 NO





SECTION A-A

# SECTION B-B

#### SECTION C-C

#### **NOTES**

The work, material, and equipment involved in saw cutting shall be considered included in Concrete Removal.

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the New Construction. Any reinforcement bars that are damaged during Concrete Removal shall be replaced with an approved bar splicer or anchorage system. Cost included with Concrete Removal.

The existing expansion joint system shall be removed completely, as well as any foreign material that has accumulated or been placed in the joint openings. The cost for this work is included in Concrete Removal and no addtitional compensation will be allowed.

The rail posts within the removal limits shall be removed to allow for the repair work to be completed. Following completion of the slab ends, the rail posts shall be re-attached. It is the option of the contractor to either save and reuse the existing cast-in-place anchor system or use epoxy-grouted threaded rods.

#### BILL OF MATERIAL


Item	Unit	Total	ĺ
Concrete Removal	Cu. Yd.	5.4	
			ĺ

All Existing Reinforcement to Remain in Place


CIVIL DE	CIVIL DESIGN.INC.	USER NAME =	DESIGNED -	KAS	REVISED -
WBE   DBE		CHECKED _	TJZ	REVISED _	
	SHAM, IL	PLOT SCALE =	DRAWN _	DCS	REVISED _
LICENSE #	LICENSE #184.003222	PLOT DATE =	CHECKED _	KAS	REVISED _
2022 10 50 10 111					

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

SUPERSTRUCTURE PLAN – CONCRETE REMOVAL DETAILS S.N. 092–0126		SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		(92-10,11,12)R	VERMILION	698	433
5.14. 032-0120			CONTRAC	T NO. 7	0A29
CHEET 10 OF 21 CHEETC					








#### BILL OF MATERIAL

Bar	No.	Size	Length	Shape
a(E)	8	#6	15'-2"	
a1(E)	8	#6	16'-2"	
h(E)	8	#6	16'-9"	
h1(E)	8	#6	16'-4"	
Reinfo	rcemen	t Bars,	Pound	780
Ероху	Epoxy Coated		Found	700
Concrete			Cu. Yd.	5.4
Super	structu	re	Cu. Tu.	5.4


	CIVIL DESIGN,INC. WBE   DBE
رالي	   EFFINGHAM, IL LICENSE #184.003222

INC.	USER NAME =	DESIGNED	-	KAS	REVISED	-
É		CHECKED	-	TJZ	REVISED	-
, IL	PLOT SCALE =	DRAWN	-	DCS	REVISED	-
003222	PLOT DATE =	CHECKED	-	KAS	REVISED	-


SUPERSTRUCTURE PLAN - DECK REINFORCEMENT DETAILS	F.A.I. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
S.N. 092-0126		(92-10,11,12)R	VERMILION	698	434
0:14: U32-U12U			CONTRAC	T NO. 7	0A29
SHEET 11 OF 21 SHEETS		HUNDIO EED AID	DDO IECT		




#### **ELEVATION AT CURB**



#### DETAIL A




SHOWING ROLLED RAIL JOINT



 $\frac{3}{8}$ " Ø threaded rods in  $\frac{7}{16}$ "  $\phi$  holes at  $\pm 4$ '-0" cts. for holding the proper joint opening based on the temperature during the deck pour. Place to miss studs. All rods shall be burned, or sawed off flush with the plates after concrete is set.


#### SECTION A-A

\* Granular or solid flux filled headed studs conforming to Article 1006.32 of the Std. Specs., automatically end welded.



#### LOCKING EDGE RAILS

\*\* Back gouge not required if complete joint penetration is verified by mock-up.



#### LOCKING EDGE RAIL SPLICE

The inside of the locking edge rail groove shall be free of weld residue. Rolled rail shown, welded rail similar.

#### BILL OF MATERIAL

Item	Unit	Total
Preformed Joint Strip Seal	Foot	64

EJ-SS 8-11-17



**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**  PREFORMED JOINT STRIP SEAL S.N. 092-0126 SHEET 12 OF 21 SHEETS

SECTION VERMILION 698 435 (92-10,11,12)R CONTRACT NO. 70A29

SHOWING WELDED RAIL JOINT

Notes:

seal shall match the configuration of the locking edge rails. Open or "webbed" strip seal gland configurations are not permitted. The gland shall be sized for a maximum rated movement of 4 inches. The locking edge rails depicted are configured for typical

The strip seal shall be made continuous and shall have a minimum thickness of  $\frac{1}{4}$ ". The configuration of the strip

applications and are conceptual only. The actual configuration of the locking edge rails and matching strip seal may vary from manufacturer to manufacturer provided they fit the application and meet the minimum anchorage shown. Flanged edge rails, however, will not be allowed. Locking edge rails may exceed the  $4\frac{1}{2}$ " maximum depth provided the anchorage system is revised according to the manufacturer's recommendation.


The manufacturer's recommended installation methods shall be followed.


All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.

The Maximum space between locking edge rail segments shall be  $\frac{3}{16}$ " and sealed with a suitable sealant; however, any rail joint within 10' measured perpendicular to the face of the curb or parapet shall be welded as shown in the locking edge rail splice detail.

Cost of parapet sliding plates, embedded plates, and anchorage studs included with Preformed Joint Strip Seal.

34" F-shape barrier shown, 42" F-shape similar as noted. The concrete opening below the strip seal will vary based on the locking edge rail chosen by the Contractor. Deck and parapet lengths shown elsewhere in the plans are dimensioned to the concrete opening, not the joint opening, and are based on the rolled locking edge rail. If the Contractor elects to use a different locking edge rail, dimensional adjustments may be required. One exception to this would be the strip seal joint at the end of the precast bridge approach slab. For these cases the pavement connector length shall be adjusted, not the length of the bridge approach slab.





## FRAMING PLAN SPAN 3 & 4


CIVIL DESIGN,INC. WBE   DBE	F
EFFINGHAM, IL	[
LICENSE #184.003222	Γ

4/4/2022 10:58:33 AM

	USER NAME =	DESIGNED - KAS	REVISED -	ı
		CHECKED - TJZ	REVISED _	
	PLOT SCALE =	DRAWN _ DCS	REVISED _	
•	PLOT DATE =	CHECKED _ KAS	REVISED _	

STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	

FRAMING PLAN S.N. 092–0126		SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		(92-10,11,12)R	VERMILION	698	436
			CONTRAC	T NO. 7	'0A29
SHEET 13 OF 21 SHEETS		ILLINOIS FED.	AID PROJECT		



### Notes:

Beam repair areas shown are estimated from inspection notes on September 14, 2020. Actual locations and quantities of completed repairs shall be shown by the Engineer on as-built plans


Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "FRP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms.

3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap 6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing concrete.



REVISED .

REVISED .

REVISED

REVISED

UNDERSIDE DAMAGE REPAIR WITH FRP

### BILL OF MATERIAL

Unit	Total
Sq. Ft.	62
Sq. Ft.	16
Foot	3
Sq. Ft.	149
Sq. Yd.	16.5
	Sq. Ft. Sq. Ft. Foot Sq. Ft.

up each side of beam)

| DESIGNED - KAS | DESIGNED - KAS | DESIGNED - TJZ | DESIGNED - TJZ | DRAWN - DCS | DR

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

 BEAM
 1 REPAIRS
 F.A.I. RTE.

 S.N. 092–0126
 74
 (9

 SHEET
 14
 0F
 21
 SHEETS

SECTION A-A

each end of concrete

repair

ALI. SECTION COUNTY TOTAL SHEETS NO. 74 (92-10,11,12)R VERMILION 698 437 CONTRACT NO. 70A29

STATE OF ILLINOIS

**DEPARTMENT OF TRANSPORTATION** 

Sa. Yd.

COUNTY

VERMILION 698 438

CONTRACT NO. 70A29

SECTION

(92-10,11,12)R

Acrylic Coating

BEAM 2 REPAIRS

S.N. 092-0126

SHEET 15 OF 21 SHEETS

UNDERSIDE DAMAGE REPAIR WITH FRP

REVISED

REVISED

REVISED

REVISED

MODEL: 16 Beam Z Repairs FILE NAME: P:\E ngham\4068 - IDOT

LIGENSE #184.003222 PLOT DATE 14/4/2022 10:58:42 AM

concrete.

CIVIL DESIGN,INC. WBE | DBE


Color of Acrylic Coating shall be chosed to best match the appearance of the existing

CHECKED \_


CHECKED -


TJZ

DCS



4/4/2022 10:58:46 AM





# Structural Repair of Concrete, (Depth Equal to or Less than 5")

Item	Unit	Total
Structural Repair of Concrete, (Depth Equal to or Less than 5")	Sq. Ft.	1
Epoxy Crack Injection	Foot	18

**HHHHH** Epoxy Crack Injection


	CIVIL DESIGN,INC. WBE   DBE	
رايي	EFFINGHAM, IL LICENSE #184.003222	

	USER NAME =	DESIGNED _	KAS	REVISED _
		CHECKED -	TJZ	REVISED -
	PLOT SCALE =	DRAWN _	DCS	REVISED -
22	DI OT DATE	CHECKED	KVZ	DEVICED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUBSTRUC				PLAN -0126		1 OF 2	
S	HEET	18	OF	21	SHEETS		

F.A.I. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
74	(92-10,11,12)R	VERMILION	698	441
		CONTRAC	T NO. 7	0A29
	ILLINOIS EED AID	PPOJECT		



# **BILL OF MATERIAL**

Item	Unit	Total
Epoxy Crack Injection	Foot	6

**HHHHH** Epoxy Crack Injection


	CIVIL DESIGN,INC. WBE   DBE	
ريي	EFFINGHAM, IL LICENSE #184.003222	F

USER NAME =	DESIGNED - KAS	REVISED _
	CHECKED - TJZ	REVISED _
PLOT SCALE =	DRAWN _ DCS	REVISED _
PLOT DATE =	CHECKED _ KAS	REVISED _

SUBSTRUCTURE REPAIR PLAN SHEET 2 OF 2	F.A.I. RTE	SECTION
S.N. 092-0126	74	(92-10,11,12)R
0111 002 0120		

Bottom of Slope Wall

SOUTH ABUTMENT SLOPE
WALL REPAIR




Voids beneath the existing concrete slope wall shall be filled with Controlled Low Strength Material (CLSM) in accordance with the special provision "Slope Wall Slurry Pumping", and as directed by the Engineer. Existing dislodged concrete slope wall may be broken and used to partially fill voids before CLSM is placed. Sawed openings may be required. The cost of any new opening is included in the cost of Slope Wall Slurry Pumping.

After the Controlled Low Strength Material has set, the slope wall shall be cast in accordance with Section 511 of the Standard Speciffications. Slope wall repair area shall be rectangular in shape. The cost of welded wire fabric, dowel bars, supports, saw cuts, and all labor, equipment, and material for slope wall repair are included in the cost of Slope Wall Repair measured in place in square yards.

The location and quantities of Slope Wall Slurry Pumping and Slope Wall Repair are based on a field survey done at the time of plan preparation. The exact locations and actual quantities will be determined in the field by the Engineer. The Contractor will be paid for the actual quantity at the contract unit price bid for the item.

All drainage sysem components shall extend parallel to the abutment back wall until they intersect the wingwalls or 2'-0" from the end of the wingwalls when the wings are parallel to the abutment. The pipe shall extend under the wingwall, if necessary, until intersecting the side slopes. The pipes shall drain into concrete headwalls. (See Article 601.05 of the Standard Specifications and Highway Standard 601101).



### SLOPE WALL REPAIR DETAIL

# BILL OF MATERIAL

Item	Unit	Total
Slope Wall Repair	Sq. Yd.	110
Slope Wall Slurry Pumping	Cu. Yd.	53

# NORTH ABUTMENT SLOPE WALL REPAIR

	CIVIL DESIGN.INC.	USER NAME =
rcni	WBE   DBE	
	EFFINGHAM, IL	PLOT SCALE =
	LICENSE #184.003222	PLOT DATE =

	USER NAME =	DESIGNED -	KAS	REVISED	-
		CHECKED -	TJZ	REVISED	-
	PLOT SCALE =	DRAWN -	DCS	REVISED	-
22	PLOT DATE =	CHECKED -	KAS	REVISED	1

Slope Wall Repair


### STANDARD BAR SPLICER ASSEMBLY PLAN

(All components shall be provided from one supplier)

Threaded splicer bar length = min. lap length +  $1\frac{1}{2}$ " + thread length

\* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Minimum lap length
Deck End	#6	16	4'-10"




### **INSTALLATION AND SETTING METHODS**

"A": Set bar splicer assembly by means of a template bolt.

"B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E) : Indicates epoxy coating.



### STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

Notes:

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

BSD-1

1-1-2020



	USER NAME =	DESIGNED - KAS	REVISED _
		CHECKED - TJZ	REVISED _
	PLOT SCALE =	DRAWN - DCS	REVISED _
2	PLOT DATE =	CHECKED _ KAS	REVISED -

Structure 092-0128 was originally constructed under FAI 74, Section 92-11HB-2; Contract 20959. The structure is a 4 span continuous concrete tee beam structure with open stub abutments on concrete piles and multi column reinforced concrete piers on spread footings supported by timber piles. In 1991 steel bridge rail was placed across the structure as FAI 74 Section 92(11RS,11BR,11VB-BR, 11VB-1-BR); Contract 90165.

The existing structure has a back to back of abutment length of  $205'-4\frac{1}{4}"$  an out to out width of 30'-0" and a roadway width of 24'-0". The structure has a  $11^\circ37'30"$  skew left forward.


Note


See Sheet 2 of 15 for Proposed Work, Bill of Material, and General Notes.

### <u>DESIGN STRESSES</u> FIELD UNITS


New Construction fc = 4,000 psify = 60,000 psi (Reinforcement)

Existing Structure fc = 1,400 psi fs = 20,000 psi (Reinforcement) fc = 18,000 (Structural Steel)





### ELEVATION



FILE NAME: P:\E ngham\4068 -

CIVIL DESIGN,ING.
WBE | DBE

EFFINGHAM, IL
LICENSE #184.003222
PLOT DATE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

GENERAL PLAN & ELEVATION
S.N. 092–0128

SHEET 1 OF 15 SHEETS

Adam D. Bohnhoff
Licensed Structural Engineer

Expires 11-30-2022

State of Illinois No. 081-007431

4/4/2022 11:02:55 AM

~Z-

### **INDEX OF SHEETS**

- 1. General Plan & Elevation
- 2. General Data
- 3. Existing & Proposed Cross Sections
- 4. Stage Construction Details
- 5. Wearing Surface Details
- 6. Floor Drain & Patching Details
- 7. Floor Drain Details
- 8. Parapet Repair Plan
- 9. Framing Plan 10. Beam 1 Repairs
- 11. Beam 2 Repairs
- 12. Beam 3 Repairs 13. Beam 4 Repairs
- 14. Substructure Repair Plan Sheet 1 of 2
- 15. Substructure Repair Plan Sheet 2 of 2

### TOTAL BILL OF MATERIAL

Item	Unit	Total
Protective Coat	Sq. Yd.	570
Concrete Removal	Cu. Yd.	5.2
Protective Shield	Sq. Yd.	265
Floor Drains	Each	8
Concrete Superstructures	Cu. Yd.	5.2
Bridge Deck Grooving	Sq. Yd.	549
Bridge Deck Latex Concrete Overlay, 21/4"	Sq. Yd.	549
Acrylic Coating	Sq. Yd.	17.0
Bridge Deck Scarification ¾"	Sq. Yd.	549
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	39
Deck Slab Repair (Full Depth, Type I)	Sq. Yd.	34
Deck Slab Repair (Full Depth, Type II)	Sq. Yd.	36
Epoxy Crack Injection	Foot	23
Fiber Wrap	Sq. Ft.	153
Polymer Concrete	Cu. Ft.	2.0
Slope Wall Crack Sealing	Foot	40

\* Protective Coat shall be applied to all new concrete superstructure and all new concrete overlays as specified in Article 503.19 of the Standard Specifications.

### PROPOSED WORK

- 1. Bridge deck scarification.
- Remove existing bridge floor drains.
- Repair bridge deck slab and install new floor drains.
- Repair parapet.
- Repair concrete superstructure beams.
- Place polymer concrete over existing steel armor at bridge ends.
- Place bridge deck latex concrete overlay.
- Repair substructure.
- HMA rundowns for transition at approaches.

### **GENERAL NOTES**

Plan dimensions and details relative to the existing structure have been taken from existing plans and are subject to nominal construction variations. it shall be the Contractor's responsibility to verify such dimensions and details in the field and make the necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of work. However, the Contractor will be paid for the quantity actually furnished at the unit price for the work.

Reinforcement bars designated (E) shall be epoxy coated.

SHEET

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with approved bar splicer or anchorage system. Cost included with Concrete Removal.

Joint openings shall be adjusted according to article 520.04 of the Std. Specs. when the deck is poured at an ambient temperature other than 50°F.

Protective Shield shall be required in accordance with Section 501. No drill and epoxy shall be allowed in the bottom 9" of the concrete beams to avoid tension reinforcement.

Synthetic fibers shall be included in the bridge deck concrete overlay specified. See Special Provisions.


The Contractor shall take extreme care during Concrete Removal so as not to damage the existing concrete beam.

USER NAME =	DESIGNED _ KAS	REVISED _
	CHECKED _ TJZ	REVISED _
PLOT SCALE =	DRAWN _ DCS	REVISED _
PLOT DATE =	CHECKED _ KAS	REVISED _


STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

GENERAL DATA S.N. 092–0128		SECTION		COUNTY	TOTAL SHEETS	SHE
		(92-10,11,12)R		VERMILION	698	44
3.14. 032-0120				CONTRAC	T NO. 7	0A2
2 OF 15 SHEETS		ILLINOIS	FED. AID	PROJECT		

# **EXISTING CROSS SECTION**



# PROPOSED CROSS SECTION



03 Cr ME: P:		CIVIL DESIGN,INC. WBE   DBE	
10DEL: TLE NA	G	EFFINGHAM, IL LICENSE #184.003222	
211	4/4/2022	11:03:01 AM	-


	USER NAME =	DESIGNED _	KAS	REVISED	-
		CHECKED _	TJZ	REVISED	-
	PLOT SCALE =	DRAWN _	DCS	REVISED	-
١.	PLOT DATE =	CHECKED _	KAS	REVISED	_

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

VERMILION 698 447 SECTION **EXISTING & PROPOSED CROSS SECTIONS** (92-10,11,12)R S.N. 092-0128 SHEET 3 OF 15 SHEETS


### STAGE I CONSTRUCTION DETAILS

(Looking South)



### STAGE II CONSTRUCTION DETAILS

(Looking South)




MODEL: 04 St FILE NAME: P:		CIVIL DESIGN,ING. WBE   DBE EFFINGHAM, IL LICENSE #184.003222	
	4/4/2022	11:03:04 AM	

	USER NAME =	DESIGNED _	KAS	REVISED	-
		CHECKED _	TJZ	REVISED	-
	PLOT SCALE =	DRAWN _	DCS	REVISED	-
١.	PLOT DATE =	CHECKED _	KAS	REVISED	_

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

STAGE CONSTRUCTION DETAILS S.N. 092-0128	F.A.I. RTE	SECTION		COUNTY	TOTAL SHEETS	
	74	(92-10,11,12)R		VERMILION	698	448
3.14. 032-0120				CONTRAC	T NO. 7	0A29
SHEET 4 OF 15 SHEETS		ILLINOIS	FED. AID	PROJECT		



PLAN

### **BILL OF MATERIAL**

Item	Unit	Total
Bridge Deck Grooving	Sq. Yd.	549
Bridge Deck Scarification, ¾"	Sq. Yd.	549
Bridge Deck Latex Concrete Overlay, 21/4"	Sq. Yd.	549
Polymer Concrete	Cu. Ft.	2.0
Bridge Deck Scarification, ¾" Bridge Deck Latex Concrete Overlay, 2¼"	Sq. Yd. Sq. Yd.	54 54

CIVIL DESIGN, INC.
WBE | DBE


EFFINGHAM, IL
LICENSE # 184.003222

PLOT DATE =


Bridge Deck Scarification, 3/4", Bridge Deck Latex Concrete Overlay, 21/4", & Bridge Deck Grooving

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

WEARING SURFACE DETAILS
S.N. 096-0128
SHEET 5 OF 15 SHEETS





4/4/2022 11:03:06 AM



### TYPICAL REMOVAL LIMITS

(Bridge rail not shown for clarity)





### FLOOR DRAIN PLACEMENT

(Bridge rail not shown for clarity)

### **BILL OF MATERIAL**


ltem	Unit	Total
Floor Drains	Each	8

All dimensions shall be field verified by the contractor prior to ordering of materials.

Cost of removal of existing drains and extensions is included in Deck Slab Repair (Full Depth, Type I)

loor Dr. :\E ngh		
MODEL: 07 Flo FILE NAME: P:\	CIVIL DESIGN,INC. WBE   DBE  EFFINGHAM, IL LICENSE #184.003222	_
	4/4/2022 11:03:10 AM	

USER NAME =	DESIGNED - KAS	REVISED -
	CHECKED - TJZ	REVISED _
PLOT SCALE =	DRAWN - DCS	REVISED _
PLOT DATE =	CHECKED - KAS	REVISED _



SHEET 8 OF 15 SHEETS

CHECKED -

KAS

REVISED


# FRAMING PLAN SPAN 3 & 4


	CIVIL DESIGN,INC. WBE   DBE
	EFFINGHAM, IL
LI	CENSE #184.003222

USER NAME =	DESIGNED _ KAS	REVISED _
	CHECKED _ TJZ	REVISED _
PLOT SCALE =	DRAWN _ DCS	REVISED _
PLOT DATE =	CHECKED _ KAS	REVISED _
	•	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

FRAMING PLAN S.N. 092–0128	F.A.I. RTE	SECTION	COUNTY	TOTAL SHEETS	
	74	(92-10,11,12)R	VERMILION	698	453
3.N. 092-0128			CONTRAC	T NO. 7	0A29
T 9 OF 15 SHEETS		ILLINOIS FED A	D PROJECT		





### BEAM 1 LOOKING WEST AT EAST FACE OF BEAM

Notes:
Beam repair areas shown are estimated from inspection notes on September 14, 2020.
Actual locations and quantities of completed repairs shall be shown by the Engineer on as-built plans.

Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "FRP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms.

3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap 6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing concrete.

Structural Repair of Concrete, (Depth Equal to or Less than 5"), Fiber Wrap and Acrylic Coating\*

Epoxy Crack Injection

\*Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.


### **BILL OF MATERIAL**


Item	Unit	Total
Structural Repair of Concrete, (Depth Equal to or Less than 5")	Sq. Ft.	23
Epoxy Crack Injection	Foot	3
Fiber Wrap	Sq. Ft.	93
Acrylic Coating	Sq. Yd.	10.3



USER NAME =	DESIGNED	-	KAS	REVISED -
	CHECKED	-	TJZ	REVISED -
PLOT SCALE =	DRAWN	-	DCS	REVISED -
PLOT DATE =	CHECKED	-	KAS	REVISED -

BEAM 1 REPAIRS S.N. 092–0128	F.A.I. RTE	SECTION	COUNTY	TOTAL SHEETS	SHE
	74	(92-10,11,12)R	VERMILION	698	45
5.N. U92-U126			CONTRAC	T NO. 7	0A2
EFT 10 OF 15 SHEETS		ILLINOID FED AID	DDOJECT		





Beam repair areas shown are estimated from inspection notes on September 14, 2020. Actual locations and quantities of completed repairs shall be shown by the Engineer on as-built plans.

Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "FRP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms.

3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap 6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing

concrete.

### BEAM 2 LOOKING WEST AT EAST FACE OF BEAM

Structural Repair of Concrete, (Depth Equal to or Less than 5"), Fiber Wrap & Acrylic Coating\*


Epoxy Crack Injection

\*Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.


### **BILL OF MATERIAL**

Item	Unit	Total
Structural Repair of Concrete, (Depth Equal to or less than 5")	Sq. Ft.	1
Fiber Wrap	Sq. Ft.	4
Acrylic Coating	Sq. Yd.	0.4

<u></u>		CIVIL DESIGN,INC.	USER NAME =	DESIGNED - KAS	REVISED -		BEAM 2 REPAIRS	F.A.I.	SECTION	COUNTY	TOTAL !	SHEET	П
¥ I	CD	WBE   DBE		CHECKED - TJZ	REVISED -	STATE OF ILLINOIS		74	(92-10,11,12)R	VERMILION	698	455	,1
Ž	لحكا	EFFINGHAM, IL	PLOT SCALE =	DRAWN - DCS	REVISED -	DEPARTMENT OF TRANSPORTATION	S.N. 092–0128			CONTRACT	T NO. 7	0A29	,⊤
2		LICENSE #184.003222	PLOT DATE =	CHECKED _ KAS	REVISED _		SHEET 11 OF 15 SHEETS		ILLINOIS FED. AID	PROJECT			$\dashv$



### BEAM 3 LOOKING EAST AT WEST FACE OF BEAM



Beam repair areas shown are estimated from inspection notes on September 14, 2020. Actual locations and quantities of completed repairs shall be shown by the Engineer on as-built plans.

Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "RPP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms.

3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap 6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing

### BEAM 3 LOOKING WEST AT EAST FACE OF BEAM

Structural Repair of Concrete, (Depth Equal to or Less than 5"), Fiber Wrap & Acrylic Coating\* Epoxy Crack Injection

\*Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.

### BILL OF MATERIAL


Item	Unit	Total
	C E.	
Structural Repair of Concrete, (Depth Equal to or Less than 5")	Sq. Ft.	1
Fiber Wrap	Sq. Ft.	4
Acrylic Coating	Sq. Yd.	0.4

CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL


DESIGNED - KAS REVISED -CHECKED \_ TJZ REVISED . DRAWN DCS REVISED LICENSE #184.003222 PLOT DATE = CHECKED -REVISED KAS

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

SECTION COUNTY BEAM 3 REPAIRS VERMILION 698 456 (92-10,11,12)R S.N. 092-0128 CONTRACT NO. 70A29 SHEET 12 OF 15 SHEETS



### BEAM 4 LOOKING EAST AT WEST FACE OF BEAM



Beam repair areas shown are estimated from inspection notes on September 14, 2020. Actual locations and quantities of completed repairs shall be shown by the Engineer on as-built plans.

Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "FRP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms.

3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap 6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing

### BEAM 4 LOOKING WEST AT EAST FACE OF BEAM

Structural Repair of Concrete, (Depth Equal to or Less than 5"), Fiber Wrap, & Acrylic Coating\* Epoxy Crack Injection

\*Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.

### **BILL OF MATERIAL**


Item	Unit	Total
Structural Repair of Concrete, (Depth Equal to or Less than 5")	Sq. Ft.	13
Fiber Wrap	Sq. Ft.	52
Acrylic Coating	Sq. Yd.	5.9

CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL

DESIGNED - KAS REVISED CHECKED \_ TJZ REVISED DRAWN DCS REVISED LICENSE #184.003222 PLOT DATE CHECKED -KAS REVISED

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION** 

SECTION COUNTY **BEAM 4 REPAIRS** VERMILION 698 457 (92-10,11,12)R S.N. 092-0128 CONTRACT NO. 70A29 SHEET 13 OF 15 SHEETS




CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL LICENSE # 184.003222 PLOT DATE =


DESIGNED - KAS REVISED -CHECKED - TJZ REVISED -DRAWN \_ DCS REVISED -CHECKED - KAS REVISED -


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SUBSTRUCTURE REPAIR PLAN SHEET 1 OF 2 S.N. 092-0128 SHEET 14 OF 15 SHEETS

SECTION VERMILION 698 458 COUNTY (92-10,11,12)R CONTRACT NO. 70A29







PIER 3 ELEVATION (Looking West)

SOUTH SLOPE WALL
Approximately 40 linear feet of crack to seal

# **BILL OF MATERIAL**

Item	Unit	Total
Epoxy Crack Injection	Foot	14
Slope Wall Crack Sealing	Foot	40



 USER NAME
 =
 DESIGNED
 KAS
 REVISED

 CHECKED
 TJZ
 REVISED

 PLOT SCALE
 =
 DRAWN
 DCS
 REVISED

 PLOT DATE
 =
 CHECKED
 KAS
 REVISED

PIER 3 ELEVATION

(Looking South)

Epoxy Crack Injection

Slope Wall Crack Sealing

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION


 SUBSTRUCTURE
 REPAIR
 PLAN
 SHEET 2 OF 2
 F.A.I. RTE.
 SECTION RTE.

 S.N. 092—0128
 74
 (92-10,11),1


 SHEET
 15
 OF 15
 SHEETS
 ILL


The existing structure has a back to back of abutment length of 258'-1134", and out to out width of 30'-0" and a roadway width of 24'-0". The structure has a 36°04'50" skew right forward.

Note: See Sheet 2 of 14 for Proposed Work, Bill of Material, and General Notes.



Existing Structure fc = 1,400 psi fs = 20,000 psi (Reinforcement) fc = 18,000 (Structural Steel)





CIVIL DESIGN, INC.
WBE | DBE

EFFINGHAM, IL
LICENSE # 184.003222
PLOT DATE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

GENERAL PLAN & ELEVATION
S.N. 092–0129

SHEET 1 OF 14 SHEETS

Licensed Structural Engineer State of Illinois No. 081-007431

Expires 11-30-2022

- IDOT PTB 193-26 D5 I-74 at Danville\CAD\SN 092-0129\D570A29 0129 Cc

### **INDEX OF SHEETS**

- 1. General Plan & Elevation
- 2. General Data
- 3. Existing & Proposed Cross Sections
- 4. Wearing Surface Details
- 5. Floor Drain & Patching Details
- 6. Parapet Repair
- 7. Floor Drain Details 8. Framing Plan
- 9. Beam 1 Repairs
- 10. Beam 2 Repairs
- 11. Beam 3 Repairs 12. Beam 4 Repairs
- 13. Substructure Repair Plan Sheet 1 of 2
- 14. Substructure Repair Plan Sheet 2 of 2

### TOTAL BILL OF MATERIAL

Item	Unit	Total
Protective Coat	Sq. Yd.	710
Concrete Removal	Cu. Yd.	5.2
Protective Shield	Sq. Yd.	388
Floor Drains	Each	12
Concrete Superstructures	Cu. Yd.	5.2
Bridge Deck Grooving	Sq. Yd.	688
Bridge Deck Microsilica Concrete Overlay, 11/4"	Sq. Yd.	688
Acrylic Coating	Sq. Yd.	7.6
Bridge Deck Scarification 3/4"	Sq. Yd.	688
Deck Slab Repair (Full Depth, Type I)	Sq. Yd.	41
Deck Slab Repair (Full Depth, Type II)	Sq. Yd.	59
Fiber Wrap	Sq. Ft.	68
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	47
Epoxy Crack Injection	Foot	41
Slope Wall Crack Sealing	Foot	90

\* Protective Coat shall be applied to all new concrete superstructure and all new concrete overlays as specified in Article 503.19 of the Standard Specifications.

### PROPOSED WORK

- Bridge deck scarification.
- 2. Remove existing bridge floor drains.
- Repair bridge deck slab and install new floor drains.
- 4. Repair parapet.
- 5. Repair concrete superstructure beams.
- 6. Weld plate to existing deck end armor.
- 7. Place microsilica concrete overlay on bridge deck.
- 8. Repair substructure.
- 9. HMA rundowns for transition at approaches.

### GENERAL NOTES

Plan dimensions and details relative to the existing structure have been taken from existing plans and are subject to nominal construction variations. it shall be the Contractor's responsibility to verify such dimensions and details in the field and make the necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of work. However, the Contractor will be paid for the quantity actually furnished at the unit price for the work.

Reinforcement bars designated (E) shall be epoxy coated.

Existing reinforcement bars extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with approved bar splicer or anchorage system. Cost included with Concrete Removal.

Joint openings shall be adjusted according to article 520.04 of the Std. Specs. when the deck is poured at an ambient temperature other than  $50^{\circ}F$ .

Synthetic fibers shall be added to the Bridge Deck Microsilica Concrete Overlay, see Special Provisions.


Protective Shield shall be required in accordance with Section 501. No drill and epoxy shall be allowed in the bottom 12" of concrete beams to avoid tension reinforcement.

The Contractor shall take extreme care during Concrete Removal so as to not damage the existing concrete beam.


USER NAME =	DESIGNED _ KAS	REVISED -
	CHECKED - TJZ	REVISED _
PLOT SCALE =	DRAWN _ DCS	REVISED _
PLOT DATE =	CHECKED _ KAS	REVISED -

GENERAL DATA S.N. 092–0129		SECTION	COUNTY	TOTAL SHEETS	SHE
		(92-10,11,12)R	VERMILION	698	46
3.14. 032-0123			CONTRAC	T NO. 7	0A2
EET 2 OF 14 SHEETS		ILLINOIS FED. AID	PROJECT		

# **EXISTING CROSS SECTION**



# PROPOSED CROSS SECTION




MODEL: 03 Cr FILE NAME: P:	Ţ	CIVIL DESIGN,INC. WBE   DBE EFFINGHAM, IL LICENSE #184.003222	_
	4/4/2022	11:09:42 AM	


USER NAME =	DESIGNED _ KAS	REVISED -
	CHECKED - TJZ	REVISED _
PLOT SCALE =	DRAWN - DCS	REVISED _
PLOT DATE =	CHECKED - KAS	REVISED -

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SECTION **EXISTING & PROPOSED CROSS SECTIONS** COUNTY SHEETS NO.

VERMILION 698 462 (92-10,11,12)R S.N. 092-0129 CONTRACT NO. 70A29 SHEET 3 OF 14 SHEETS





### PLAN

Bridge Deck Scarification, 3/4", Bridge Deck Microsilica Concrete Overlay, 11/4", & Bridge Deck Grooving


### BILL OF MATERIAL

ltem	Unit	Total
Bridge Deck Grooving	Sq. Yd.	688
Bridge Deck Microsilica Concrete Overlay, $1\frac{1}{4}$ "	Sq. Yd.	688
Bridge Deck Scarification, ¾"	Sq. Yd.	688


Steel bar shall be blast cleaned to SSPC SP 10 and shop primed with inorganic zinc rich primer.

Cost of steel bars complete in place at deck ends shall be included in the cost of Bridge Deck Microsilica Concrete Overlay.

ے قر												
4 ∵. ≥ 9.		CIVIL DESIGN,INC.	USER NAME =	DESIGNED -	KAS	REVISED -		WEARING SURFACE DETAILS	F.A.I.	SECTION	COUNTY	TOTAL SHEET
0. AM	anı	WBE   DBE		CHECKED -	TJZ	REVISED -	STATE OF ILLINOIS	S.N. 092-0129	74	(92-10,11,12)R	VERMILION	698 463
MODEL: 0	الككا	EFFINGHAM, IL	PLOT SCALE =	DRAWN _	DCS	REVISED _	DEPARTMENT OF TRANSPORTATION	2.IN. 03Z-01Z3			CONTRACT	T NO. 70A29
		LICENSE #184.003222	PLOT DATE =	CHECKED -	KAS	REVISED -		SHEET 4 OF 14 SHEETS		ILLINOIS FED. AID	PROJECT	
4	/4/2022 11:0	9:43 AM	·			·						




4/4/2022 11:09:44 AM




4/4/2022 11:09:59 A

### TYPICAL REMOVAL LIMITS

(Bridge rail not shown for clarity)





(Bridge rail not shown for clarity)

All dimensions shall be field verified by the contractor prior to ordering of materials.

### BILL OF MATERIAL

ſ	Item	Unit	Total
f	Floor Drains	Each	12


Cost of removal of existing drains and extensions is included in Deck Slab Repair (Full Depth, Type I)

i.e. foor Dr.	
UVIL DESIGN,ING WBE   DBE EFFINGHAM, IL	
LICENSE #184.0032	?22


USER NAME =	DESIGNED - KAS	REVISED -
	CHECKED - TJZ	REVISED -
PLOT SCALE =	DRAWN - DCS	REVISED -
PLOT DATE =	CHECKED _ KAS	REVISED -

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SECTION FLOOR DRAIN DETAILS VERMILION 698 466 74 (92-10,11,12)R S.N. 092-0129 CONTRACT NO. 70A29 SHEET 7 OF 14 SHEETS



# FRAMING PLAN SPAN 1 & 2





# FRAMING PLAN SPAN 3 & 4


I	CIVIL DESIGN,INC. WBE   DBE	ľ
LICE NA	EFFINGHAM, IL LICENSE #184.003222	İ

	USER NAME =	DESIGNED - KAS	REVISED _
		CHECKED - TJZ	REVISED _
	PLOT SCALE =	DRAWN - DCS	REVISED _
2	PLOT DATE =	CHECKED _ KAS	REVISED _

FRAMING PLAN	F.A.I. RTE	SECTION	COUNTY	TOTAL SHEETS	
S.N. 092–0129	74	(92-10,11,12)R	VERMILION	698	467
3.14. 032-0123			CONTRAC	T NO. 7	'0A29
HEET 8 OF 14 SHEETS		ILLINOIS FED. AID	PROJECT		







1 SF Beam repair areas shown are estimated from inspection notes on September 14, 2020. Actual locations and quantities of completed repairs shall be shown by the Engineer on

as-built plans. Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "FRP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms. 3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap

6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing concrete.

### BEAM 3 LOOKING WEST AT EAST FACE OF BEAM

4 LF

Structural Repair of Concrete, (Depth Equal to or Less than 5"), Flber Wrap & Acrylic Coating\* Epoxy Crack Injection

> \* Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.

### **BILL OF MATERIAL**

Item	Unit	Total
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	1
Epoxy Crack Injection	Foot	4
Fiber Wrap	Sq. Ft.	4
Acrylic Coating	Sq. Yd.	0.4


CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL

DESIGNED - KAS REVISED -CHECKED \_ TJZ REVISED . DRAWN \_ DCS REVISED -LICENSE #184.003222 PLOT DATE = CHECKED - KAS REVISED

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

SECTION BEAM 3 REPAIRS (92-10,11,12)R S.N. 092-0129

COUNTY VERMILION 698 470 CONTRACT NO. 70A29 SHEET 11 OF 14 SHEETS



Beam repair areas shown are estimated from inspection notes on September 14, 2020. Actual locations and quantities of completed repairs shall be shown by the Engineer on as-built plans.

Apply FRP Strengthening reinforcement to all portions of concrete beams being repaired after the concrete repairs are completed.

The existing concrete surface shall be cleaned and prepared in accordance with the Special Provisions for "FRP Strengthening".

Acrylic coating shall be placed over Fiber Wrap repairs. Two coats shall be applied. Fiber Wrap and Acrylic Coating need not extend beyond face of abutment or pier diaphragms.

3-inch strips shall be installed parallel to the bottom curvature of the beams. Wrap 6" onto interior diaphragms within the span.

Color of Acrylic Coating shall be chosed to best match the appearance of the existing concrete.

Structural Repair of Concrete, (Depth Equal to or Less than 5"), Fiber Wrap & Acrylic Coating\*

\* Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.

### BILL OF MATERIAL

Item	Unit	Total
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	1
Epoxy Crack Injection	Foot	13
Fiber Wrap	Sq. Ft.	5
Acrylic Coating	Sq. Yd.	0.6

CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL


DESIGNED - KAS REVISED -CHECKED \_ TJZ REVISED -DRAWN \_ DCS REVISED LICENSE #184.003222 PLOT DATE = CHECKED - KAS REVISED


**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION** 


Epoxy Crack Injection


**BEAM 4 REPAIRS** S.N. 092-0129 SHEET 12 OF 14 SHEETS

SECTION VERMILION 698 471 (92-10,11,12)R CONTRACT NO. 70A29









(Looking West)

PIER 2 ELEVATION

PIER 1 ELEVATION

(Looking North)

PIER 1 ELEVATION (Looking East)

PIER 2 ELEVATION (Looking North)

PIER 2 ELEVATION

(Looking East)

Structural Repair of Concrete, (Depth Equal to or Less than 5 Inches) with Fiber Wrap and Acrylic Coat\*

Structural Repair of Concrete, (Depth Equal to or Less than 5 Inches)

Epoxy Crack Injection

\* Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.

### NOTES:

The quantities shown are for estimating purposes only. The area to be repaired will be determined by the engineer at the time of construction. Actual repair locations shall be shown on the as-built plans.

Areas on columns designated Structural Repair of Concrete (Depth Equal to or Less than 5 Inches) with Fiber Wrap and Acrylic Coat shall have Fiber Wrap and Acrylic Coat applied around entire circumference of column to the depth shown.

### **BILL OF MATERIAL**


Item	Unit	Total
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	5
Epoxy Crack Injection	Foot	9
Fiber Wrap	Sq. Ft.	13
Acrylic Coating	Sq. Yd.	1.4

CIVIL DESIGN,INC. WBE | DBE EFFINGHAM, IL


JSER NAME DESIGNED \_ KAS REVISED CHECKED -TJZ REVISED DRAWN \_ DCS REVISED PLOT SCALE = CHECKED \_ REVISED

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**  SUBSTRUCTURE REPAIR PLAN SHEET 1 OF 2 SECTION S.N. 092-0129 SHEET 13 OF 14 SHEETS

(92-10,11,12)R VERMILION 698 472 CONTRACT NO. 70A29



PIER 3 ELEVATION (Looking South)




PIER 3 ELEVATION

(Looking North)

Structural Repair of Concrete, (Depth Equal to or Less than 5 Inches) with Fiber Wrap and Acrylic Coat\*

Epoxy Crack Injection

Slope Wall Crack Sealing (See Special Provisions)




PIER 3 ELEVATION (Looking West)

2 LF 🚦

PIER 3 ELEVATION

(Looking East)



2'-6"

SECTION A-A


NOTES:

The quantities shown are for estimating purposes only. The area to be repaired will be determined by the engineer at the time of construction. Actual repair locations shall be shown on the as-built plans.

Areas on columns designated Structural Repair of Concrete (Depth Equal to or Less than 5 Inches) with Fiber Wrap and Acrylic Coat shall have Fiber Wrap and Acrylic Coat applied around entire circumference of column to the depth shown.



NORTH SLOPE WALL



SOUTH SLOPE WALL Estimate 90 linear feet of crack to seal

**BILL OF MATERIAL** 

Item	Unit	Total
Structural Repair of Concrete (Depth Equal to or Less than 5")	Sq. Ft.	37
Epoxy Crack Injection	Foot	12
Fiber Wrap	Sq. Ft.	46
Acrylic Coating	Sq. Yd.	5.2
Slope Wall Crack Sealing	Foot	90

\* Apply single 12" wide strip horizontally across repair extending 6" below and beyond each end of repair area.




REVISED -DESIGNED - KAS CHECKED - TJZ REVISED -DRAWN - DCS REVISED \_ PLOT SCALE = CHECKED - KAS REVISED -

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

SUBSTRUCTURE REPAIR PLAN SHEET 2 OF 2 SECTION COUNTY SHEET NO.

VERMILION 698 473 COUNTY (92-10,11,12)R S.N. 092-0129 CONTRACT NO. 70A29 SHEET 14 OF 14 SHEETS



Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

All new fasteners shall be high strength bolts. Flange splice holes shall be 15/16" dia. for 7/8" dia. bolts. Web splice holes shall be 13/16" dia. for 3/4" dia. bolts. Diaphragm connection holes shall be 15/16" dia. for 3/4" dia. bolts. Two hardened washers shall be required at diaphragm connections.

No field welding is permitted except as specified in the contract documents.

The Contractor shall provide support and/or shoring systems for the slab, conduit, and beam in the area of existing beam removal and at other locations as required in order to maintain the existing deck profile. The support and/or shoring systems shall be approved by the Engineer. Such approval will not relieve the Contractor of responsibility for the safety of the structure. The cost of the support system for the existing slab and conduit shall be included in the cost of "Temporary Slab Support System." See Special Provisions for "Temporary Shoring & Cribbing" and "Temporary Slab Support System."

After the new beam is in its final position and/or beam straightening operations have been completed, the Engineer in the field shall check to see that the top flange is tight against the slab. If not, the Contractor shall inject an approved epoxy between the existing concrete deck and the top flange of the beam. Cost to be included with Furnishing and Erecting Structural Steel. See special provision for Epoxy Injection.

Existing structural steel that will be in contact with new structural steel shall be cleaned and painted prior to erection as required by the Special Provision "Cleaning and Painting Contact Surface Areas of Existing Steel Structures." All longitudinal and vertical web and flange splices are primary

The Organic Zinc Rich Primer / Epoxy / Urethane Paint System shall be used for shop and field painting of new and existing structural steel except where otherwise noted. The color of the final finish coat shall be Interstate Green, Munsell No. 7.5G 4/8.

The steel components of all expansion bearings shall be blasted and painted according to the Special Provision "Cleaning and Painting Existing Steel Structures.

Containment of cleaning residue is required to control nuisance dust. See special provisions.

SSPC QP1 Certification is required for this Contract.

Load carrying components designated "NTR" shall conform to the Impact Testing Requirement, Zone 2.

Deck slab curb repairs to be completed over closed lane, with protection for falling debris to be included in the cost of corresponding Deck Slab Repair.

Protective Coat shall be applied to all deck slab repairs.

Existing structure plans are available from the District upon request.

### TOTAL BILL OF MATERIAL

	ITEM	UNIT	SUPER	SUB	TOTAL
†	Deck Slab Repair (Full Depth, Type I)	Sq. Yd.	0.4	1	2.3
†	Deck Slab Repair (Full Depth, Type II)	Sq. Yd.	2.7	-	5.5
	Anchor Bolts 1"	Each	40	-	40
†	Structural Steel Removal	Pound	3,190	-	3,190
†	Structural Steel Repair	Pound	640	-	640
†	Temporary Shoring and Cribbing	Each	2	-	2
†	Cleaning and Painting Bearings	Each	14	-	14
†	Temporary Slab Support System	L Sum	1	-	1
	Protective Coat	Sq. Yd.	4.7	-	4.7
	Furnishing & Erecting Structural Steel	Pound	4,610	-	4,610


† Special Provision

Engineers

JSER NAME = jmasset DESIGNED - SMJ REVISED -Prairie Engineers, P.C. CHECKED - BAS REVISED OT SCALE = 0.166666 ' / in. REVISED PLOT DATE = 4/26/2022 CHECKED - SMJ REVISED -

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**  **GENERAL NOTES AND BILL OF MATERIALS** S.N. 092-0150 SHEET 2 OF 8 SHEETS


SECTION COUNTY 74 (92-10,11,12)R VERMILION 698 475 CONTRACT NO. 70A29 ILLINOIS FED. AID PROJECT





EXISTING & PROPOSED PEDESTRIAN BRIDGE SECTION

PEDESTRIAN BRIDGE SECTION AT UTILITY SUPPORTS


5 ≦ <b>-</b>	Prairie Engineers, P.C.	USER NAME = jmasset	DESIGNED - SMJ	REVISED -		EXISTING AND PROPOSED TYPICAL CROSS SECTIONS	F.A.I.	SECTION	COUNTY SHEET NO
AME	22484 Grosenbach Road Washington, IL 61571	22484 Grosenbach Road Washington, IL 61571 CHECKED - BAS REVISED -	REVISED -	STATE OF ILLINOIS	S.N. 092-0150	74	(92-10,11,12)R	VERMILION 698 476	
	Engineers www.prairieengineers.com	PLOT SCALE = 0.166666 ' / in.	DRAWN - JLM	REVISED -	DEPARTMENT OF TRANSPORTATION	5.N. 092-0130			CONTRACT NO. 70A29
₽ 분   5	NGINEERS - SURVEYORS - SCIENTISTS O Copyright Proiris Engineers, P.C. 2021	PLOT DATE = 4/25/2022	CHECKED - SMJ	REVISED -		SHEET 3 OF 8 SHEETS		ILLINOIS FF	D. AID PROJECT









4/25/2022 2:35:23 PM



SECTION AT REPLACED BEAM BOTTOM



SECTION AT INTERMEDIATE DIAPHRAGMS/UTILITY SUPPORTS




36WF135 SECTION AT NEW SPLICE

AT EACH END OF

REPLACED BEAM BOTTOM

# BOLT HOLE LEGEND

- : Existing Holes
- - Field drill holes in new steel using existing steel as template
- - Shop drill holes in new steel. Use new steel as template to field drill holes in existing steel.



SECTION AT REPLACED MAIN DIAPHRAGMS


#### Notes:

See sheet 5 of 8 for quantities.


Cleaning and painting of all connections on this sheet except at diaphragms and utility supports shall meet the requirements for Primary Connections as specified in the special provision for "Cleaning and Painting Contact Surface Areas of Existing Steel Structures".


(Sheet 2 of 2)


Prairie Enginee	ers, P.C.	USER NAME = jmasset	DESIGNED - SMJ	REVISED -		STEEL GIRDER REPAIR DETAILS	F.A.I. RTF	SECTION	COUNTY	TOTAL	SHEET
≥ Mael	4 Grosenbach Road shington, IL 61571		CHECKED - BAS	REVISED -	STATE OF ILLINOIS		74	(92-10.11.12)R	VERMILION	698	480
Prairie (2	(217) 605-0403 prairieengineers.com	PLOT SCALE = 0.166666 ' / in.	DRAWN - JLM	REVISED -	DEPARTMENT OF TRANSPORTATION	S.N. 092-0150		(	CONTRA	CT NO. 7	0A29
PROINETES - SURVEYORS - SCIENTISTS Professional design firm no. 184-005965  Copyright Proints Engineers, P.C. 2021		PLOT DATE = 4/25/2022	CHECKED - SMJ	REVISED -		SHEET 7 OF 8 SHEETS		ILLINOIS FED. A	ND PROJECT		





4/26/2022 9:19:27 AM















MAURER-STUTZ
ENGINEERS SURVEYORS

T Z USER NAME = bmwagehoft DESIGNED - REVISED 
DRAWN - REVISED 
PLOT SCALE = 0.16666667 ' / in. CHECKED - REVISED 
PLOT DATE = 3/24/2022 DATE - REVISED -

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

INTERSTATE 74 REHABILITATION
GORE DETAILS - WB C-D ROADWAY

SCALE: 1" = 20' SHEET 6 OF 6 SHEETS STA. TO STA.



# **GUARDRAIL SPLICE DETAIL**

- 1. INSTALL POST B HALFWAY BETWEEN POST A AND C.
- 2. FIELD DRILL RAIL ELEMENT AT B AND A AND ATTACH USING NEW BOLTS, NUTS AND WASHERS. PAINT DRILLED HOLES WITH ZINC-RICH PAINT.
- INSTALL VARIABLE LENGTH RAIL TO SPAN GAP BETWEEN POST A AND C. USING NEW SPLICE PLATES, BOLTS AND NUTS. ADJUST POST SPACING SO THAT X/2 IS BETWEEN 3'-1/2" TO 6'-3"
- 4. THE COST OF CONNECTING THE PROPOSED GUARDRAIL SHALL BE INCLUDED IN THE COST OF THE ASSOCIATED GUARDRAIL PAY ITEMS.


INCLUDED IN THE COST OF THE ASSOCIATED GUARDRAIL PAY ITEMS.	TOT DIG CET.
	TBT TY 6, SEE ——————————————————————————————————
	SPBG TY A, 6 FT=7' SEE SPLICE DETAIL
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1875-1
	172
1862 - 2 - 4 - 2 - 1864 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	1871 1872 1873 1874 1875+00 1876 <b>5</b>
1002 2 2 1003 2 1004 2 1003 1000 1000 1000 1000	
	<b>14</b>   461.
	1875 - 1876
	1 472   1 472   1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	SPBG TY A, 6 FT=7
	TBT TY 6
	15

LOC	HMUELLER
	GROUP
-	1928 SrA Bradley R. Smith Drive Troy, IL 62294 PHONE: 618 667 1400

USER NAME = Jennifer	DESIGNED - AGL	REVISED -
	DRAWN - LEC	REVISED -
PLOT SCALE = 0.16666633 ' / in.	CHECKED - JLS	REVISED -
PLOT DATE = 3/17/2022	DATE -	REVISED -

STATE	OF.	ILLINOIS				
DEPARTMENT OF TRANSPORTATION						


GUARDRAIL PLAN SHEETS						F.A.I. RTE	SEC	TION	COUNTY	TOTAL SHEETS	SHEET NO.
	L 74 DANVILLE						(92-10,	11,12)R	VERMILION	698	488
	I-74 DANVILLE								CONTRACT	NO. 70	A29
SCALE: 1" = 50'	SHEET 1	OF 6	SHEETS	STA. 1862+00.00	TO STA. 1877+00.00	ILLINOIS FED. AID PROJECT					



SCALE: 1" = 50' SHEET 2 OF 6 SHEETS STA. 1877+00.00 TO STA. 1892+00.00


CONTRACT NO. 70A29





0	50	100	15
SCA			

							36,121	E 114 1 EE1
	USER NAME = Jennifer	DESIGNED - AGL	REVISED -			GUARDRAIL PLAN SHEETS	F.A.I. SECTION	COUNTY TOTAL SHEET
LOCHMUELLER GROUP  1928 SrA Bradley R. Smith Orive Troy, It. 52294 PHONE: 818.657.1400		DRAWN - LEC	REVISED -	STATE OF ILLINOIS		<u> </u>	74 (92-10,11,12)R	VERMILION 698 490
	PLOT SCALE = 0.16666633 ' / in.	CHECKED - JLS	REVISED -	DEPARTMENT OF TRANSPORTATION		I-74 DANVILLE		CONTRACT NO. 70A29
	PLOT DATE = 3/17/2022	DATE -	REVISED -	SCALE:	SCALE: 1" = 50'	SHEET 3 OF 6 SHEETS STA. 1892+00.00 TO STA. 1907+00.00	ILLINOIS	FED. AID PROJECT




(92-10,11,12)R VERMILION 698 491 CONTRACT NO. 70A29

LOCHMUELLER GROUP

DRAWN - LEC REVISED CHECKED - JLS REVISED

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 


I-74 DANVILLE SCALE: 1" = 50' SHEET 4 OF 6 SHEETS STA. 1907+00.00 TO STA. 1922+00.00



CHECKED - JLS REVISED **DEPARTMENT OF TRANSPORTATION** 

I-74 DANVILLE SCALE: 1" = 50' SHEET 5 OF 6 SHEETS STA. 1922+00.00 TO STA. 1937+00.00

CONTRACT NO. 70A29




PLOT DATE = 3/17/2022


REVISED


**DEPARTMENT OF TRANSPORTATION** 


I-74 DANVILLE SCALE: 1" = 50' SHEET 6 OF 6 SHEETS STA. 1937+00.00 TO STA. 1952+00.00


(92-10,11,12)R CONTRACT NO. 70A29











## PROPOSED FEATHEREDGE RUNDOWN LOCATIONS

#### MAUCK LANE

STA. 48+13.14 TO STA. 48+48.14 (SOUTH APPROACH) STA. 51+51.87 TO STA. 51+86.87 (NORTH APPROACH)

#### LEVERICH ROAD

STA. 50+15.31 TO STA. 50+45.31 (SOUTH APPROACH) STA. 47+79.71 TO STA. 48+09.71 (NORTH APPROACH)

### GREENWOOD CEMETERY ROAD

STA. 51+38.49 TO STA. 51+54.49 (SOUTH APPROACH) STA. 48+64.51 TO STA. 48+79.51 (NORTH APPROACH)

## **GENERAL NOTES**

- 1. ALL PROPOSED RUNDOWNS SHALL BE UNIFORMLY CONSTRUCTED AS FOLLOWS: 1:240 (20 FEET PER INCH) OF THICKNESS FOR NON-INTERSTATE IMPROVEMENTS (SEE ARTICLE 406.09)
- 2. ON RESURFACING RUNDOWNS THAT ARE TO REMAIN IN PLACE AFTER COMPLETION OF THE SECTION, THE END OF THE FEATHEREDGE SHALL BE PAINTED WITH A UNIFORM COATING OF AC OR HFE BITUMINOUS MATERIAL APPROVED BY THE ENGINEER AFTER THE RUNDOWN IS COMPLETED. THE BITUMINOUS MATERIAL SHALL BE PAINTED ACROSS THE END OF THE RUNDOWN APPROXIMATELY 12 INCHES (300 mm) WIDE, 6 INCHES (150 mm) ON THE RUNDOWN AND 6 INCHES (150 mm) ON THE PAVEMENT. THE PAINTED STRIP SHALL BE COVERED WITH SAND, THIS WORK WILL NOT BE PAID FOR SEPARATELY, BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

MAURER-STUTZ
PHOLINEERS SURVEYORS

 USER NAME
 = bmwagehoft
 DESIGNED
 REVISED

 DRAWN
 REVISED

 PLOT SCALE
 = 40.0000 ¹/in.
 CHECKED
 REVISED

 PLOT DATE
 = 3/24/2022
 DATE
 REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INTERSTATE 74 REHABILITATION
FEATHEREDGE RUNDOWN DETAIL

| SHEET 1 OF 1 SHEETS | STA. TO STA.

