

EXISTING

HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70, 11/2" HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70, 21/4"

PORTLAND CEMENT CONCRETE PAVEMENT, 10" & VARIES

SUBBASED GRANULAR MATERIAL, 6" & VARIES

(E) PIPE UNDERDRAIN, 6"

HOT-MIX ASPHALT SHOULDER, 10" & VARIES

(G) CONCRETE BARRIER

PROPOSED

(1) PORTLAND CEMENT CONCRETE PAVEMENT 10 1/2" (JOINTED)

STABILIZED SUBBASE-HOT MIX ASPHALT, 4"

AGGREGATE SUBGRADE IMPROVEMENT 12"

(4) PORTLAND CEMENT CONCRETE SHOULDERS 10 1/2"

RETAINING WALL / MSE WALL

(6) ITEM REMOVED

TOPSOIL FURNISH AND PLACE, 4" SEEDING, CLASS 2A

CONCRETE BARRIER BASE

CONCRETE BARRIER, SINGLE FACE, 42" HEIGHT

CONCRETE BARRIER, DOUBLE FACE, 42" HEIGHT

ONGITUDINAL CONSTRUCTION JOINT, *6 EPOXY COATED BARS AT 30" CENTERS, INCLUDED IN COST OF PCC ITEMS

(12) LONGITUDINAL CONSTRUCTION JOINT, "6 EPOXY COATED BARS AT 24" CENTERS, INCLUDED IN COST OF PCC ITEMS

TIE BARS, *6 EPOXY COATED BARS AT 24" CENTERS, INCLUDED

IN COST OF COMBINATION CONCRETE CURB AND GUTTER TYPE B-6.24 (14) PIPE UNDERDRAINS 6"

(15) CHAIN LINK FENCE, 6'

(16) AGGREGATE COLUMN (SEE STRUCTURAL PLANS)

(17) CAST-IN-PLACE CONCRETE COPING SEAL WITH PUF (SEE STRUCTURAL PLANS)

(18) ANCHOR SLAB (SEE STRUCTURAL PLANS)

(19) PARAPET (SEE STRUCTURAL PLANS)

(20) SOIL REINFORCEMENT (SEE STRUCTURAL PLANS)

(21) LIGHTWEIGHT FILL (SEE STRUCTURAL PLANS)

(22) TEMPORARY PAVEMENT

(23) TEMPORARY CONCRETE BARRIER

(24) SUBBASE GRANULAR MATERIAL, TYPE C 4"

(25) CONCRETE MEDIAN SURFACE, SPECIAL - 4"

POROUS GRANULAR EMBANKMENT

(27) PORTLAND CEMENT CONCRETE PAVEMENT 10" (JOINTED)

(28) PORTLAND CEMENT CONCRETE SHOULDER, 10"

(29) TEMPORARY CONCRETE BARRIER (TO REMAIN PERMANENTLY)

(30) POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "F". N90, (IL-9.5 MM): 1 3/4"

HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70: 2 1/4"

(32) HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70, (IL-9.5 MM): 2"

NOTES:

THE ADDITIONAL THICKNESS OF AGGREGATE SUBGRADE IMPROVEMENT UNDER THE SHOULDER TO DRAIN TO UNDERDRAINS SHALL BE INCLUDED IN THE COST PER SO. YD. OF AGGREGATE SUBGRADE IMPROVEMENT 24".

2. THE MAXIMUM ROLLOVER BETWEEN THE PAVEMENT AND THE SHOULDER ON THE HIGH SIDE OF THE SUPERELEVATION IS 8.0%.

FOR PORTLAND CEMENT CONCRETE PAVEMENT (JOINTED) DETAILS, SEE JOINTING AND PCC PAVEMENT DETAIL PLAN.

SEE SE TRANSITION DATA TABLE FOR SUPERELEVATION TRANSITIONS.

SEE GRADING PLAN FOR GRADING LIMITS AND SLOPES.

SEE ROADWAY DETAILS FOR ADDITIONAL INFORMATION AND LIMITS OF VARIOUS TYPES OF CONCRETE BARRIERS.

7. TIE BARS FOR BARRIER WALLS ARE NOT SHOWN ON THE TYPICAL SECTIONS FOR CLARITY.

BOXED ITEMS ARE INCLUDED IN THE COST OF THE CONTRACT.

 $/\Delta$

USER NAME . elizadete DRAWN - NSA REVISED -PLOT SCALE + 19,9993 ' / in. CHECKEO - KCF REVISED -PLOT DATE + 5/27/2014 DATE - 04/28/14 REVISED .

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

SECTION COUNTY TYPICAL SECTIONS COOK 747 29 2013-010R 90/94/290 CONTRACT NO. 60W28 SHEET 8 OF 11 SHEETS STA. SCALE: NONE TO STA.