


NOTES:



48-0 VARIES 10.0' 10.0' T TURN LT TURN RT TURN RT TURN LANE LANF LANE -- PGI VARIES VARIES VARIES VARIES 4.0% 1. REFER TO PAVEMENT JOINTING AND ELEVATION PLANS FOR THE DESCRIPTIONS AND DETAILS OF PAVEMENT JOINTS. 1.0 1.0'(TYP) 2. 3" CA-6 AGGREGATE CAP AND 9" POROUS GRANULAR EMBANKMENT TOGETHER ARE PAID FOR AS AGGREGATE SUBGRADE 12". THE ADDITIONAL THICKNESS OF THE CAPPING LAYER SHALL BE INCLUDED IN THE COST OF AGGREGATE SUBGRADE 12". 1.01 24 9 2

ADDITIONAL UNDERCUT:

"POROUS GRANULAR EMBANKMENT, SUBGRADE" (PGES)
IS RECOMMENDED FOR USE UNDER THE PROPOSED
PAVEMENT AT LOCATIONS WITH SOILS THAT ARE UNSTABLE
OR UNSUITABLE. THE ACTUAL NEED FOR REMOVAL AND
REPLACEMENT WITH PGES WILL BE DETERMINED IN THE
FIELD AT THE TIME OF CONSTRUCTION BY THE
ENGINEER. ALL POTENTIALLY UNSTABLE SOILS SHALL
BE TESTED WITH A STATIC CONE PENETROMETER AND
TREATED IN ACCORDANCE WITH ARTICLE 301.04 AND
THE UNDERCUT GUIDELINES IN THE IDOT SUBGRADE
STABILITY MANUAL. IF UNSTABLE AND/OR UNSUITABLE
MATERIALS ARE ENCOUNTERED, THE SOIL SHALL BE
REMOVED AND REPLACED WITH PGES AS DETERMINED
BY THE ENGINEER. IF UNSTABLE AND/OR UNSUITABLE
MATERIAL IS NOT ENCOUNTERED, THEN THE QUANTITY
SHALL BE DEDUCTED AND NO ADDITIONAL COMPENSATION
WILL BE DUE THE CONTRACTOR.

(SEE SCHEDULE OF QUANTITIES - EARTHWORK FOR LOCATIONS)

TYLININTERNATIONAL

PROPOSED NB EXIT RAMP

STA. 193+72 TO IL-60 INTERSECTION (STA. 198+27)

LEGEND:

TOTAL SHEET SHEETS NO. LAKE 439 22 STA. 432+83.12 TO STA. 470+56.84 FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT

COUNTY

SECTION

- PORTLAND CEMENT CONCRETE PAVEMENT 10'/4" (JOINTED)
- PORTLAND CEMENT CONCRETE PAVEMENT 10" (JOINTED) 2
- (3) AGGREGATE SUBGRADE 12"
- 3" CA-6 AGGREGATE CAP (THICKNESS VARIES UNDER SHOULDER) (SEE NOTE 2)
- **3b** 9" POROUS GRANULAR EMBANKMENT (SEE NOTE 2)
- STABILIZED SUBBASE HOT-MIX ASPHALT, 3" (PER ISTHA DESIGN) 4
- HOT-MIX ASPHALT SHOULDERS, 6" (5)
- 6 CONCRETE MEDIAN, TYPE SB-6.12
- COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12 7
- COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24 8
- (9) GUTTER, TYPE G-2
- CONCRETE MEDIAN SURFACE, 4 INCH 10
- 13/4" POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "F" N90 (11)
- 1" LEVELING BINDER, (MACHINE METHOD), N70 (12)
- PORTLAND CEMENT CONCRETE PAVEMENT 101/4" OR MATCH EXISTING (13)
- SUB-BASE GRANULAR MATERIAL, TYPE B 4" 14)
- TOPSOIL, 4", SEEDING AND EROSION CONTROL BLANKET (SEE LANDSCAPING PLANS)
- STEEL PLATE BEAM GUARDRAIL OR TRAFFIC BARRIER TERMINAL, TYPE VARIES (16)
- (17) TEMPORARY PAVEMENT
- (18) AGGREGATE SHOULDER, TYPE B 4"
- (19) PIPE UNDERDRAIN 6"
- PORTLAND CEMENT CONCRETE BASE COURSE, 101/4" 20)
- GEOTECHNICAL FABRIC FOR GROUND STABILIZATION (SHALL NOT CROSS UNDERDRAIN TRENCHES) 21)
- TOPSOIL, 4" AND SODDING (SEE LANDSCAPING PLANS)

LEGEND APPLIES TO PROPOSED TYPICAL SECTION SHEETS 1-4 OF 5 ONLY.

ILLINOIS DEPARTMENT OF TRANSPORTATION ILLINOIS RTE 60 OVER I-94

PROPOSED TYPICAL SECTIONS NB I-94 ENTRANCE/EXIT RAMPS (SHEET 3 OF 5)

SCALE: NONE

DRAWN BY: CBS CHECKED BY: MPG

DATE: MAY 8, 2007