

Concrete Wearing Surface, min. and varies PPC Deck Beams Exist. Approach Cap -/ 18"x45" PC Bridge Slab Back of Fxist, Abutment

SECTION THRU ABUTMENTS **OUTSIDE BEAM**

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

GENERAL NOTES

- 1. Reinforcement bars shall conform to the requirements of ASTM A706 Gr 60 (IL Modified). See Special Provisions.
- 2. Plan dimensions and details relative to existing plans are subject to routine variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished based upon the unit price bid for the work.
- 3. All construction joints shall be bonded.
- 4. Concrete Sealer shall be applied to abutment bearing seats where formed concrete repairs are performed.
- 5. All new structural steel shall be shop painted with an inorganic zinc rich primer per AASHTO M300 Type 1 unless noted otherwise.
- 6. No work will be allowed in the stream.
- 7. The Contractor is advised that the existing PPC Deck Beams are in a deteriorated condition with reduced load carrying capacity. It is the Contractor's responsibility to account for the condition of the beams when developing construction procedures for removal and replacement of the superstructure.
- 8. If the Contractor's procedure for existing beam removal or placement of new beams involves placement of cranes or other heavy equipment on new beams, a detailed procedure shall be submitted to the Engineer for approval. The procedure shall include calculations, prepared

- included with the cost of the beam.
- 10. The minimum thickness of the concrete overlay shall be 5" and varies as required to adjust for the new profile grade and beam camber.
- 12. Stage Construction of Precast Prestressed Concrete Deck Beams shall be according to Article 504.06(d) of the Standard Specifications.

FED. ROAD DIST. ND.		ILLINDIS	FED. AID PRDJECT-			
FAP 328	*	WHITE		42	13	
OUTE NO.	SEC1ION	COUNTY		TOTAL SHEETS	SHEET NO.	

SHEET NO. 2 17 SHEETS

9. The cut strands at each beam end shall be given two coats of zinc dust spray or paint meeting the requirements of ASTM A780. The zinc dust spray or paint shall be applied before corrosion appears and allowed to dry according to the manufacturer's specifications prior to another coat of zinc. A concrete sealer meeting the requirements of Section 587 of the Standard Specifications shall be applied to the exterior face and 9" in on the underside of the fascia beams. The sealer shall be applied after visible crack growth has subsided. This work shall be performed by the producer and

11. Repair of the substructure shall be completed prior to placement of the new deck beams.

TOTAL BILL OF MATERIAL

ITEM	UNIT	SUPER	SUB	TOTAL
Removal of Existing Superstructures	Each	1	-	1
Bridge Deck Grooving	Sq. Yd.	383 -	-	383
Protective Coat	Sq. Yd.	383	-	383
Precast Concrete Bridge Slab	Sq. Ft.	194	-	194
Precast Prestressed Concrete Deck Beams (11" Depth)	Sq. Ft.	3039	-	3039
Reinforcement Bars, Epoxy Coated	Pound	4740	-	4740
Bar Splicers	Each	92	-	92
Steel Railing, Type SM	Foot	228	-	228
Steel Railing (Temporary)		176	-	176
Name Plates	Each	1	-	1
Concrete Sealer	Sq. Ft.	-	80	80
Epoxy Crack Injection	Foot	-	114	114
Structural Repair of Concrete (Depth Equal to or Less Than 5")	Sq. Ft.	-	231	231
Concrete Wearing Surface, 5"	Sq. Yd.	383	-	383
	-			

GENERAL DATA US 45 OVER SKILLET FORK OVERFLOW FAP ROUTE 328 - SECTION (105X)BR WHITE COUNTY STATION 598+76.00 STRUCTURE NO. 097-0019