


EXISTING TYPICAL SECTION STA. 96+89.40 TO STA. 97+70.27 STA. 99+26.23 TO STA. 99+78.40



PROPOSED TYPICAL SECTION

STA. 96+89.40 TO STA. 97+70.27 STA. 99+26.23 TO STA. 99+78.40

* SEE CROSS SECTIONS FOR SIDE SLOPE

LEGEND

- ① EXISTING PAVEMENT 9-6-9
- ② EXISTING BITUMINOUS BINDER, 3"±
- 3 EXISTING PAVEMENT MARKING
- 4 EXISTING BITUMINOUS WIDENING, 9"
- (5) EXISTING BITUMINOUS SURFACE COURSE, 1/2"
- EXISTING AGGREGATE SHOULDER
 PROPOSED MILLING
- 8 PROPOSED PAVEMENT MARKING
- PROPOSED BITUMINOUS MATERIAL (PRIME COAT)
- 10 PROPOSED AGGREGATE (PRIME COAT)
- 11) PROPOSED BINDER COURSE, 33/4"
- 12 PROPOSED BITUMINOUS CONCRETE SURFACE COURSE. 11/2"
- (13) PROPOSED STRIP REFLECTIVE CRACK CONTROL
- PROPOSED AGGREGATE SHOULDER

 PROPOSED BITUMINOUS CONCRETE BASE COURSE WIDENING, 12"

BRIDGE EXIST. PVMT. MILLING AREA PROP. BIT. SURF. PROP. BINDER

*SEE PLAN & PROFILE FOR BEGINNING AND END STATION OF RESURFACING

MILLING DETAIL

MIXTURE REQUIREMENTS

MIXTURE USE	SURFACE	BINDER	BINDER / BCE CSE	INCIDENTAL SURF.
AC/PG	PG 64-22	PG 64-22	PG 64-22	PG 64-22
RAP % (MAX)	10%	15%	15%	10%
DESIGN AIR VOIDS	4% Ndes=70	4% Ndes=70	4% Ndes=70	4% Ndes=70
MIX COMPOSITION	-			
(GRADATION MIXTURE)		IL 19.0	IL 19.0	IL 19.0
FRICTION AGGREGATE	MIXTURE "C"	MIXTURE "B"	MIXTURE "B"	MIXTURE "C"

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION		
NAME	DATE	TYPICAL SECTIONS/MIXTURE		
		REQUIREMENTS & MILLING DE	TAIL	
		FAP ROUTE 789		
		SECTION 68-BR-1		
		MADION COUNTY		
		SCALE: VERT. DRAWN BY		
		DATE CHECKED BY		

COUNTY

MADISON