


FRAMING PLAN



Notes:

All material for bracing shall be hot dip galvanized according to AASHTO M111 unless otherwise noted.

Two hardened washers are required for each set of oversized holes.

All holes shall be ¹⁵₁₆ "\$\psi\$ unless otherwise noted.

 5 ₁₆" x 3" x 3" plate washers are required over all slotted holes. All bolts shall be galvanized according to AASHTO M232. Bracing shall be installed as beams are erected and tightened

as soon as possible during erection.


Permanent bracing shall not be paid for separately, but shall be included in the cost of Furnishing and Erecting Precast Prestressed Concrete Bulb T-Beams.

DRAWN - GJS

CHECKED - CMM

PERMANENT BRACING DETAILS

FOR BULB-T BEAMS



INTERIO	R BEAM MOME	ENT TABLE
I	(in ⁴)	545,894
I'	(in4)	1,032,099
Sb	(in ³)	14,915
Sb'	(jn³)	10,071
St	(in 3)	15,421
St'	(in ³)	51,451
DC1	(k/')	1.42
M DC1	('k)	2076.1
DC2	(k/')	0.15
M DC2	('k)	222.3
DW	(k/')	0.22
Mow	('k)	332.7
M4 + IM	('k)	1617.0

INTERIOR	BEAM REACT	TION TABLE
R _{DC1}	(k)	77.6
R DC2	(k)	8.2
Row	(k)	12.2
R L + IM	(k)	122.4
R Total	(k)	220.4

- I: Non-composite moment of inertia of beam section (in.4).
- I': Composite moment of inertia of beam section (in.4).
 S_b: Non-composite section modulus for the bottom fiber of the prestressed beam (in.3).
- S_b ': Composite section modulus for the bottom fiber of the prestressed beam (in. 3).
- S₁: Non-composite section modulus for the top fiber of the prestressed beam (in.³).
- S₁': Composite section modulus for the top fiber of the prestressed beam (in.³).
- DC1: Un-factored non-composite dead load (kips/ft.).
- MDCI: Un-factored moment due to non-composite dead load (kip-ft.).
- DC2: Un-factored long-term composite (superimposed excluding future wearing surface) dead load (kips/ft.).
- M_{DC2}: Un-factored moment due to long-term composite (superimposed excluding future wearing surface) dead load (kip-ft.).
- DW: Un-factored long-term composite (superimposed future wearing surface only) dead load (kips/ft.).
- M_{DW}: Un-factored moment due to long-term composite (superimposed future wearing surface only) dead load (kip-ft).
- M_{2} · I_{M} : Un-factored live load moment plus dynamic load allowance (impact) (kip-ft.).

FRAMING PLAN & DETAILS
STRUCTURE NO. 032-0117

LOCHNER

H.W. LOCHNER, INC. CONSULTING ENGINEERS & PLANNERS 20 NORTH WACKER DRIVE SUITE 1200 CHICAGO, IL 60606

SHEET	NO.					
11 OF	19					
SHEETS						

 RTE. SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
*	(32,47-4) HBK-4 & G(N)	GRUNDY	351	324
		CONTRACT	NO. 66	408
EEU BO	AD DIST NO THINDIS EED A	ID PROJECT		

* FAI 80 & FAS 297 / FAU 392

DESIGNED - LJB

CHECKED - CMM