

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E) : Indicates epoxy coating.



BERNARDIN

LOCHMUELLER &

ASSOCIATES, INC.

yield strength. alternatives.

3 Oak Drive Maryville, IL 62062-5635 Local-(618) 288-4665 Fax 618-288-4666

Mechanica. coupler (E) Reinforcement bar -Reinforcement bar

STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required
Pier	#6	54
Pier	#8	120
Pier	#9	308

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for

BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS STRUCTURE NO. 025-0106

SHEET NO. 34	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	57/70	(25-3HB-2)B	EFFINGHAM	839	363
38 SHEETS	SN 025-0106		CONTRACT	NO. 74	293
	FED. RC	AD DIST. NO. 7 ILLINOIS FED. AI	ID PROJECT		