## STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



7/14/2009 11:08:14 AM

## CONTRACT NO. 83827

ROUTE NO.	SECTION	COUNTY		TOTAL SHEETS	SHEET NO.	<b>SHEET NO.</b> <i>S25</i>
	*	DUPAGE		106	46	of S34 sheets
PED, ROAD DIST. NO. 7		ILLINDIS	FED. AID PROJECT-			

\* 00-00116-00-BR

## NOTES

Bar splicer assemblies shall be of an approved type and shall develop in tension at least 125 percent of the yield strength of the lapped reinforcement bars.

Splicer rods shall be of minimum 60 ksi yield strength, threaded or coiled full length. All reinforcement bars shall be lapped and tied to the splicer rods or dowel bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars.

Other systems of similar design may be submitted to the Engineer for approval. Approval shall be based on certified test results from an approved testing laboratory that the proposed bar splicer assembly satisfies the following requirements:

 $Minimum Capacity = 1.25 x fy x A_t$ 

(Tension in kips)

Minimum \*Pull-out Strength = 0.66 x fy x A<sub>t</sub> (Tension in kips)

Where fy = Yield strength of lapped reinforcement bars in ksi.

 $A_{\rm f}$  = Tensile stress area of lapped reinforcement bars. \* = 28 day concrete

2

Reinforcement

Bars

BAR SPLICER ASSEMBLIES							
		Strength Requirements					
Bar Size to be Spliced	Splicer Rod or Dowel Bar Length		Min. Pull-Out Strength kips - tension				
#4	1'-8''	14.7	7.9				
#5	2'-0''	23.0	12.3				
#6	2'-7''	33.1	17.4				
#7	3′~5′′	45.1	23.8				
#8	4′-6′′	58.9	31.3				
#9	5′-9′′	75.0	39.6				
#10	7'- 3''	95.0	50.3				
#11	9'-0''	117.4	61.8				

Bar splicer assemblies shall be according to Section 508 of the Standard Specifications, except as noted. The furnishing and installation of bar splicer assemblies will be measured and paid for at the contract unit price each for "BAR SPLICERS."



## STANDARD

Bar Size	No. Assemblies Required	Location
#5	144	Piers

