-3" Radius -Top of Beam 270 ksi strands LIFTING LOOP DETAIL

Inserts for ${}^3\!4''$ ϕ threaded dowel rods, when specified, are to be two strut, ferrule type for interior beams and single ferrule, flared loop type for exterior beams.

Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be $^{\prime}2^{\prime\prime}$ and the nominal cross-sectional area shall be 0.153 sq. in.


Reinforcement bars shall conform to ASTM A 706, Grade 60. (See Special Provisions).


A minimum 2^{l}_{2} " ϕ lifting pin shall be used to engage the lifting loops during handling.

The top and bottom plates shall be AASHTO M270 Grade 50.

The bottom plates and studs shall be galvanized according to AASHTO M111. Top plates and threaded rods need not be galvanized,


Threaded rods shall be ASTM F 1554 Grade 55.





BAR G1

BAR G2



BAR G5


£ 1" ¢ holes for ³₄′′ ¢ threaded rods TOP PLATE


 \bigcirc

 \bigcirc

 \bigcirc

 \bigcirc





NOTE:

See bearing details for pintle hole locations when required.

BILL OF MATERIAL

Item	Unit	Total
Furnishing and Erecting Precast Prestressed Concrete I-Beams, 48"	Foot	602

Σ	REVISION	DATE	BY	REMARKS	DRAWN	_
:					R.D.A.	
,,					CHECKED	
***				M.C.W.		
щ					APPROVED	IN
=					DVC	115

ILLINOIS DEPARTMENT OF TRANSPORTATION BRIDGE REPLACEMENT INDIANA AVENUE (CH 24) OVER TRIM CREEK



WILL	COUNTY

TOTAL	
IUIAL	SHEET
SHEETS	NO.
ГО	07
20	[[]
	SHEETS 58