


NOTE: DIAMOND TIPPED DRILL SHALL BE USED TO DRILL THRU REINFORCEMENT BARS



IOTF•

POSTS SHALL BE HOT DIPPED GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH ASTM DESIGNATIONS A-123 AND A-385.

TWO PERCENT (2%) OF ALL ANCHOR BOLTS SHALL BE TEST LOADED IN PLACE. MIN. TEST LOAD = 8 KIPS.

ALL BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED IN ACCORDANCE WITH ASTM DESIGNATION A-153.

FOR MATERIAL COMPOSITION OF PREFABRICATED PAD, SEE ARTICLE 54.9(F), (BEARING AND ANCHORAGE), OF THE STANDARD SPECIFICATIONS.

PROVIDE 1-/6" AND 2-/16" GALVANIZED STEEL SHIMS FOR 25% OF THE POSTS.

IF ONE ANCHOR BOLT FAILS DURING TEST, TWO OTHER ANCHOR BOLTS SHALL BE TESTED, TESTING EQUIPMENT CAN BE OBTAINED FROM BOLT COMPANIES.

THIS SHEET IS FOR INFORMATION ONLY

FILE NAME =	USER NAME = midyje	DESIGNED -	REVISED -		TYPICAL DETAIL FOR CENTER LONGITUDINAL JOINT			F.A. RTF.	SECTION	COUNTY	TOTAL	SHEET NO.		
c:\pw_work\pwidot\midyja\d0213082\Design	ndgn	DRAWN -	REVISED -	STATE OF ILLINOIS					VAR	2010-057 GRR	VARIOUS	22	12	
	PLOT SCALE = 103.1216 ' / IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	GUARDRAIL JOINT							CONTRAC	CT NO.	50L35
	PLOT DATE = 8/27/2010	DATE -	REVISED -	SCA	SCALE:	SHEET NO. OF	SHEET	TS S	TA. TO STA.	FED. RO	DAD DIST. NO. ILLINOIS FED.	AID PROJECT		