

8 444444444444444	Mechanical coupler (E)
844444444444444444444444444444444444444	***************************************
Reinforcement bar _	Reinforcement bar

STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required		
W. Abutment	#6	*4		
E. Abutment	#6	*4		

*Cost included with Furnishing and Erecting Structural Steel. See sheet 19 of 45.

<u>NOTES</u>

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength. All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers. See approved list of bar splicer assemblies and mechanical splicers for alternatives.

<u>BAR SPLICER ASSEMBLY DETAILS</u> <u>S.N. 085-0514</u>								
SHEET NO.36	F.A.P RTE.	SEC	TION	COUNTY	TOTAL SHEETS	SHEET NO.		
	713	120	B-3	SCHUYLER	75	56		
45 SHEETS				CONTRACT	CONTRACT NO. 72A03			
	FED. ROAD DIST. NO. ILLINOIS FED. AI							
Klingner & Associates P.C.								